Name: Aditya Rawat

Course: BSCIT 5th SEM

MID TERM PRACTICAL

Aditya

Ques1 manifest.xml>

```xml
<?xml version = "1.0" encoding="utf-8"?>
<manifest xmlns: android= "http:// schemas.
    android.com /apk/res/android"
    package = "com.example.midterm">

<application
    android.allow Backup="true"
    android:icon = @mibmaplic_launcher"
    android :label @ string/app-name"
    android: round Icon=@ mibmaplic_
        launcher_round"
    android: supports Rti ="True"
    android: thume ="@style (Themes. midterm>
    <activity
```

```xml
        android:name="Main activity"
          android:exported="true">
        <intent-filter>
        <action android name=" android.Intent.action
                                Main1>
<category android name = "android_intent.cate-
            gory.LAUNCHER"/>
        </intent/filter>
      </activity>
      <activity
      android:name=" Explicit Activity"
          android:exported="true">
      </activity>
    </application>
  </manifest>
```

MainActivity.java>

```java
package com.example-midterm;
import android.content.Intent;
import android.net.uri;
import android.os.bundle;
import android.view.View;
import android.widget.Button;
```

Aditya

```java
public class MainActivity extends appconpact
    Activity {

Button explicit, implicit;
    @override
```

Aditya