NAME > RitiK Dobhad COURSE > B.S. (IT) (Th Sem ROII NO. > 1922049

SUBJECT -> Mobile Application Development

Am 2 file - activity - nown - x ml

<?xml version = "1.0" enoding = " wf - 8"?>

Kandrold. support. comtrailed. Contrailed layout xm

Xmlns: app = " http:// schemas, android auto 4

xmlns: tools = "http:// Schenar, and rold. com / tools"

android i layour\_ width = " match-parent"

android: layoud\_height = "match-parent"

tools: context = " example. Javatpoint. com.

aut it y wife by ou, mountable it y

2 Tex + view

android: layout - width = "corcyp - content"

android: layour. height: 4 wrap \_ contat 4

android: text = " Hello would!

appilayout\_ contract bottom - to

app: layout - contributelf - to key of = " porent "

app: layout - contraînt light - to Right : parent 4

app: layout \_ contraint top \_ to Topo = " parent "/,

K/android. support. contraint. contraintlayout?

Ritik.

file - Moun Actualty Java package example javalpoint. com. activity ye eyou; import android app. Activity; and not d. os. Bundle; andraid. Wil. log, public dan Main Activity extends Activity ? protected vold on Create (Bundle sand Intaw State) ? Super. on crac (sanchtana state ), Set content view (R. layout, addity-main); log. d (" lifecycle", " on Croose involved "); 3 protected rold on Start () ? Super. on Start (); log, d (" life yell", " on Start involad"); protested rold onkesume () ? super. on Resume (); wg.d ("lijeyu", " on Roume inoled"),

3

BIHK.

```
protected rold on Pource () ?
   Super. On Paure ():
    Log. d 1" Ujeryeu", " on Paruse "motered");
3
  proteted void onstop () {
    super. on Stop ();
    log. d (" like yele", "on stop invoked");
  protend vold on Restan () {
     Super. On Restart ();
    Logid (" lifecycli", "on Rutant involud ");
  proteked toid ou Destroy () }
    Super on Destroy ();
    by. d ("life eyeu", " ordertroy involud ");
  3
```