Name-Mohit Negi Fathor's Name-Bikram Singh Negi University Roll no. - 1922037 (ourse-BSc.17 Samester-5th

Mobile Application Development (BSc. 175) Mid term Practical Examination

Solution 2: XML File Coding:

< ? wml version = "1.0" encoding = "utf-8"?>
< ondroid. support. constraint. (onstraint layout
xmlns: android = "http://schemas.ondroid.com/apk/res/android"
xmlns: app = "http://schemas.ondroid.com/apk/res-auto"
xmlns: dools = "http://schemas.ondroid.com/tools"
ondroid: layout_width = "match_parent"
cmdroid: layout_height = "match_parent"
tools: context = "example. Java demo.com. activitylifecycle. Main flotivity">

<Tart View
ondroid: layout_width = "wrap_content"
ondroid: layout_height = "wrap_content"
ondroid: text = "Practical Examination"
app: layout_constraint Bottom_to BottomOf = "parent"
app: layout_constraint left_to left Of = "parent"</pre>

app: layout_constraint Right. to Right Of = "parent" app: layout_constraint Top_to Top Of = "parent"/>

< /ondroid support. constraint. Constraint layout>

Que de la constante de la cons

```
Java Code:
          example. javademo. com. activity lifecycle;
          android app. Activity;
umport
          android os Bundle;
trogmi
 import android will day;
 public
         class Main Activity extends Activity &
 @ Overvide
     protected void on Greate (Bundle sowed motorce State) {
           super. on Greats (soved Instance State);
          set Content Vew (R. Vayout activity_main);
           log. d'l'ilfecycle", "on Greate unvoked");
@ Overvide
    protected wid on Resuma () {
          super. on Resume ();
          log.d (" Vifecycle", on Resume unvoked");
@ overoride
     protected void enfaure () &
             super. on Pause ();
             log d ("lifecycle", "on Pause unwoked");
@ override
     protected void on Stop U &
             super. on Stop ();
             log d l'Ufecycle", " on Stop unvoked");
    3.
```

Qmanina)

```
@ Overvide

protected void on Restord () {

super. on Restart ();

log.d ("lifecycle", on Restart invoked");

}

@ Overvide

protected void on Destory () {

super. on Destory ();

log.d ("lifecycle", "on Destroy invoked");

}

3.
```

Quelinal