NAME : SAURABH BHATT COURSE: BCA SEM : SEC.ILG SUBJECT: ANDROID (Implicit) Roll No: 1921159 Vi) Main. Xml file 30 . Window Toolan < Linear Layout xmins: android = "http: // schemas. android. com lope / 805/ android: lay out\_width = "match-parent" android " android: layout - height = "match - parent" android: gravity = " (exter" > < EditText android : layout - width = "wrap - content" ondroid: 100 out - height = " wrap - content 17 android: id = "@+id/e1" android: layout\_gravity = "+010"
android: layout Dalign Planent Top = "+1010" android: lapost - margin Top = "lodp" /> < Button android: text = "Visit" ondroid: layout\_width = "wrap - Content" and roid: 184 out \_ height = "wrap\_content" android: id = Icr 6+id/bl android: layout\_gravity = "center-vertical" of war and the training Linearlayout > (a) person of the second of the se and this

> Student Sign Savatt Short Jan

3):

Studist Sign Source Brett.

COURSE: BCA SC , Roll No: 1921159 (Explicit). (ii) Main, xml file XmIns: android = 11htp://schemas.android.com/opk/res/ < linearly out ardrold" android: layout - width = "match = parent"
android: layout - heigth: "match - parent" android: toyout - gravity = C Edit Text android: layout\_width = "wrop-content" android: layout-height = "wrop- content" android: lid = "@+id/e1" android: layout - gravity = " top" undroid: lafout- align Parent Top = "True" android: l'ayout margin Top = "lodp" Buttonsill android: text = "Visit " android: layout-width = " wrap\_content android: layout-height = "wrop - content" android: id = " & +id/b1" android: layout-gravity = "center-vertical" C/ Linear Layout > Studiet Styn Age tabors

Scanned with CamScanner

Sources Bhat

NAME: SAURABH BHATT

Main. jour tile Import android - view. import android app. + import android - os. + import android widget, 4; import android content. " i'mport android net. Uri) import com my company my app. 4; public class Main Activity extends activity? ¿ Button btal; @ override protected void on Create C Bundle Baved Instance State) Super. on Create (soved Instance State) Set content View (R. layout, main); btn 1 = fird View By Id (R.id. bil); btn 1. Set On Click Listener (new View, Onclick Lietener () { @ override public void onclick (View view) Intent in = new Intent (get Application Contrat (), activity 2. class); BrootActivity (In); 3); transferenced .

Student Sign Sourch Bhatt

Main activity 2. xml file	
Clinearlayout	
android: layout_wiath = "fill-parent"	
android: layout - width = "fill-parent" android: layout - height = "fill-parent" android: Orientation = " Vertical">	
ondroid: text = "This is on activity 2"  ondroid: text = "This is on activity 2"  ondroid: text = "Wrap - Co	ntent "
android: text = This is on activity co android: I myout - width = "wrap - co android: layout - height = "wrap - co	intent h
C/ Linearloyout >	
Main activity 2 java file	
package com. my company. my opp rmport android. app. t. import android. Os. t.	
import android. Os. *;	
public class activity 2 extends Activity  { @ override protected void on Create (Bundle 10)  State)  State)  State  On Create Craved Instance State	ved Instance
State) to Canved Instance State	2);
State) { Super. On Create Craved Instance State { Super. On Create Craved Instance State  Set Content view (12. layout. a crtivity	2);
<b>}</b>	
3 Samore	Sign
1 segunda.	