Soln ②

<u>Activity main.xml</u>

```
xmlns:app = "http://schemas.andriod.com/apk/resanto"
xmlns:tools = "http://schemas.andriod.com/tools"
android:layout_width = "match-parent"
android:layout_height = "match-parent"
tools:content = "example.javatpornt.com.activity life cle.
    mainActivity" >


android:layout_width = "wrap-content"
android:layout_height = "wrap-content"
android:text = "Hello world!"
app:layout_constraint Bottom_to Bottom of = "parent"
app:layout_constraint left to left of = "parent"
app:layout_constraint Right to Right of = "parent"
app:layout-conupraint top-to top of = "parent" >


MainActivity java -
package example.shipra.com.activitylifecycle;

import android.app.Activity;
import android.os.Bundle;
import android.util.log;
```

```
public class main Activity extends Activity {
  Override
  protected void on create (Bundle
    SavedInstance State) {

    SuperonCreate (savedInstance State);
    set content view (R. layout. activity_main);
    Log. d ("lifecycle", " on Create invoked");

  }

  Override
  protected void on start () {

    Super on start ();
    Log. d (" lifecycle","on Start invoked");

  }

  Override
  protected void on Resume () {
    super on Resume ();
    Log.d (" lifecycle", "on Resume invoked");

  }

  Override
  protected void onpause () {
    super on pause ();
    Log. d (" lifecycle", "on pause invoked");

  }
```

```java
Override
Protected void on Stop() {
    Super on Stop();
    Log.d("Lifecycle", onStop invoked");
}

override
protected void on Restart() {
    Super on Restart();
    Log.d("Lifecycle", "on Restart invoked");
}

override
protected void on Destroy() {
    Super on Destroy();
    Log.d("Lifecycle", "on Destroy invoked");
}
}
```