Sub 2) Mobile Application Name 2 Himarshu Toman Development Course v) BSC Pt - 5 Sem Paper Code 2) PBE - 501 University Roll No. 2) 1922026 Oate 2) I/10/21 Mid Term Practical! gues 1 manifest, xml> Zi ant version ="1,0" encoding = "utf-8"?) < manifest aminy i and soid = "http://schamas. android, Com/apk/nes/androids pachage 2" Com. example. mid term") <application android: allow Backup = "true" android ; i con z' @ mipmap/ic lewncher android: (abel z " @ storing / app_name" android : moundlean = "@ mipmap/ic_leunetes_ android i support RH1 2 "true" android: therae z' @ style / The me of talk m3) < a colovity androidinane z'. Mais Achuity"

android? exported 2 "True") Lindent -filter> Laction and proid: name = "and proid, intent, ation. MAIN"/) < Category android: name = "android. intent."

Category. LAUNCHER "/> </ri> </activity> Lactivity android: name = "Explicit Activity"
android: exported = "True"> </achivity> 2 (application) </manifest Main Activity, Java> parkege . com. example, midstern;

imposed android x, app compet, app, App Compat Achivity

import and soid. Content, Entent;
import and soid. net. Usi;
import and soid. os. Bundle;
import and soid. view. wiew;
import and soid. widget. Button;
public class Main Activity extend App
CompatActivity S
Button explicit, implicit;
Q overside

His warry