



ABOUT US



Vriho Infratech, is a Brand that is truly committed to creating impressive tranquil, and relaxing spaces. Our steadfast obsession with excellence has won us a reputation as the top builders in Trichy over the years. Our impeccable project performance, transparency, and innovation has earned such loyal customers, who have placed their great faith in us. We promise to deliver such incredible lifestyles and quality assets to people throughout.







OUR NOTABLE PROJECTS



Vasura



Vajra



Vivarana



Vardaan pent house



Vardaan - South



Vardaan-jalicubes




THOUGHTFULLY SMART



CCTV



SMARTAP



SMART LIGHTS




SMART DOOR BELL



OCCUPANCY SENSOR



TYPICAL FLOOR PLAN LAYOUT



100'0" SOUTH









A (107-507) 28HX -1280 sq.ft















B (110-510) 28HK-1139 sq.ft B (109-509) 28HK-1127 sq.ft

A (108-508) 28HK-1135 sq.ft

C










KEY PLAN



C(112-512) 28HK-1134 sq.ft C(111-511) 28HK-1131 sq.ft













Interior Renders



Structural System: RCC Framed structure

Masonry: 230 mm for external walls & 100 mm for internal walls

ATT: Anti-termite treatment will be done

Wall & Ceiling Finish

Internal walls Finish:

Finished with 2 coats of putty & 1 coat of primer & 2 coats of Interior emulsion paint

Ceiling:

Finished with 1 coat of primer & 2 coats of interior Emulsion Finish

Exterior walls:

Finished with 1 coat of primer & 2 coats of exterior emulsion paint as per architect's design

Bathroom 1 & 2:

Glazed /matt ceramic Tile of 600mm *300 mm will be finished up to false ceiling height

Kitchen:

Glazed/matt wall tile of size 600mm*300mm for a height of 600mm above 850mm from finished floor level

Bathrooms Ceiling:

Grid false ceiling will be provided



Floor Finish With Skirting

Foyer, Living, Dining: Vitrified tiles size of 600*600mm

Bedrooms & Kitchen: Vitrified tiles of size 600*600mm

Bathroom 1 & 2: Anti-skid tiles of size 600*300mm / 300mm*300mm based on

architect's design

Balcony & utility: Anti-skid tiles of size 600*600mm / 300mm*300mm based on

architect's design

Kitchen & Dining

Electrical point: For chimney, HOB & water purifier, fridge, mixer

CP Fitting: Kohler/American standard or equivalent

Sink: Single bowl stainless steel finish (or) equivalent.

Drain: Pest free square designer SS grating

Dining: Counter wash basin with polished granite/quartz/engineered marble or

equivalent

Balcony and Utility

Handrail: SS handrail with Toughened Glass as per architect's design

Hanger: Cloth drying provision in utility Room.

Electrical point: One 15 amp point in utility

Bathrooms

CP & Sanitary fixture: Jaguar, essco / American standard or equivalent

Master Bedroom Bathroom: Wall mounted closet; Health faucet; single lever concealed diverter with Overhead shower/rain shower, Counter top wash basin with engineered marble/granite or quartz platform

Common Bathrooms: Floor mounted WC with cistern; Health faucet; Wall Mixer with overhead shower

Dining Washbasin: Counter top wash basin with engineered marble granite or quartz tile

Drain: Pest free square designer SS grating (all toilets)





Joinery

Main door: A good quality teak wood frame and teak wood door of Melamine/PU Polish finish, with necessary door locks and towel bolt will be provided

Bedroom doors: Good quality teak wood frame with laminate finish shutters and necessary door locks and towel bolt will be provided

Bathroom doors: Good quality wood frame with waterproofing door with necessary door locks and towel bolt will be provided

Windows

Windows: UPVC Windows with see through plain glass and grills

 $\textbf{French doors:} \ \mathsf{UPVC} \ \mathsf{frame} \ \mathsf{doors} \ \mathsf{with} \ \mathsf{toughened} \ \mathsf{glass} \ \mathsf{without}$

grills

Ventilators: UPVC Frame of fixed or adjustable louvered or openable shutter for ODU Access

Electrical Points

Power supply: 3 Phase power supply connection

Safety device: MCB; ELCB (Earth Leakage Circuit Breaker)

 $\textbf{Mechanical Switches \& Sockets:} \ Modular \ box \ \& \ modular \ switches \ \& \ sockets \ of$

anchor Roma/Schneider/equivalent

Smart Switches: VONI SmarTap / switch

Wires: Fire Retardant Low Smoke (FRLS) copper wire of quality IS brand Havells / Finolex /Polycab/Anchor Roma /equivalent

TV/Telephone: Point in living & bedroom 1 and provisions in other bedrooms

Data: Point in living room

Split-air conditioner: Point in living room and bedroom-1 Provision will be provided in other bedrooms

Exhaust fan: Point in bathrooms

Geyser: Point in bedroom-1 bathroom and Provisions in other bathrooms

Backup: UPS Provision will be provided in this flat



SPECIFICATION

MAKE

REMARKS/LOCATION

ENTRANCE MANAGEMENT

Smart Door Bell Camera Voni smart IoT

Main entrance door

Living, dining and bedrooms

Living, dining and bedrooms

LIFESTYLE

Light control Home Automation - Feather

touch /SmarTap switch.

App /Voice/Alexa controlled

light ON/OFF

Fan Control Home Automation – Feather touch

/SmarTap switch.

App /Voice/Alexa controlled light

ON/OFF with dimming

t IoT Toilets Exhaust

Occupancy Sensor

Voni smart IoT



Lift: 2 automatic lift

Back-up: 100% Power backup for common amenities

Lift facia: Granite or panel cladding in lift facia wall

Lobby & Corridor: From the First floor to Fifth floor lobby finished with Granite / Equivalent or typical floors with tile

flooring

Staircase floor: Stilt floor with granite flooring & typical floors with tile/ Kota stone flooring

Staircase Handrail: MS handrail with enamel paint in all floors

Stilt flooring: Rough Concrete flooring with car park number marked in paint

Terrace Floor: Floor with tile finish



Water storage: UG Sump with OHT

Rain Water harvest: Rain water harvesting provision in site

Safety: CCTV Surveillance camera will be provided all round the building at pivotal locations in stilt

Well defined driveway: Interlocking paver block / Equivalent concrete flooring with demarcated driveway


Security: Security booth will be provided at the entrance

Compound wall: Building perimeter fenced by compound wall with entry gates height as per Architect / landscape

design

Driveway: Convex mirror for safe turning in driveway

Facade: Facade & Compound wall lighting in project as per Architect's design



SITE AMENITIES



- TVS Tollgate 7.6 km
- D Mart 3 km
- Airport 3 km

PARTY HALL & RESORT

- Green Royale Resort 450 m
- Golden Woods Party Hall 900 m
- Morais City open Air theater stage 100 m
- Morais Clarion (Sebco Auditorium) 100 m
- Morais City Sports & Entertainment club 300 m

PETROL BUNK & ATM

- Hindustan petrolium hp petrol 3 km
- Indian oil petrol Bunk 3.5 km
- SBI ATM 3.3 km

TEMPLE & CHURCH

- St. Thomas Syro Malabar Chatholic Church 500m
- Holy Trinity Chatholic Church 2.4km
- Murugan Temple 3 km
- Arulmigu Sri verasiddhi vallabha temple 3 km

SCHOOLS

- Abbot High School 2.5 km
- Wisdom International School 1.6 km
- BVM Global School 1.7 km

IT PARK

• Morais International Business Park - 500 m





VIVA

RERANO:

/www.tnrera.in

Morais city, Gundur, Tiruchirappalli, Tamil Nadu 620 007



