REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
0	04/16/2025	R LUECHT	CA-00054674 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
1	05/29/2025	R LUECHT	CA-00055950 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
3	10/29/2025	R LUECHT	CA-00060353 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

BWRX-300 REACTOR BUILDING DP-SC EL. -29.0m AND ASSOCIATED WALLS DRAWING SET

SHEET NUMBER	SHEET NAME	REV. DATE	REV.
S000	COVER SHEET	07/02/2026	8
S100	LEVEL 1 AND ASSOCIATED WALLS RB GENERAL ARRANGEMENT SECTION & ISOMETRIC	07/02/2026	8
S101	LEVEL 1 - OVERALL PLAN VIEW - RING 2 (SPLICE B TO SPLICE A)	07/02/2026	8
S102	LEVEL 1 - OVERALL PLAN VIEW - RING 3 (SPLICE C TO SPLICE B)	07/02/2026	8
S103	LEVEL 1 - OVERALL PLAN VIEW - RING 4 (SPLICE D TO SPLICE C)	07/02/2026	8
S104	LEVEL 1 - FLOOR MODULES OVERALL PLAN VIEW	07/02/2026	8
S105	DETAILED PLAN VIEW -29.0m LEVEL FLOOR-WALL CONNECTIONS	11/21/2025	4
S301	WING WALL 1	05/31/2026	5
S302	WING WALL 2	05/31/2026	5
S303	WING WALL 3	05/31/2026	5
S304	WING WALL 4	05/31/2026	5
S305	WING WALL 5	05/31/2026	5
S306	WING WALL 6	05/31/2026	5
S401	STAIR A - ENLARGED PLANS & SECTIONS	05/31/2026	5
S402	STAIR B - ENLARGED PLANS & SECTIONS	05/31/2026	5
S403	ELEVATOR - ENLARGED PLANS & SECTIONS	05/31/2026	5
S404	PARTITION WALLS @ -34.0 - ENLARGED PLANS & SECTIONS	05/31/2026	5
S504	DETAILS - SCCV WALL MODULES SPLICE B	05/31/2026	6
S505	DETAILS - SCCV WALL MODULES SPLICE B	05/31/2026	6
S506	DETAILS - SCCV WALL MODULES SPLICE B	05/31/2026	6
S507	DETAILS - SCCV WALL MODULES SPLICE C	05/31/2026	6
S508	DETAILS - SCCV WALL MODULES SPLICE C	05/31/2026	6
S509	DETAILS - SCCV WALL MODULES SPLICE C	05/31/2026	6
S510	DETAILS - SCCV WALL MODULES SPLICE D	05/31/2026	6
S511	DETAILS - SCCV WALL MODULES SPLICE D	05/31/2026	6
S512	DETAILS - RPVP WALL MODULES SPLICE PA	07/02/2026	8
S513	DETAILS - RPVP WALL MODULES SPLICE PB/PC	07/02/2026	8
S514	DETAILS - RPVP WALL MODULES @ LOWER PEDESTAL ENTRY	07/02/2026	8
S550	SCCV WALL MODULE DETAILS	05/31/2026	6
S551	SCCV WALL MODULE DETAILS	05/31/2026	6
S552	SCCV WALL MODULE DETAILS	05/31/2026	6
S553	RPVP WALL MODULE DETAILS	07/02/2026	8
S601	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1210	07/02/2026	8
S602	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1220	07/02/2026	8
S602.1	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1220	06/05/2026	7
S603	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1200	07/02/2026	8
S603.1	CRD HATCH, CHASE A AND CHASE B COVER PLATE DETAILS	06/05/2026	7
S604	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1230	07/02/2026	8
S605	FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1201	07/02/2026	8
S606	FLOOR MODULES OUTSIDE CONTAINMENT@ RM 1240	07/02/2026	8

RELEVANT DRAWINGS REFERENCE LIST	
DWG. NUMBER	DRAWING SET NAME
008N9536	BWRX-300 RB DP-SC GENERAL NOTES
011N0621	BWRX-300 RB DP-SC -14.5m FLOORS
011N0779	BWRX-300 RB DP-SC WING WALLS WALLS
011N0242	BWRX-300 RB LANDING PLATE AT SCCV
011N0243	BWRX-300 RB LANDING PLATE AT EXTERIOR WALL
011N0744	BWRX-300 RB DP-SC EXTERIOR WALLS
011N0007	BWRX-300 RB DP-SC SCCV WALLS

HOLD LIST

1. HOLD PENDING FDDR UPDATE

ANALYSIS AND DESIGN OPEN ITEMS ASSOCIATED WITH SUPPORTING DOCUMENTS LISTED IN TABLE 1-1 OF 008N9536 SHEET G101



KEYPLAN



REVISION SUMMARY:

0. INITIAL ISSUANCE SEE CA-00054674

1. DESIGN REVISION SEE CA-00055950
   - S101, S102 AND S103 - MODULE CALLOUTS UPDATE ON SHEET
   - S501 - DETAIL G FROM SHEET MOVED TO SHEET S511
   - S501, S502 AND S503 - KEY PLAN ADDED TO SHEETS
   - S504, S505, S511, S550 AND S551 - SCCV WALL MODULE SHEETS ADDED.
   - ALL DETAILS FROM SHEET S506 MOVED TO SHEET S550

2. DESIGN REVISION SEE CA-00058765
   - S102, S103 UPDATED VIEWS TO INCLUDE WALL MODULES FOR NEXT PHASE
   - S102 - UPDATED EXTERIOR RB WALL TO INCLUDE TIE PLATES
   - S502 - UPDATED DETAILS TO INCLUDE TIE PLATES ADDED DETAIL G
   - S507-S510,S513,S552 - NEW SHEETS ADDED
   - S551 DETAILS UPDATED FOR NEXT PHASE
   - S000-S552 UPDATED TITLE BLOCK
   - S513 RENUMBERED AS S511 AND SEQUENCIAL SHEETS.

3. DESIGN REVISION SEE CA-00060353
   - ADDED SHEETS S104, S105, S601-S606
   - S100 - UPDATED TO INCLUDE LATEST RELEASE

4. DESIGN REVISION SEE CA-00061148
   - GENERAL DRAFTING APPEARANCE AND CLEANUP IN ALL SHEETS
   - S105 - NEW TYPE-2A BRACKET
   - S106 - S109 - NEW SHEETS PLAN VIEW AND SPECIAL DETAILS FOR LANDING PLATE (PLACEHOLDER)
   - S301 - S306 - NEW SHEETS WING WALL DETAILS
   - S401 - S404 - NEW SHEETS STAIR, ELEVATOR AND PARTITION WALL DETAILS
   - S501 - S511 - UPDATES FOR LANDING PLATE INCORPORATION
   - S514 - UPDATES TO INCORPORATE CORBEL AT PEDESTAL ENTRY OPENING
   - S550 - S552 - UPDATES TO INCORPORATE LANDING PLATES
   - S553 - UPDATES TO INCORPORATE CORBEL AT PEDESTAL ENTRY OPENING

5. DESIGN REVISION SEE CA-00066621
   - S300 & S400 SERIES - UPDATED FOR ISSUED FOR CONSTRUCTION.

6. DESIGN REVISION SEE CA-00066920
   - S500 SERIES - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S551 - CHANGED TO S550 TO MATCH R4 DRAWING RELEASE.

7. DESIGN REVISION SEE CA-00067059
   - S100 & S600 SERIES - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S105 - PENDING FOR REVISION.
   - S512, S513 & S514 - PENDING ANALYSIS AND MODIFIED BY AN FDDR.
   - S553 -PENDING ANALYSIS AND MODIFIED BY AN FDDR.

8. DESIGN REVISION SEE CA-00067574
   - S100 - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S101 THRU S103 - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S104 - UPDATED TO REFLECT ACTUAL PENETRATION POSITION.
   - S512 THRU S514 - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S553 - UPDATED FOR ISSUES FOR CONSTRUCTION.
   - S601 - DETAILS A.1 & A.2 UPDATED AND NEW NOTE 5.
   - S602 - DETAILS A.1 & A.2 UPDATED.
   - S603 - DETAIL A.1 UPDATED.
   - S604 - DETAILS A, A.6, A.7 UPDATED. DETAIL A.4 DELETED.
   - S605 - DIMENSIONS REVISED ON DETAILS A & C. DETAIL A.4 UPDATED.
   - S606 - DETAILS A.6 & A.7 UPDATED.

8

U71

SAFETY CLASSIFICATION CODE	SC1	GE VERNOVA HITACHI		
APPROVALS	DATE	ARRANGEMENT DRAWING REACTOR BUILDING DP-SC DRAWINGS - LEVEL 1		
DRAWN R LUECHT	01/25/2025			
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025			
SHEET TITLE COVER SHEET		DRAWING NO. **009N0962**	REVISION DATE 07/02/2026	REV **8**
		ISSUING AUTHORITY CA-00054674	SHEET ID S000	

REVIT 2024 (8/2025) SD-03-G003-T001 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



1 LEVEL 1 AND ASSOCIATED WALLS RB GENERAL ARRANGEMENT - SECTION
1 : 100



2 LEVEL 1 AND ASSOCIATED WALLS RB GENERAL ARRANGEMENT - SECTION - ISOMETRIC

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025
SHEET TITLE LEVEL 1 AND ASSOCIATED WALLS RB GENERAL ARRANGEMENT SECTION & ISOMETRIC	

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8
ISSUING AUTHORITY CA-00054674	SHEET ID S100	

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DA1-GEH-U71-RZZ-DDRW-CC-0003_C09_IFCH



1

LEVEL 1 - OVERALL PLAN VIEW - RING 2 (SPLICE B TO SPLICE A)

1 : 60

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

DIAPHRAGM QUANTITES TABLE		
WALL TYPE	**DIAPHRAGM QUANTITY**	**WALL OUTSIDE RADIUS**
EXTERIOR WALL	252	18505mm [60'-8 1/2"]

NOTES:

1. SEE MODULE TAGGING BREAKDOWN ON 008N9536 G102 SHEET.
2. COMPONENTS SHOWN IN LIGHT GREY ARE FOR REFERENCE ONLY.
3. THE FABRICATOR MAY ADJUST THE MODULE VERTICAL SPLICE LOCATION AS REQUIRED TO OPTIMIZE FABRICATION PROCESS, PROVIDED ALL OF THE FOLLOWING CONDITIONS ARE STRICTLY MET:
   - ANY REVISED SPLICE LOCATION SHALL MAINTAIN FULL ALIGNMENT BETWEEN THE THICKENED DIAPHRAGMS AND THE CORRESPONDING WALL FACEPLATES IN ACCORDANCE WITH THE DESIGN INTENT.
   - THE REVISED SPLICE CONFIGURATION SHALL NOT ALTER THE ORIENTATION OR LOCATION OF ANY PENETRATION RELATIVE TO THE SPECIFIED AZIMUTH ANGLES.
   - ANY REVISED SPLICE LOCATION SHALL NOT EXCEED THE MAXIMUM DIAPHRAGM SPACING (W_{SC}) DEFINED IN TABLE 1-6 OF G103 DWG 008N9536. VERTICAL SEAM WELD LINES SHALL BE OFFSET OR STAGGERED.
4. FOR MATERIALS, SPECIFICATIONS AND STUD CONFIGURATION, SEE DRAWING 008N9536:

   SHEET G103 FOR THE FOLLOWING TABLES:
   a. TABLE 1-5
   b. TABLE 1-6
   c. TABLE 1-8
5. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
6. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION SO LONG AS THE CONDITIONS OF NOTE 3 ARE MET.

LEGEND:

- - - - - WALL MODULE SPLICE LOCATION
TYP. DETAIL C/G104 DWG 008N9536

90°
N
0° 180°
270°
PLANT NORTH

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025
SHEET TITLE LEVEL 1 - OVERALL PLAN VIEW - RING 2 (SPLICE B TO SPLICE A)	

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY	SHEET ID
CA-00054674	S101

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0



1 LEVEL 1 - OVERALL PLAN VIEW - RING 3 (SPLICE C TO SPLICE B)

1 : 60

8

90°
0° N 180°
270°
PLANT NORTH

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

DIAPHRAGM QUANTITES TABLE		
WALL TYPE	DIAPHRAGM QUANTITY	WALL OUTSIDE RADIUS
EXTERIOR WALL	252	18505mm [60'-8 1/2"]

NOTE:

1. SEE SHEET S101 FOR TYPICAL NOTES.

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE
LEVEL 1 - OVERALL PLAN VIEW - RING 3 (SPLICE C TO SPLICE B)

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY	SHEET ID
CA-00054674	S102

REVIT 2024 (8/2025)
SD-03-G003-T002 R2

A0

DA1-GEH-U71-RZZ-DDRW-CC-0003_C09_IFCH

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

DIAPHRAGM QUANTITES TABLE		
WALL TYPE	DIAPHRAGM QUANTITY	WALL OUTSIDE RADIUS
EXTERIOR WALL	252	18505mm [60'-8 1/2"]

NOTE:

1. SEE SHEET S101 FOR TYPICAL NOTES.



1 LEVEL 1 - OVERALL PLAN VIEW - RING 4 (SPLICE D TO SPLICE C)
1 : 60

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE
LEVEL 1 - OVERALL PLAN VIEW - RING 4 (SPLICE D TO SPLICE C)

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY	SHEET ID
CA-00054674	S103

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



1 LEVEL 1 - FLOOR MODULES OVERALL PLAN VIEW
1 : 60

90°
0° N 180°
270°
PLANT NORTH

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE
LEVEL 1 - FLOOR MODULES OVERALL PLAN VIEW

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY CA-00060353
SHEET ID S104

REVIT 2024 (8/2025)
SD-03-G003-T002 R2
A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
3	10/29/2025	R LUECHT	CA-00060353 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI

NOTES:

1. FOR FLOOR-TO-WALL CONNECTION DETAILS, SEE 008N9536 AND SHEETS G106, G107, G108.
2. ALLOW AT LEAST 101.6mm [4"] OF CLEARANCE FROM EDGE OF FLOOR OPENING/ FLOOR PENETRATION.
3. SEAT-BRACKET WALL-FLOOR CONNECTION ADJACENT TO WING WALL SHOULD MAINTAIN 228.6mm [9"] ~ 254mm [10"] OF CLEARANCE.
4. ALL DIMENSIONS REPRESENT AN APPROXIMATE VALUE, VERIFY ALL DIMENSIONS BEFORE WALL-FLOOR CONNECTION PLACEMENT.

4

CONNECTION INVENTORY

ROOM	TYPE	COUNT / QUANTITY	
		SCCV WALL	EXT. RB WALL
HCU GROUP 1 - 1210	TYPE 1	4	11
	TYPE 2	8	3
HCU GROUP 2 - 1220	TYPE 1	4	6
	TYPE 2	8	2
SERVICE HATCH - 1200	TYPE 1	2	7
	TYPE 2	5	3
	TYPE 3	2	-
HCU GROUP 3 - 1230	TYPE 1	4	11
	TYPE 2	8	2
	TYPE 2A	-	1
SERVICE - 1201	TYPE 1	3	6
	TYPE 2	7	-
HCU GROUP 4 - 1240	TYPE 1	4	12
	TYPE 2	8	2



FLOOR TO WALL CONNECTION PLAN AT -29.0m LEVEL

N.T.S

90°
0° N 180°
270°
PLANT NORTH

DEFERRED VERIFICATION

REFER TO CA-00061148

THIS DOCUMENT IS DEFERRED VERIFICATION AND CONTAINS LIMITATIONS ON USE. REVIEW OPEN ITEMS AND OTHER LIMITATIONS ON USE.

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE
DETAILED PLAN VIEW -29.0m LEVEL FLOOR-WALL CONNECTIONS

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	11/21/2025	4

ISSUING AUTHORITY	SHEET ID
CA-00060353	S105

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY. 5
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION. 5

5



1 WING WALL 1 - ELEVATION
1 : 20



2 WING WALL 1 - ENLARGED PLAN @ -29.0m
1 : 30
SEE NOTE 4



3 WING WALL 1 - ENLARGED PLAN @ -34.0m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
NTS
SEE NOTE 3



KEYPLAN
N.T.S

90°
0° N 180°
270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025
SHEET TITLE WING WALL 1	

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	5
ISSUING AUTHORITY CA-00061148	SHEET ID S301	

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY. 5
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION. 5



1 WING WALL 2 - ELEVATION
1 : 20



2 WING WALL 2 - ENLARGED PLAN @ -29.0m
1 : 30
SEE NOTE 4



3 WING WALL 2 - ENLARGED PLAN @ -34.0m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
N.T.S
SEE NOTE 3



KEYPLAN
N.T.S
90° 0° N 180° 270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE: WING WALL 2

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	5

ISSUING AUTHORITY: CA-00061148
SHEET ID: S302

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. CJP APPLIES TO THE EXTERNAL FACE OF THE BUILT-UP COLUMNS. CJP IS NOT APPLIED TO INTERNAL STIFFENERS AT BUILT-UP COLUMN CONNECTION TO BASEMAT AND AT EACH FLOOR LEVEL.
6. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.

5



1 WING WALL 3 - ELEVATION
1 : 20



2 WING WALL 3 - ENLARGED PLAN @ -29.0 m
1 : 30
SEE NOTE 4



3 WING WALL 3 - ENLARGED PLAN @ -34.0 m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
N.T.S
SEE NOTE 3



KEYPLAN
N.T.S

0° N 180°
270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE
WING WALL 3

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	5

ISSUING AUTHORITY CA-00061148
SHEET ID S303

A0

REVIT 2024 (8/2025) SD-03-G003-T002 R2

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY. 5
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION. 5



1 WING WALL 4 - ELEVATION
1 : 20



2 WING WALL 4 - ENLARGED PLAN @ -29.0m
1 : 30
SEE NOTE 4



3 WING WALL 4 - ENLARGED PLAN @ -34.0m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
N.T.S
SEE NOTE 3



KEYPLAN
1 : 300



ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE: WING WALL 4

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 5
ISSUING AUTHORITY CA-00061148 | SHEET ID S304

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

REVISIONS

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.



1 WING WALL 5 - ELEVATION
1 : 20



2 WING WALL 5 - ENLARGED PLAN @ -29.0m
1 : 30
SEE NOTE 4



3 WING WALL 5 - ENLARGED PLAN @ -34.0m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
N.T.S
SEE NOTE 3



KEYPLAN
N.T.S

PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE: WING WALL 5

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 5
ISSUING AUTHORITY CA-00061148 | SHEET ID S305

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY. 5
3. TWO PLATES (FLANGE PLATE + FACEPLATE) IN DETAIL "A" CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. CJP APPLIES TO THE EXTERNAL FACE OF THE BUILT-UP COLUMNS. CJP IS NOT APPLIED TO INTERNAL STIFFENERS AT BUILT-UP COLUMN CONNECTION TO BASEMAT AND AT EACH FLOOR LEVEL. 5
6. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.

5



1 WING WALL 6 - ELEVATION
1 : 20



2 WING WALL 6 - ENLARGED PLAN @ -29.0m
1 : 30
SEE NOTE 4



3 WING WALL 6 - ENLARGED PLAN @ -34.0m
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
N.T.S
SEE NOTE 3



KEYPLAN
N.T.S

0° N 180°
270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE: WING WALL 6

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	5

ISSUING AUTHORITY	SHEET ID
CA-00061148	S306

REVIT 2024 (8/2025)
SD-03-G003-T002 R2

A0



2 STAIR A - ENLARGED PLAN @ -29.0m
1 : 30



1 STAIR A - ENLARGED PLAN @ -34.0m
1 : 30



A STAIR A NORTH ELEVATION
1 : 30
U71-STSC-102009
U71-STSC-101009



B STAIR A WEST ELEVATION
1 : 30
U71-STSC-102010
U71-STSC-101010



C U71-STSC-102009 PLAN @ -29.0m
1 : 30



D U71-STSC-102010 PLAN @ -29.0m
1 : 30



E U71-STSC-101009 PLAN @ -34.0m
1 : 30



F U71-STSC-101010 PLAN @ -34.0m
1 : 30



G DETAIL - DOUBLER PLATE TO FACEPLATE
1 : 12

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. ~~TWO PLATES (FLANGE PLATE (DOUBLER PLATE) + FACEPLATE) IN~~ DETAIL G CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. CJP APPLIES TO THE EXTERNAL FACE OF THE BUILT-UP COLUMNS. CJP IS NOT APPLIED TO INNER AND TOP STIFFENERS AT BUILT-UP COLUMN CONNECTION TO BASEMAT.
6. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.
7. DOUBLER PLATE CAN BE SEGMENTED IN LENGTHS AT THE DISCRETION OF THE CONSTRUCTOR BUT SEGMENTS MUST FORM CONTINUOUS STACK. SEAL WELD HORIZONTAL JOINTS OF SEGMENTS (FOR LEAK TIGHT SEAL - VISUAL INSPECTION ONLY REQUIRED).
8. TWO Ø5/8" BLIND HOLES UP TO 1 1/2" DEPTH ARE PERMITTED IN EACH DOUBLER PLATE SEGMENT TO ACCOMMODATE HOIST RINGS PROVIDED HOLES ARE LOCATED IN CONCRETE INFILL REGION.
9. IF THE CONCRETE FLOW HOLE IS LOCATED WITHIN DOOR OPENING AREA, THE CONCRETE FLOW HOLE MAY BE OMITTED AND TWO 19mm [3/4"] x 102mm [4"] SHEAR STUDS SHALL BE ADDED TO THE CENTER LINE OF THE OMITTED CONCRETE FLOW HOLE, ON THE STIFFERNER PLATE.



KEYPLAN
N.T.S

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	11/14/2025
RESPONSIBLE ENGINEER P OSTROWSKI	11/21/2025

SHEET TITLE: STAIR A - ENLARGED PLANS & SECTIONS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 5
ISSUING AUTHORITY CA-00061148 | SHEET ID S401

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



1 STAIR B ENLARGED - PLAN @ -29.0m
1 : 40



2 STAIR B - ENLARGED PLAN @ -34.0m
1 : 30



A STAIR B EAST ELEVATION
1 : 30
U71-STSC-102015
U71-STSC-101015



B STAIR A SOUTH ELEVATION
1 : 30
U71-STSC-102014
U71-STSC-101014



C U71-STSC-102015 PLAN @ -29.0m
1 : 30



D U71-STSC-102014 PLAN @ -29.0m
1 : 30



E U71-STSC-101015 PLAN @ -34.0m
1 : 30



F U71-STSC-101014 PLAN @ -34.0m
1 : 30



G DETAIL - DOUBLER PLATE TO FACEPLATE
1 : 12

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. TWO PLATES (FLANGE PLATE (DOUBLER PLATE) + FACEPLATE) IN DETAIL G CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. CJP APPLIES TO THE EXTERNAL FACE OF THE BUILT-UP COLUMNS. CJP IS NOT APPLIED TO INNER AND TOP STIFFENERS AT BUILT-UP COLUMN CONNECTION TO BASEMAT.
6. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.
7. DOUBLER PLATE CAN BE SEGMENTED IN LENGTHS AT THE DISCRETION OF THE CONSTRUCTOR BUT SEGMENTS MUST FORM CONTINUOUS STACK. SEAL WELD HORIZONTAL JOINTS OF SEGMENTS (FOR LEAK TIGHT SEAL - VISUAL INSPECTION ONLY REQUIRED).
8. TWO Ø5/8" BLIND HOLES UP TO 1 1/2" DEPTH ARE PERMITTED IN EACH DOUBLER PLATE SEGMENT TO ACCOMMODATE HOIST RINGS PROVIDED HOLES ARE LOCATED IN CONCRETE INFILL REGION.
9. IF THE CONCRETE FLOW HOLE IS LOCATED WITHIN DOOR OPENING AREA, THE CONCRETE FLOW HOLE MAY BE OMITTED AND TWO 19mm [3/4"] x 102mm [4"] SHEAR STUDS SHALL BE ADDED TO THE CENTER LINE OF THE OMITTED CONCRETE FLOW HOLE, ON THE STIFFERNER PLATE.



KEYPLAN
N.T.S

90°
0°
N
180°
270°
PLANT NORTH

DEFERRED VERIFICATION
REFER TO CA-00061148
THIS DOCUMENT IS DEFERRED VERIFICATION AND CONTAINS LIMITATIONS ON USE. REVIEW OPEN ITEMS AND OTHER LIMITATIONS ON USE.

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN: R LUECHT	11/14/2025
RESPONSIBLE ENGINEER: P OSTROWSKI	11/21/2025

SHEET TITLE: STAIR B - ENLARGED PLANS & SECTIONS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 5
ISSUING AUTHORITY CA-00061148 | SHEET ID S402

REVIT 2024 (8/2025) SD-03-G003-T002 R2
A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



A ELEVATOR - ENLARGED PLAN @ -34.0m
1 : 40



B ELEVATOR - ENLARGED PLAN @ -29.0m
1 : 40

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. TWO PLATES (FLANGE PLATE (DOUBLER PLATE) + FACEPLATE) IN DETAIL G CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. TIE RODS IN SC WALL ABOVE THE BUILT-UP BEAM AT FLOOR LEVEL NEED TO BE LOCATED TO AVOID FLOW HOLES IN THE 1.5" HORIZONTAL PLATE IN THE BUILT- UP BEAM FOR CONCRETE PLACEMENT.
5. CJP APPLIES TO THE EXTERNAL FACE OF THE BUILT-UP COLUMNS. CJP IS NOT APPLIED TO INNER AND TOP STIFFENERS AT BUILT-UP COLUMN CONNECTION TO BASEMAT.
6. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR’S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.
7. DOUBLER PLATE CAN BE SEGMENTED IN LENGTHS AT THE DISCRETION OF THE CONSTRUCTOR BUT SEGMENTS MUST FORM CONTINUOUS STACK. SEAL WELD HORIZONTAL JOINTS OF SEGMENTS (FOR LEAK TIGHT SEAL - VISUAL INSPECTION ONLY REQUIRED).
8. TWO Ø5/8" BLIND HOLES UP TO 1 1/2" DEPTH ARE PERMITTED IN EACH DOUBLER PLATE SEGMENT TO ACCOMMODATE HOIST RINGS PROVIDED HOLES ARE LOCATED IN CONCRETE INFILL REGION.
9. IF THE CONCRETE FLOW HOLE IS LOCATED WITHIN DOOR OPENING AREA, THE CONCRETE FLOW HOLE MAY BE OMITTED AND TWO 19mm [3/4"] x 102mm [4"] SHEAR STUDS SHALL BE ADDED TO THE CENTER LINE OF THE OMITTED CONCRETE FLOW HOLE, ON THE STIFFERNER PLATE.



C ELEVATOR SOUTH ELEVATION
1 : 30



D ELEVATOR EAST ELEVATION
1 : 30



E ELEVATOR NORTH ELEVATION
1 : 30



A DETAIL - DOUBLER PLATE TO FACEPLATE
NTS
SEE NOTE 3



F ELEVATOR U71-STSC-102011 PLAN @ -29.0m
1 : 40



G ELEVATOR U71-STSC-102012 PLAN @ -29.0m
1 : 40



H ELEVATOR U71-STSC-102013 PLAN @ -29.0m
1 : 40



KEYPLAN
N.T.S

90° 0° N 180° 270°
PLANT NORTH



I ELEVATOR U71-STSC-101011 PLAN @ -34.0m
1 : 40



J ELEVATOR U71-STSC-101012 PLAN @ -34.0m
1 : 40



K ELEVATOR U71-STSC-101013 PLAN @ -34.0m
1 : 40

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN: R LUECHT	11/14/2025
RESPONSIBLE ENGINEER: P OSTROWSKI	11/21/2025

SHEET TITLE: ELEVATOR - ENLARGED PLANS & SECTIONS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 5
ISSUING AUTHORITY CA-00061148 | SHEET ID S403

REVIT 2024 (8/2025) SD-03-G003-T002 R2
A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
5	05/31/2026	R. P. LUECHT	CA-00066621 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



1 PARTITION WALLS PARTIAL VIEW @ -34.0m
1 : 50



A 1102 STORAGE RM. ELEVATION
1 : 30



B 1103 STORAGE RM. ELEVATION
1 : 30



C 1102 STORAGE RM. PLAN
1 : 30



D 1103 STORAGE RM. PLAN
1 : 30



E DETAIL - DOUBLER PLATE TO FACEPLATE
1 : 12
SEE NOTE 3

NOTES:

1. SEE 008N9536, SHEET G109 FOR GENERAL DETAILS OF SC WALLS.
2. PROVIDE ONE ROW OF 12.7mm [1/2"] DIA X 101.6mm [4"] LONG SHEAR STUDS ALL AROUND DOOR COVER PLATE. MIN AND MAX ALLOWED STUD SPACINGS ARE 50.8mm [2"] AND 304.8mm [12"] RESPECTIVELY.
3. TWO PLATES (FLANGE PLATE (DOUBLER PLATE) + FACEPLATE) IN DETAIL E CAN BE REPLACED WITH SINGLE 5/8" FACEPLATE AS NEEDED. IN THIS CASE, THE 15.88mm [5/8"] FACEPLATE SHALL BE CJP WELDED TO TYPICAL 12.7mm[1/2"] SC WALL FACEPLATE.
4. MODULE MAY BE SUPPLIED AS SHOWN, OR A FACEPLATE SPLICE MAY BE ADDED TO OPTIMIZE FABRICATION PROCESSES AT THE FABRICATOR'S DISCRETION. ALL SPLICE WELDING SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE FABRICATION SPECIFICATION.
5. MIN CLEARANCE BETWEEN TIE RODS AND DOOR COVER-PLATE SHEAR STUDS IS 25.4 MM [1"].



NSSC-ISO-VIEW



KEYPLAN
N.T.S

0° 90° N 180° 270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	11/14/2025
RESPONSIBLE ENGINEER P OSTROWSKI	11/21/2025

SHEET TITLE
PARTITION WALLS @ -34.0 - ENLARGED PLANS & SECTIONS

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	5

ISSUING AUTHORITY	SHEET ID
CA-00061148	S404

REVIT 2024 (8/2025) SD-03-G003-T002 R2
A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
1	05/29/2025	R LUECHT	CA-00055950 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
2. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION. 6



DETAIL - U71-SCCV-102001
1 : 20



ELEVATION - U71-SCCV-102001
1 : 20



DETAIL - U71-SCCV-102002, U71-SCCV-102003
1 : 20



DETAIL - U71-SCCV-102004
1 : 20

SIM. U71-SCCV-102006
U71-SCCV-102008
U71-SCCV-102010
U71-SCCV-102012



ELEVATION - U71-SCCV-102002, U71-SCCV-102003
1 : 20



SCCV WALL OVERALL VIEW



KEY PLAN
N.T.S



ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	05/05/25
RESPONSIBLE ENGINEER P OSTROWSKI	05/29/25

GE VERNOVA
HITACHI

SHEET TITLE: DETAILS - SCCV WALL MODULES SPLICE B

DRAWING NO: 009N0962
REVISION DATE: 05/31/2026
REV: 6
ISSUING AUTHORITY: CA-00055950
SHEET ID: S504

A0



A DETAIL - U71-SCCV-102005
1 : 20



B ELEVATION - U71-SCCV-102005
1 : 20



E STUD LAYOUT AT AIRLOCK
1 : 20



C DETAIL - U71-SCCV-102007
1 : 20



D ELEVATION - U71-SCCV-102007
1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
1	05/29/2025	R LUECHT	CA-00055950 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. STUD SPACING SHOWN TYP. FOR THICKENED FACEPLATE AROUND THE AIRLOCK. STUD ANCHOR MATERIAL, LENGTH AND DIAMETER PER TABLE 1-6 G103 008N9536.
2. TRANSVERSE STUD SPACING , S_T , AND SPACING BETWEEN THE DIAPHRAGM CENTERLINE TO THE NEXT STUD, SHALL BE KEPT BETWEEN 76mm [3"] TO 143mm [5 5/8"].
3. STUDS SHALL BE KEPT AT LEAST 76mm [3"] RADIALLY AWAY FROM THE AIRLOCK SLEEVE CENTERLINE.
4. IN REGIONS BETWEEN AIRLOCK SLEEVE EDGE AND FIRST DIAPHRAM PLATE, THE FOLLOWING RULES SHALL BE FOLLOWED:
   - NO STUD IF $S_{VARIABLE} \leq$ 143mm [5 5/8"]
   - 1 ROW OF STUDS IF $S_{VARIABLE}$ >143mm [5 5/8"] & ≤286mm [11 1/4"]
   - 2 ROWS OF STUDS IF $S_{VARIABLE}$ >286mm [11 1/4"] & ≤429mm [16 7/8"]
   - 3 ROWS OF STUDS IF $S_{VARIABLE}$ >429mm [16 7/8"] & ≤572mm [22 1/2"]

   WHERE $S_{VARIABLE}$ IS CENTER TO CENTER DISTANCE BETWEEN DIAPHRAGMS, OR DIAPHRAGM TO SLEEVE.
5. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.
6. MODULE U71-SCCV-102005 HEIGHT MAY BE ADJUSTED AT THE FABRICATOR'S DISCRETION TO OPTIMIZE FABRICATION. DIAPHRAGM HEIGHT SHALL BE ADJUSTED ACCORDINGLY. COORDINATE MODULE LAYOUT WITH MODULES ABOVE AND BELOW AND LANDING PLATE LAYOUT.

6



SCCV WALL OVERALL VIEW



KEY PLAN
N.T.S

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	05/05/25
RESPONSIBLE ENGINEER P OSTROWSKI	05/29/25

SHEET TITLE
DETAILS - SCCV WALL MODULES SPLICE B

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	6

ISSUING AUTHORITY	SHEET ID
CA-00055950	S505

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DA1-GEH-U71-RZZ-DDRW-CC-0003_C09_IFCH



DETAIL - U71-SCCV-102009

1 : 20



ELEVATION - U71-SCCV-102009

1 : 20



DETAIL - U71-SCCV-102011

1 : 20



ELEVATION - U71-SCCV-102011

1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
0	04/16/2025	R LUECHT	CA-00054674 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
1	05/29/2025	R LUECHT	CA-00055950 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.

6



SCCV WALL OVERALL VIEW



KEY PLAN

N.T.S

PLANT NORTH

ISSUED FOR CONSTRUCTION

05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	05/05/25
RESPONSIBLE ENGINEER P OSTROWSKI	05/29/25

SHEET TITLE
DETAILS - SCCV WALL MODULES SPLICE B

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	6

ISSUING AUTHORITY	SHEET ID
CA-00054674	S506

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DA1-GEH-U71-RZZ-DDRW-CC-0003_C09_IFCH

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. 31.8mm [1 1/4"] X 305mm [1'-0"] TIE PLATES TO BE CENTERED BETWEEN DIAPHRAGM PLATES.
2. TIE PLATES SHOWN AS DOUBLE-DASH LINES FOR CLARITY.
3. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
4. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION. 6



A DETAIL - U71-SCCV-103001
1 : 20



B ELEVATION - U71-SCCV-103001
1 : 20



C DETAIL - U71-SCCV-103003
1 : 20



D ELEVATION - U71-SCCV-103003
1 : 20



SCCV WALL OVERALL VIEW



KEYPLAN
N.T.S

90° 0° N 180° 270° PLANT NORTH



E DETAIL - U71-SCCV-103002
1 : 20

SIM.U71-SCCV-103004
U71-SCCV-103008
U71-SCCV-103010
U71-SCCV-103012



F DETAIL - U71-SCCV-103006
1 : 20



G ELEVATION - U71-SCCV-103006
1 : 20

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	06/02/2025
RESPONSIBLE ENGINEER P OSTROWSKI	08/14/2025

SHEET TITLE: DETAILS - SCCV WALL MODULES SPLICE C

GE VERNOVA
HITACHI

DRAWING NO 009N0962 | REVISION DATE 05/31/2026 | REV 6
ISSUING AUTHORITY CA-00054674 | SHEET ID S507

A0

U71-SCCV-103005 DIAPHRAGMS			
NO.	THK.	QTY	DETAIL
1	19.1	5	N / S551
2	38.1	2	C / S551
3	38.1	1	E / S551
4	38.1	1	G / S551
5	38.1	1	J / S551
6	38.1	1	K / S551
7	38.1	1	L / S551
8	38.1	1	D / S551
9	38.1	2	H / S551



A DETAIL - U71-SCCV-103005
1 : 20



B ELEVATION - U71-SCCV-103005
1 : 30

NOTE: FOR AIRLOCK SLEEVE DETAIL SEE DRAWING - 009N8333



E DETAIL - STUD CONFIGURATION AT AIRLOCK & CRD PORT
1 : 20



SCCV WALL OVERALL VIEW



KEYPLAN
N.T.S



C DETAIL - U71-SCCV-103007
1 : 20



D ELEVATION - U71-SCCV-103007
1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. 31.8mm [1 1/4"] X 305mm [1'-0"] TIE PLATES TO BE CENTERED BETWEEN DIAPHRAGM PLATES.
2. TIE PLATES SHOWN AS DOUBLE-DASH LINES FOR CLARITY.
3. MODULE U71-SCCV-103005 HEIGHT MAY BE ADJUSTED AT THE FABRICATOR'S DISCRETION TO OPTIMIZE FABRICATION. DIAPHRAGM HEIGHT SHALL BE ADJUSTED ACCORDINGLY. COORDINATE MODULE LAYOUT WITH MODULES ABOVE AND BELOW
4. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	07/28/2025
RESPONSIBLE ENGINEER P OSTROWSKI	08/14/2025

SHEET TITLE
DETAILS - SCCV WALL MODULES SPLICE C

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	6

ISSUING AUTHORITY CA-00054674
SHEET ID S508

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. 31.8mm [1 1/4"] X 305mm [1'-0"] TIE PLATES TO BE CENTERED BETWEEN DIAPHRAGM PLATES.
2. TIE PLATES SHOWN AS DOUBLE-DASH LINES FOR CLARITY.
3. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.



DETAIL - U71-SCCV-103009
1 : 20



ELEVATION - U71-SCCV-103009
1 : 20



SCCV WALL OVERVIEW



DETAIL - U71-SCCV-103011
1 : 20



ELEVATION - U71-SCCV-103011
1 : 20



KEYPLAN
N.T.S

0° N 180°
270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN: R LUECHT	07/28/2025
RESPONSIBLE ENGINEER: P OSTROWSKI	08/14/2025

SHEET TITLE: DETAILS - SCCV WALL MODULES SPLICE C

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 6
ISSUING AUTHORITY CA-00054674 | SHEET ID S509

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0



A DETAIL - U71-SCCV-104001
1 : 20



C DETAIL - U71-SCCV-104002, 104003
1 : 20



D DETAIL - U71-SCCV-104005
1 : 20



E ELEVATION - U71-SCCV-104005
1 : 20
SEE NOTES FOR SHEAR STUD CONFIGURATION AT CRD PORT



B ELEVATION - U71-SCCV-104001
1 : 20



F ELEVATION - U71-SCCV-104002, U71-SCCV-104003
1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. STUD SPACING SHOWN TYP. FOR THICKENED FACEPLATES AROUND AIRLOCK. STUD ANCHOR MATERIAL, LENGTH AND DIAMETER PER TABLE 1-6 G103.
2. TRANSVERSE STUD SPACING , S_T , AND SPACING BETWEEN THE DIAPHRAGM CENTERLINE TO THE NEXT STUD, SHALL BE KEPT BETWEEN 76mm[3"] TO 143mm [5 5/8"].
3. STUDS SHALL BE KEPT AT LEAST 76mm [3"] RADIALLY AWAY FROM THE AIRLOCK SLEEVE CENTERLINE.
4. IN REGIONS BETWEEN AIRLOCK SLEEVE EDGE AND FIRST DIAPHRAM PLATE, THE FOLLOWING RULES SHALL BE FOLLOWED:
   - NO STUD IF $S_{VARIABLE} \leq$ 143mm [5 5/8"]
   - 1 ROW OF STUDS IF $S_{VARIABLE}$ >143mm [5 5/8"] & ≤286mm [11 1/4"]
   - 2 ROWS OF STUDS IF $S_{VARIABLE}$ >286mm [11 1/4"] & ≤429mm [16 7/8"]
   - 3 ROWS OF STUDS IF $S_{VARIABLE}$ >429mm [16 7/8"] & ≤572mm [22 1/2"]
   WHERE $S_{VARIABLE}$ IS CENTER TO CENTER DISTANCE BETWEEN DIAPHRAGMS, OR DIAPHRAGM TO SLEEVE.
5. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
6. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.



SCCV WALL OVERVIEW



KEYPLAN
N.T.S

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	07/28/2025
RESPONSIBLE ENGINEER P OSTROWSKI	08/14/2025

SHEET TITLE: DETAILS - SCCV WALL MODULES SPLICE D

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	6

ISSUING AUTHORITY	SHEET ID
CA-00054726	S510

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

REVISIONS

NOTES:

1. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
2. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.



DETAIL - U71-SCCV-104007 (A)
1 : 20



DETAIL - U71-SCCV-104011 (E)
1 : 20



DETAIL - U71-SCCV-104009 (C)
1 : 20



ELEVATION - U71-SCCV-104009 (D)
1 : 20



ELEVATION - U71-SCCV-104007 (B)
1 : 20



ELEVATION - U71-SCCV-104011 (F)
1 : 20



DETAIL - U71-SCCV-104004 (G)
1 : 20

SIM: U71-SCCV-104006
U71-SCCV-104008
U71-SCCV-104010
U71-SCCV-104012



SCCV WALL OVERVIEW



KEYPLAN
N.T.S

0° 90° 180° 270°
PLANT NORTH

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	07/28/2025
RESPONSIBLE ENGINEER P OSTROWSKI	08/14/2025

SHEET TITLE
DETAILS - SCCV WALL MODULES SPLICE D

GE VERNOVA
HITACHI

DRAWING NO 009N0962
REVISION DATE 05/31/2026
REV 6
ISSUING AUTHORITY CA-00054726
SHEET ID S511
A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
2. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION. 8



NOTE: MINIMUM HEIGHT OF 915mm [3'-0"] MAY BE EXTENDED TO FIRST SPLICE. 8

A DETAIL - U71-RPVP-101002
1 : 20
SIM. U71-RPVP-101001
U71-RPVP-101003
U71-RPVP-101004
U71-RPVP-101005



B DETAIL - U71-RPVP-101006
1 : 20
TO MIN HEIGHT OF 610mm [2'-0"] 19.1mm [3/4"] TO FIRST SPLICE.



C ELEVATION - U71-RPVP-101006
1 : 20



D DETAIL T10-1-MPEN-117001 SLOPE
1 : 12



RPVP FULL VIEW



KEYPLAN
N.T.S

APPROVALS	DATE
DRAWN R LUECHT	05/05/25
RESPONSIBLE ENGINEER P OSTROWSKI	05/29/25

SHEET TITLE: DETAILS - RPVP WALL MODULES SPLICE PA

GE VERNOVA
HITACHI

DRAWING NO: 009N0962 | REVISION DATE: 07/02/2026 | REV: 8
ISSUING AUTHORITY: CA-00055950 | SHEET ID: S512
A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



A DETAIL - U71-RPVP-102001
1 : 20
SIM: U71-RPVP-102004
U71-RPVP-102006
U71-RPVP-103006



B DETAIL - U71-RPVP-103002
1 : 20
SIM: U71-RPVP-103003
U71-RPVP-103005



C DETAIL - U71-RPVP-102005
1 : 20



D DETAIL - U71-RPVP-103001
1 : 20



E ELEVATION - U71-RPVP-102005
1 : 20



F ELEVATION - U71-RPVP-103001
1 : 20



G ELEVATION - U71-RPVP-103002
1 : 20
SIM: U71-RPVP-103003
U71-RPVP-103005

NOTES:

1. SMALL MODULES MAY BE SUPPLIED AS SHOWN OR MAY BE INCORPORATED INTO THE ADJACENT MODULE. FACEPLATES MAY BE SUPPLIED AS SINGLE PLATE.
2. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.
3. TABLE:

PENETRATIONS	
PENETRATION ID	RPVP WALL MODULE
T10-1-PEN-117003	U71-RPVP-103001
T10-1-CPEN-117011	U71-RPVP-103002
T10-1-CPEN-117012	U71-RPVP-103003
T10-1-CPEN-117013	U71-RPVP-103005
T10-1-CPEN-117014	U71-RPVP-103001

FOR PENETRATIONS, SEE DRAWING SET 009N8202 LATEST REVISION.



RPVP FULL VIEW



KEYPLAN
N.T.S

APPROVALS	DATE
DRAWN R LUECHT	05/05/25
RESPONSIBLE ENGINEER P OSTROWSKI	05/29/25

SHEET TITLE
DETAILS - RPVP WALL MODULES SPLICE PB/PC

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY	SHEET ID
CA-00055950	S513

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

8

NOTES:

1. TIE-PLATE STEEL IS ASTM A572 GRADE 50.
2. MODULES IN SAME RING MAY BE SUPPLIED AS SHOWN OR COMBINED AT AT FABRICATOR DISCRETION.
3. THE WELD REQUIREMENT FOR THE TIE-PLATE IS IDENTICAL TO THE ADJACENT TYPICAL 3/4" DIAPHRAGM PLATES (008N9536 SHT.G103 TABLE 1-5).
4. HEADED STUDS SHALL BE CENTER LOCATED BETWEEN DIAPHRAGM PLATE AND TIE-PLATE.
5. TIE-PLATE SHALL BE CENTER LOCATED BETWEEN DIAPHRAGM PLATES.
6. THE ANGULAR MEASUREMENT BETWEEN END DIAPHRAGM AND MODULE SPLICE AT THE LARGEST AZIMUTH SHALL BE CONSIDERED A REFERENCE DIMENSION.



A DETAIL - U71-RPVP-102003
1 : 20
AT PEDESTAL ENTRY



B DETAIL - U71-RPVP-103004
1 : 20



C ELEVATION - U71-RPVP-102003
1 : 20
PEDESTAL CORBEL NOT SHOWN FOR CLARITY



D DETAIL - U71-RPVP-103004 @ PENETRATION
1 : 20



E DETAIL - U71-RPVP-103004 @ LOWER PEDESTAL ENTRY
1 : 20



RPVP FULL VIEW



KEYPLAN
N.T.S



F DETAIL - U71-RPVP-102002
1 : 20
PEDESTAL CORBEL NOT SHOWN FOR CLARITY



G DETAIL - STUD PLACEMENT AT CORBEL
1 : 20

APPROVALS	DATE
DRAWN R LUECHT	11/14/2025
RESPONSIBLE ENGINEER P OSTROWSKI	11/21/2025

SHEET TITLE
DETAILS - RPVP WALL MODULES @ LOWER PEDESTAL ENTRY

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY	SHEET ID
CA-00061148	S514

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DETAILS - U71-SCCV-102XXX SERIES DIAPHRAGMS



DETAIL 19.1mm DIAPHRAGM
1 : 20
SCCV WALL



DETAIL - 38.1mm STIFFENER
1 : 20
SCCV WALL @ WALL CONNECTIONS



DETAIL - 38.1mm DIAPHRAGM
1 : 20
SCCV WALL @ AIRLOCK



DETAIL - SCCV WALL 38.1mm DIAPHRAGM
1 : 20



SECTION - 38.1mm DIAPHRAGM PLATE
1 : 20



DETAIL - 38.1mm DIAPHRAGM
1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
1	05/29/2025	R LUECHT	CA-00055950 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. WALL TO WALL DP-SC MODULE HORIZONTAL SPLICE WITHOUT LANDING PLATE PER DETAIL F/G104 DWG 008N9536 AND WALL TO WALL DP-SC MODULE VERTICAL SPLICE PER DETAIL C/G104 DWG 008N9536.
2. FOR DIAPHRAGM/STIFFENER PLATES WITH RECTANGULAR FLOW HOLES, IT IS RECOMMENDED TO PROVIDE A CORNER RADII OF 2 TIMES THE PLATE THICKNESS, OR 5/8 IN (15.9 MM), WHICHEVER IS GREATER, AT THE REENTRANT CORNERS. AT A MINIMUM, THE CORNER RADII OF AT LEAST 1/2 IN (12.7 MM) SHALL BE PROVIDED.
3. FOR 38.1mm [1 1/2"] DIAPHRAGM PLATE WELD SHALL BE ONE OF THE FOLLOWING:
   (1) CJP
   (2) DOUBLE FILLET (LEG SIZE OF 29mm [1-1/8"]) 6
   (3) PJP + FILLET (EFFECTIVE THROAT SIZE OF 44mm [1-3/4"])
   (4) PJP+FILLET (EFFECTIVE THROAT SIZE OF 38mm [1-1/2"]) + SINGLE FILLET ON THE PLATE BACKSIDE (LEG SIZE OF 35mm [1-3/8"]).
   CATEGORY G PER SECTION 6.13 AND FIGURE 6-3 OF NEDC-33926P TYP.
4. FOR 31.8mm [1 1/4"] TIE PLATE, WELD SHALL BE ONE OF THE FOLLOWING:
   (1) CJP
   (2) DOUBLE FILLET (LEG SIZE 22.2mm [7/8"])
   (3) PJP + FILLET (EFFECTIVE THROAT SIZE OF 47.6mm [1 7/8"])
   (4) PJP + FILLET (EFFECTIVE THROAT SIZE OF 25.4mm [1"]) + SINGLE FILLET ON THE PLATE BACKSIDE (LEG SIZE OF 25.4mm [1"])
   CATEGORY G PER SECTION 6.13 AND FIGURE 6-3 OF NEDC-33926P TYP.
5. DIAPHRAGM LENGTHS ADJACENT TO THE CRD PORT/AIR-LOCK SLEEVE MAY BE ADJUSTED AS REQUIRED TO MAINTAIN 50.8mm [2"] MIN. AND 108mm [4.25"] MAX. GAP.
6. THE DIMENSIONS BETWEEN THE EDGE OF THE FACEPLATE AND THE EDGE OF THE DIAPHRAGM/STIFFENER ARE TO BE INTERPRETED AS MAXIMUM DIMENSIONS, BUT NOT LESS THAN 25MM, WHILE THE DIAPHRAGM LENGTHS ARE TO BE TREATED AS REFERENCE DIMENSIONS.
7. FLOW HOLE EDGE SHALL NOT BE LESS THAN 0.3tsc FROM DIAPHRAGM EDGE.

6

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE: SCCV WALL MODULE DETAILS

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	05/31/2026	6

ISSUING AUTHORITY: CA-00055950
6 SHEET ID: S550

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DETAILS - U71-SCCV-103XXX SERIES DIAPHRAGMS

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI



A DETAIL - TYP. 19.1mm DIAPHRAGM 1 : 20

B DETAIL TYP. 31.8mm STIFFENER 1 : 20 SCCV WALL @ WING WALL CONNECTIONS

C DETAIL - TYP. 38.1mm DIAPHRAGM 1 : 20

D DETAIL - 38.1mm DIAPHRAGM 1 : 20

E DETAIL - 38.1mm DIAPHRAGM 1 : 20

F DETAIL - TYP. 19.1mm TIE PLATE SCCV 1 : 20

G DETAIL - 38.1mm DIAPHRAGM 1 : 20

H DETAIL - 38.1mm DIAPHRAGM 1 : 20

N DETAIL 19.1mm DIAPHRAGM 1 : 20

J DETAIL - 38.1mm DIAPHRAGM 1 : 20

K DETAIL - 38.1mm DIAPHRAGM 1 : 20

L DETAIL - 38.1mm DIAPHRAGM 1 : 20

M DETAIL - TIE PLATE U71-SCCV-103005 1 : 20

NOTES:

1. WALL TO WALL DP-SC MODULE HORIZONTAL SPLICE WITHOUT LANDING PLATE PER DETAIL F/G104 DWG 008N9536 AND WALL TO WALL DP-SC MODULE VERTICAL SPLICE PER DETAIL C/G104 DWG 008N9536.
2. FOR DIAPHRAGM/STIFFENER PLATES WITH RECTANGULAR FLOW HOLES, IT IS RECOMMENDED TO PROVIDE A CORNER RADII OF 2 TIMES THE PLATE THICKNESS, OR 5/8 IN (15.9 MM), WHICHEVER IS GREATER, AT THE REENTRANT CORNERS. AT A MINIMUM, THE CORNER RADII OF AT LEAST 1/2 IN (12.7 MM) SHALL BE PROVIDED.
3. FOR 38.1mm [1 1/2"] DIAPHRAGM PLATE WELD SHALL BE ONE OF THE FOLLOWING:
(1) CJP
(2) DOUBLE FILLET (LEG SIZE OF 29mm [1-1/8"])
(3) PJP + FILLET (EFFECTIVE THROAT SIZE OF 44mm [1-3/4"])
(4) PJP+FILLET (EFFECTIVE THROAT SIZE OF 38mm [1-1/2"]) + SINGLE FILLET ON THE PLATE BACKSIDE (LEG SIZE OF 35mm [1-3/8"]).
CATEGORY G PER SECTION 6.13 AND FIGURE 6-3 OF NEDC-33926P TYP.
4. FOR 31.8mm [1 1/4"] TIE PLATE, WELD SHALL BE ONE OF THE FOLLOWING:
(1) CJP
(2) DOUBLE FILLET (LEG SIZE 22.2mm [7/8"])
(3) PJP + FILLET (EFFECTIVE THROAT SIZE OF 47.6mm [1 7/8"])
(4) PJP + FILLET (EFFECTIVE THROAT SIZE OF 25.4mm [1"]) + SINGLE FILLET ON THE PLATE BACKSIDE (LEG SIZE OF 25.4mm [1"])
CATEGORY G PER SECTION 6.13 AND FIGURE 6-3 OF NEDC-33926P TYP.
5. DIAPHRAGM LENGTHS ADJACENT TO THE CRD PORT/AIR-LOCK SLEEVE MAY BE ADJUSTED AS REQUIRED TO MAINTAIN 50.8mm [2"] MIN. AND 108mm [4.25"] MAX. GAP.
6. THE DIMENSIONS BETWEEN THE EDGE OF THE FACEPLATE AND THE EDGE OF THE DIAPHRAGMS/STIFFENER ARE TO BE INTERPRETED AS MAXIMUM DIMENSIONS, BUT NOT LESS THAN 25 MM, WHILE THE DIAPHRAGM LENGTHS ARE TO BE TREATED AS REFERENCE DIMENSIONS.
7. FLOW HOLE EDGE SHALL NOT BE LESS THAN 0.3tsc FROM DIAPHRAGM EDGE.

6

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE: SCCV WALL MODULE DETAILS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 6
ISSUING AUTHORITY CA-00055950 | SHEET ID S551

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DETAILS - U71-SCCV-104XXX SERIES DIAPHRAGMS

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
2	09/12/2025	R LUECHT	CA-00058765 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
6	05/31/2026	R.P. LUECHT	CA-00066920 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. WALL TO WALL DP-SC MODULE HORIZONTAL SPLICE WITHOUT LANDING PLATE PER DETAIL F/G104 DWG 008N9536 AND WALL TO WALL DP-SC MODULE VERTICAL SPLICE PER DETAIL C/G104 DWG 008N9536.
2. FOR DIAPHRAGM/STIFFENER PLATES WITH RECTANGULAR FLOW HOLES, IT IS RECOMMENDED TO PROVIDE A CORNER RADII OF 2 TIMES THE PLATE THICKNESS, OR 5/8 IN (15.9 MM), WHICHEVER IS GREATER, AT THE REENTRANT CORNERS. AT A MINIMUM, THE CORNER RADII OF AT LEAST 1/2 IN (12.7 MM) SHALL BE PROVIDED.
3. FOR 38.1mm [1 1/2"] DIAPHRAGM PLATE WELD SHALL BE ONE OF THE FOLLOWING:
(1) CJP
(2) DOUBLE FILLET (LEG SIZE OF 29mm [1-1/8"]) 6
(3) PJP + FILLET (EFFECTIVE THROAT SIZE OF 44mm [1-3/4"])
(4) PJP+FILLET (EFFECTIVE THROAT SIZE OF 38mm [1-1/2"]) + SINGLE FILLET ON THE PLATE BACKSIDE (LEG SIZE OF 35mm [1-3/8"]).
CATEGORY G PER SECTION 6.13 AND FIGURE 6-3 OF NEDC-33926P TYP.
4. DIAPHRAGM LENGTHS ADJACENT TO THE CRD PORT/AIRLOCK SLEEVE MAY BE ADJUSTED AS REQUIRED TO MAINTAIN 50.8mm [2"] MIN. AND 108mm [4.25"] MAX. GAP.
5. THE DIMENSIONS BETWEEN THE EDGE OF THE FACEPLATE AND THE EDGE OF THE DIAPHRAGM/STIFFENER ARE TO BE INTERPRETED AS MAXIMUM DIMENSIONS, BUT NOT LESS THAN 25MM, WHILE THE DIAPHRAGM LENGTHS ARE TO BE TREATED AS REFERENCE DIMENSIONS.
6. FLOW HOLE EDGE SHALL NOT BE LESS THAN 0.3tsc FROM DIAPHRAGM EDGE.

6



A DETAIL - TYP. 19.1mm DIAPHRAGM PLATE
1 : 20



B DETAIL - 38.1mm STIFFENER PLATE
1 : 20
SCCV WALL @ WING WALL CONNECTIONS



C DETAIL - 38.1mm DIAPHRAGM
1 : 20



D DETAIL - 38.1mm DIAPHRAGM
1 : 20



E DETAIL - 38.1mm DIAPHRAGM
1 : 20

ISSUED FOR CONSTRUCTION
05/31/2026

APPROVALS	DATE
DRAWN: R LUECHT	01/25/2025
RESPONSIBLE ENGINEER: P OSTROWSKI	04/17/2025

SHEET TITLE: SCCV WALL MODULE DETAILS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 05/31/2026 | REV 6
ISSUING AUTHORITY CA-00055950 | SHEET ID S552

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

DETAILS - U71-RPVP-101XXX



1. MINIMUM HEIGHT OF THICKENED FACEPLATE CAN BE EXTENDED TO FIRST SPLICE LINE.

A
S512
DETAIL - TYP. 19.1mm PEDESTAL DIAPHRAGM
1 : 20
FIRST RING OF PEDESTAL

DETAILS - U71-RPVP-10XXXX



B
S513
DETAIL - TYP. 19.1mm PEDESTAL DIAPHRAGM
1 : 20



C
S514
DETAIL - 19.1mm DIAPHRAGM
1 : 20
@ PEDESTAL CORBEL



D
S514
DETAIL 19.1mm DIAPHRAGM
1 : 20



E
S514
DETAIL - 19.1mm TIE PLATE
1 : 20
@ PEDESTAL CORBEL



F
S514
DETAIL - 19.1mm DIAPHRAGM
1 : 20
ABOVE CRD OPENING



G
S514
DETAIL - 19.1mm DIAPHRAGM @ PENETRATION
1 : 20
U71-RPVP-103004



H
S513
DETAIL - 19.1mm DIAPHRAGM @ PENETRATION
1 : 20
U71-RPVP-103001



I
S513
DETAIL - 19.1mm DIAPHRAGM @ PENETRATION
1 : 20
U71-RPVP-103001
U71-RPVP-103002
U71-RPVP-103003
U71-RPVP-103005

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. WALL TO WALL DP-SC MODULE HORIZONTAL SPLICE PER DETAIL F/G104 DWG 008N9536 AND WALL TO WALL DP-SC MODULE VERTICAL SPLICE PER DETAIL C/G104 DWG 008N9536.
2. FOR DIAPHRAGM/STIFFENER PLATES WITH RECTANGULAR FLOW HOLES, IT IS RECOMMENDED TO PROVIDE A CORNER RADII OF 2 TIMES THE PLATE THICKNESS, OR 5/8 IN (15.9 MM), WHICHEVER IS GREATER, AT THE REENTRANT CORNERS. AT A MINIMUM, THE CORNER RADII OF AT LEAST 1/2 IN (12.7 MM) SHALL BE PROVIDED.
3. THE DIMENSIONS BETWEEN THE EDGE OF THE FACEPLATE AND THE EDGE OF THE DIAPHRAGM/STIFFENER ARE TO BE INTERPRETED AS MAXIMUM DIMENSIONS BUT NOT LESS THAN 25mm, WHILE THE DIAPHRAGM LENGTHS ARE TO BE TREATED AS REFERENCE DIMENSIONS.
4. FLOW HOLE EDGE SHALL NOT BE LESS THAN 0.3tsc FROM DIAPHRAGM EDGE.
5. TABLE

PENETRATIONS	
PENETRATION ID	RPVP WALL MODULE
T10-1-CPEN-117011	U71-RPVP-103002
T10-1-CPEN-117012	U71-RPVP-103003
T10-1-CPEN-117013	U71-RPVP-103005
T10-1-CPEN-117014	U71-RPVP-103001

FOR PENETRATIONS, SEE DRAWING SET 009N8202 LATEST REVISION.

8

APPROVALS	DATE
DRAWN R LUECHT	01/25/2025
RESPONSIBLE ENGINEER P OSTROWSKI	04/17/2025

SHEET TITLE: RPVP WALL MODULE DETAILS

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY: CA-00061148
SHEET ID: S553

REVIT 2024 (8/2025)
SD-03-G003-T002 R2

A0



A DETAILED PLAN @ -29.0m ROOM 1210-FLOOR 01
1 : 30



A.3 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20
@ HVAC CHASE



A.4 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.1 DETAIL - HVAC CHASE OPENING
1 : 30



A.2 DETAIL - HVAC CHASE OPENING
1 : 30



A.5 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20



A.6 DETAIL - 12.7mm DIAPHRAGM
1 : 20



B DETAILED PLAN @ -29.0m ROOM 1210-FLOOR 02
1 : 30



A.7 DETAIL - TYP. FLANGE PLATE TO FACEPLATE WELDING
1 : 8



A.8 DETAIL - TYP. COVERPLATE WELDING
1 : 5
TYPICAL TOP AND BOTTOM



A.9 CHASE FILLER PLATE WELDING
1 : 10



B.1 DETAIL - 12.7mm DIAPHRAGM PLATE
1 : 20



C DETAILED PLAN @ -29.0m ROOM 1210-FLOOR 03
1 : 30



C.1 DETAIL - 12.7mm DIAPHRAGM PLATE
1 : 20

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. STUD LOCATIONS SHOWN FOR ILLUSTRATION ONLY. LOCATIONS TO BE DETERMINED BY FABRICATOR PER DESIGN SPECIFIED SPACING RULES.
2. DIAPHRAGM FLOW HOLES SHALL MEET FOLLOWING REQUIREMENTS:
   - A.) MAINTAIN A MINIMUM SPACING OF 0.3*tsc BETWEEN THE DIAPHRAGM EDGE AND NEAREST FLOW HOLE EDGE, AND BETWEEN ADJACENT FLOW HOLE EDGES.
   - B.) MAXIMUM NUMBER OF FLOW HOLES SHOULD BE ADDED IN EACH DIAPHRAGM USING FULL-SIZE HOLES WHEREVER PRACTICAL. IF REQUIRED, FLOW HOLE SIZE CAN BE REDUCED TO ELLIPSES WITH 0.3*tsc MIN. WIDTH X 0.6*tsc HEIGHT WHILE MAINTAINING SPACING LIMITS.
3. CORNER RADIUS IS PERMITTED ON DOUBLER PLATE, PROVIDED THE MINIMUM DISTANCE AT ALL POINTS FROM THE FLANGE/DOUBLER PLATE EDGE TO THE OPENING PERIMITER IS EQUAL TO OR GREATER THAN THE REQUIRED MODULE SECTION THICKNESS (tsc).
4. THE DIMENSIONS BETWEEN THE EDGE OF THE FACEPLATE AND THE END OF THE DIAPHRAGM/STIFFNER ACROSS THE WIDTH OF THE MODULE SHALL BE INTERPRETED AS MAXIMUM DIMENSIONS BUT NOT LESS THAN 13mm, WHILE THE DIAPHRAGM LENGTHS SHALL BE TREATED AS REFERENCE DIMENSIONS.
5. THE DIMENSIONS BETWEEN THE WING WALL (WW) AND FLOOR FACEPLATE SHOWN ON THIS SHEET MAY VARY BY UP TO +/-5 MM. SUCH MINOR DIMENSIONAL VARIATIONS SHALL BE ACCOMMODATED BY THE FIELD-FIT FILLER PLATE DURING INSTALLATION. 8



KEYPLAN
N.T.S
PLANT NORTH

APPROVALS	DATE
DRAWN R. P. LUECHT	03/17/2026
RESPONSIBLE ENGINEER P. K. OSTROWSKI	05/29/2026

SHEET TITLE
FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1210

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY CA-00060353
SHEET ID S601

REVIT 2024 (8/2025) SD-03-G003-T002 R2
A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. SEE SHEET S601 FOR TYPICAL NOTES.



A DETAILED PLAN @ -29.0m ROOM 1220-FLOOR 01
1 : 30



A.1 DETAIL - HVAC CHASE OPENING
1 : 30



A.2 DETAIL - HVAC CHASE OPENING
1 : 30



A.3 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20
@ HVAC CHASE



A.4 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20



A.5 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.7 DETAIL - TYP. FLANGE PLATE TO FACEPLATE WELDING
1 : 20



A.8 DETAIL - TYP. COVERPLATE WELDING
1 : 5
TYPICAL TOP AND BOTTOM



A.9 CHASE FILLER PLATE WELDING
1 : 10



KEYPLAN
N.T.S

APPROVALS	DATE
DRAWN R LUECHT	10/10/2025
RESPONSIBLE ENGINEER P OSTROWSKI	10/28/2025

GE VERNOVA
HITACHI

SHEET TITLE: FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1220

DRAWING NO: 009N0962 | REVISION DATE: 07/02/2026 | REV: 8

ISSUING AUTHORITY: CA-00060353 | SHEET ID: S602

A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
3	10/29/2025	R LUECHT	CA-00060353 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI

NOTE:
1. SEE SHEET S601 FOR TYPICAL NOTES. 7



A DETAILED PLAN @ -29.0m ROOM 1220-FLOOR 02
1 : 30



A.1 DETAIL - 12.7mm DIAPHRAGM
1 : 20
TYPICAL DIAPHRAGMS ADJACENT STAIR OPNG.



A.2 DETAIL - 12.7mm DIAPHRAGM
1 : 20



B DETAILED PLAN @ -29.0m ROOM 1220- FLOOR 03
1 : 30



B.1 DETAIL - 12.7mm DIAPHRAGM (TYP.)
1 : 20



KEYPLAN
N.T.S

ISSUED FOR CONSTRUCTION
06/05/2026

APPROVALS	DATE
DRAWN R LUECHT	10/10/2025
RESPONSIBLE ENGINEER P OSTROWSKI	10/28/2025

GE VERNOVA
HITACHI

SHEET TITLE: FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1220

DRAWING NO: 009N0962 | REVISION DATE: 06/05/2026 | REV: 7

ISSUING AUTHORITY: CA-00060353 | SHEET ID: S602.1

A0





REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTES:

1. SEE SHEET S601 FOR TYPICAL NOTES.
2. A THICKENED FACEPLATE WITH A MINIMUM WIDTH OF 305mm MAY BE USED, PROVIDED THAT A FLANGE PLATE IS INSTALLED WITHIN A MINIMUM MODULE SECTION THICKNESS (610mm) AT ALL POINTS FROM THE OPENING PERIMETER. THE FLANGE PLATE SHALL BE WELDED TO THE FACEPLATE IN ACCORDANCE WITH DETAIL A.4.

APPROVALS	DATE
DRAWN R. P. LUECHT	10/10/2025
RESPONSIBLE ENGINEER P. K. OSTROWSKI	10/28/2025

SHEET TITLE: FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1200

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY: CA-00060353
SHEET ID: S603

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI

NOTES:

1. SEE S100 SERIES SHEETS FOR WALL AND FLOOR MODULE IDENTIFICATION. MODULE TAGGING BREAKDOWN ON G102 DWG 008N9536
2. LIGHTER COMPONENTS SHOWN FOR REFERENCE ONLY



A LEVEL -29.0m PARTIAL PLAN - CRD HATCH AND CHASE A
1 : 20
SIM. LEVEL -21.0m
LEVEL -14.5m
LEVEL -8.5m
LEVEL 0m



B LEVEL -29.0m PARTIAL PLAN - CHASE B
1 : 20
SIM. LEVEL -21.0m
LEVEL -14.5m
LEVEL -8.5m
LEVEL 0m



C DETAIL - TYP. COVER PLATE WELDING
1 : 5
TYPICAL TOP AND BOTTOM



E DETAIL - CHASE A 12.7mm DIAPHRAGM
1 : 20



KEYPLAN
N.T.S



D DETAIL- TYP CORNER - COVER PLATE
1 : 5

ISSUED FOR CONSTRUCTION
06/05/2026

APPROVALS	DATE
DRAWN R LUECHT	11/20/2025
RESPONSIBLE ENGINEER P OSTROWSKI	11/21/2025

SHEET TITLE
CRD HATCH, CHASE A AND CHASE B COVER PLATE DETAILS

GE VERNOVA
HITACHI

DRAWING NO. 009N0962 | REVISION DATE 06/05/2026 | REV 7
ISSUING AUTHORITY CA-00061148 | SHEET ID S603.1

REVIT 2024 (8/2025) SD-03-G003-T002 R2
A0

REVISIONS

REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. SEE SHEET S601 FOR TYPICAL NOTES.



A DETAILED PLAN @ -29.0m ROOM 1230-FLOOR 01
1 : 30



A.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



A.2 DETAIL - TYP. 12.7mm DIAPHRAGM @ HVAC CHASE
1 : 20



A.6 DETAIL - HVAC CHASE OPENING
1 : 30



A.7 DETAIL - HVAC CHASE OPENING
1 : 30



A.3 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.5 DETAIL - TYP. FLANGE PLATE TO FACEPLATE WELDING
1 : 20



A.8 DETAIL - TYP. COVER PLATE WELDING
TYPICAL TOP AND BOTTOM
1 : 5



A.9 CHASE FILLER PLATE WELDING
1 : 10



B DETAILED PLAN @ -29.0m ROOM 1230-FLOOR 02
1 : 30



B.1 DETAIL - 12.7mm DIAPHRAGM (TYP.)
1 : 20



KEYPLAN
N.T.S



C.1 DETAIL - 12.7mm DIAPHRAGM PLATE (TYP.)
1 : 20



C DETAILED PLAN @ -29.0m ROOM 1230-FLOOR 03
1 : 30

APPROVALS	DATE
DRAWN R LUECHT	10/10/2025
RESPONSIBLE ENGINEER P OSTROWSKI	10/28/2025

GE VERNOVA
HITACHI

SHEET TITLE: FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1230

DRAWING NO: 009N0962 | REVISION DATE: 07/02/2026 | REV: 8
ISSUING AUTHORITY: CA-00060353 | SHEET ID: S604
A0

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. SEE SHEET S601 FOR TYPICAL NOTES



A DETAILED PLAN @ -29.0m ROOM 1201-FLOOR 01
1 : 30



A.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



A.2 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20
@HVAC CHASE



A.3 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.4 DETAIL - HVAC CHASE OPENING
1 : 30



A.5 DETAIL - TYP. DOUBLER PLATE TO FACEPLATE WELDING
1 : 20



B DETAILED PLAN @ -29.0m ROOM 1201-FLOOR 02
1 : 30



A.6 DETAIL - TYP. COVERPLATE WELDING
TYPICAL TOP AND BOTTOM
1 : 5



A.7 CHASE FILLER PLATE WELDING
1 : 10



B.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



B.2 DETAIL - 12.7mm DIAPHRAGM
1 : 20
TYP. FOR DIAPHRAGMS ADJACENT TO STAIR/ELEV. OPENING.



C DETAILED PLAN @ -29.0m ROOM 1201-FLOOR 03
1 : 30



C.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



KEYPLAN
N.T.S

PLANT NORTH

APPROVALS	DATE
DRAWN R LUECHT	10/10/2025
RESPONSIBLE ENGINEER P OSTROWSKI	10/28/2025

GE VERNOVA
HITACHI

SHEET TITLE: FLOOR MODULES OUTSIDE CONTAINMENT @ RM 1201

DRAWING NO: 009N0962
REVISION DATE: 07/02/2026
REV: 8
ISSUING AUTHORITY: CA-00060353
SHEET ID: S605

REVISIONS				
REV	DATE	DRAWN BY	CA NUMBER / DESCRIPTION	RESPONSIBLE ENGINEER
4	11/21/2025	R LUECHT	CA-00061148 SEE SHEET S000 FOR REVISION SUMMARY	P OSTROWSKI
7	06/05/2026	R.P. LUECHT	CA-00067059 SEE SHEET S000 FOR REVISION SUMMARY	P.K.OSTROWSKI
8	07/02/2026	R.P. LUECHT	CA-00067574 SEE SHEET S000 FOR REVISION SUMMARY	P.K. OSTROWSKI

NOTE:

1. SEE SHEET S601 FOR TYPICAL NOTES



A DETAILED PLAN @ -29.0m ROOM 1240-FLOOR 01
1 : 30



A.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



A.2 DETAIL - TYP. 12.7mm DIAPHRAGM
1 : 20
@HVAC CHASE



A.3 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.6 DETAIL - HVAC CHASE OPENING
1 : 30



A.7 DETAIL - HVAC CHASE OPENING
1 : 30



A.8 DETAIL - TYP. DOUBLER PLATE TO FACEPLATE WELDING
1 : 20



A.4 DETAIL - 12.7mm DIAPHRAGM
1 : 20



A.9 DETAIL - TYP. COVERPLATE WELDING
1 : 5
TYPICAL TOP AND BOTTOM



A.10 CHASE FILLER PLATE WELDING
1 : 10



B DETAILED PLAN @ -29.0m ROOM 1240-FLOOR 02
1 : 30



B.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20



KEYPLAN
N.T.S



C DETAILED PLAN @ -29.0m ROOM 1240-FLOOR 03
1 : 30



C.1 DETAIL - 12.7mm DIAPHRAGM (TYP)
1 : 20

APPROVALS	DATE
DRAWN R LUECHT	10/10/2025
RESPONSIBLE ENGINEER P OSTROWSKI	10/28/2025

SHEET TITLE
FLOOR MODULES OUTSIDE CONTAINMENT@ RM 1240

GE VERNOVA
HITACHI

DRAWING NO.	REVISION DATE	REV
009N0962	07/02/2026	8

ISSUING AUTHORITY CA-00060353
SHEET ID S606

REVIT 2024 (8/2025) SD-03-G003-T002 R2

A0