

Ex. No.: 4.1 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, . . . and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

Input	Result
1	0
4	2
7	8

$$(3,a+1)$$
:

d=b+c

$$b=c$$
 $c=d$

print(d)

	Input	Expected	Got	
~	1	0	0	~
~	4	2	2	~
~	7	8	8	~

Ex. No.: 4.2 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

Inpu t	Result	
20	1 2 4 5 10	

```
a=int(input()) for i in
range(1,a+1):
if(a%i==0):
    print(i,end=" ")
```

	Input	Expected	Got	
~	20	1 2 4 5 10 20	1 2 4 5 10 20	~
~	5	1 5	1 5	~
~	13	1 13	1 13	~

Ex. No.: 4.3 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

Input Format:

Single Integer input.

Output Format:

Output displays Yes if condition satisfies else prints No.

Example Input:

14

```
Output:
Yes
Example Input:
13
Output:
No Program:
a=int(input()) c=0 for i in range(1,10):
for j in range(1,10):
if i*j==a:
c=1 if(c==1):
print("Yes")
• else:
```

print("No")

	Input	Expected	Got	
~	14	Yes	Yes	~
~	13	No	No	~

Ex. No. : 4.4 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

t of example.		
Input	Result	
292	2	
1015	3	

a=input()

b=len(set(a))

print(b)

	Input	Expected	Got	
~	292	2	2	~
~	1015	3	3	~
~	123	3	3	~

Ex. No.: 4.5 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number \geq 1 and \leq 25000. Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 nonrepeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 nonrepeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 nonrepeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO nonrepeated digits in this number.

Input	Resul t
292	1

1015	2
108	3
22	0

Program: a={}

for i in input: if i in a:a[i]+=1
else:a[i]=1 print(sum([1 for i in a
if a[i]==1]))

	Input	Expected	Got	
~	292	1	1	~
~	1015	2	2	~
~	108	3	3	~
_	22	0	0	~

Ex. No.: 4.6 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Next Perfect Square

Given a number N, find the next perfect square greater than N.

Input Format:

Integer input from stdin.

Output Format:

Perfect square greater than N.

Example Input:

10

Output:

16

Program:

```
import math
a=int(input())
b = a + 1
```

while b > 0:

m=math.sqrt(b)

if(m==int(m)):

print(b)

break else:

$$b = b + 1$$

	Input	Expected	Got	
,	10	16	16	~

Ex. No.: 4.7 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Sum of Series

Write a program to find the sum of the series $1 + 11 + 111 + 1111 + \dots + n$ terms (n will be given as input from the user and sum will be the output)

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

For example:

Input	Result
3	123

Program:

a=int(input())

t=1 s=0 for i in

range(a)

s+=t

t=t*10+1

print(s)

	Input	Expected	Got	
~	4	1234	1234	~
~	6	123456	123456	~

Ex. No.: 4.8 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

Example1: if the given number N is 7, the method must return 2 Example2: if the given number N is 10, the method must return 1

For example:

Input	Result
7	2
10	1

Program:

a=int(input()) c=0

for i in range(2,a):

if(a%i==0):

c=1 if(c==1):

print("1") elif(c==0):

print("2")

	Input	Expected	Got	
~	7	2	2	~
~	10	1	1	~

Ex. No.: 4.9 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation 1^1 +

 $7^2 + 5^3 = 175$

Example Input:

123

Output:

No

For example:

Inp ut	Res ult
175	Yes
123	No

Program:

a=input() n=len(a) r=0

for i,d in enumerate(a):

r = int(d)**(i+1) if

r==int(a):
print("Yes")

print("Yes") else:

print("No")

	Input	Expected	Got	
~	175	Yes	Yes	~
~	123	No	No	~

Ex. No.: 4.10 Date: 13.04.24

Register No.: 231901037 Name: PRIYANGA M

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

Input	Resul t
24	Yes

import math

a=int(input())

b=a+1

c=math.sqrt(b)

if(c==int(c)):

print("Yes") else:

print("No")

	Input	Expected	Got	
~	24	Yes	Yes	~
~	26	No	No	~