Biology

Topic: Animal Kingdom

Basis of Classification

1. A complete digestive system with two openings, mouth and anus, is absent in phylum
1) Annelida
2) Arthropoda
3) Platyhelminthes
4) Aschelminthes

2. Organ level of organisation is found in phylum
1) Porifera
2) Coelenterata
3) Ctenophora
4) Platyhelminthes

3. The third germinal layer, that is, mesoderm appeared for the first time in phylum
1) Cnidaria
2) Ctenophora
3) Platyhelminthes
4) Annelida

4. Metamerism is a characteristic feature of phylum
1) Aschelminthes
2) Annelida
3) Echinodermata
4) Mollusca

5. Notochord is a characteristic feature of chordates. It is derived from
1) Endoderm
2) Mesoderm
3) Ectoderm
4) All of the above

6. True segmentation or metamerism means
1) Body is externally and internally divided into segments
2) Segments of body has serial repetition of at least some organs
3) Both (1) and (2)
4) There is no repetition of any organ in successive segments

7. Identify the wrong statement.
1) There is no diploblastic animal with radial symmetry.
2) Body of molluscs is unsegmented.
3) Specialized excretory structures are absent in echinoderms
4) Larvae of echinoderms are bilaterally symmetrical.

8. Animals in which the body cavity is absent are called
1) Coelomates
2) Pseudocoelomates
3) Acoelomates
4) Eucoelomates

9. Given below are two statements:
Statement I: All multicellular organisms are animals.
Statement II: All animals exhibit the same pattern of organisation of cells.
In the light of the above statements, choose the most appropriate answer from the options given below:
1) Both statement I and II are incorrect.
2) Statement I is correct, but statement II is incorrect.
3) Statement I is incorrect, but statement II is correct.
4) Both statement I and statement II are correct.

10. In which of the following options, all the phyla include only triploblastic animals?
1) Ctenophora, Platyhelminthes and Porifera
2) Hemichordata, Echinodermata and Chordata
3) Ctenophora, Aschelminthes and Platyhelminthes
4) Porifera, Coelenterata and Ctenophora

Porifera, Coelenterata and Ctenophora

11. Which of the following is incorrect?
1) Sponges have cellular level of organisation.
2) Fertilization is external in sponges.
3) Sponges are mostly found in marine environment.
4) Euspongia is the common bath sponge.

12. Find the wrong statement with respect to choanocytes.
1) They are present in the lining of canals and spongocoel
2) They are also called collar cells.
3) These are flagellated cells.
4) None of the above

13. Read the following statements about members of phylum porifera and choose the set of correct statements:
A. They are mostly asymmetrical.
B. The cavity common to all sponges is spongocoel.
C. They are mostly sessile.
D. Digestion occurs in paragastric cavity.
Choose the correct answer from the options given below:
1) A, B, and C
2) B, C, and D

3) B, D, and E
4) D and E

14. Identify the correct set of statements:
(a) Members of phylum porifera are commonly known as sponges.
(b) Members of phylum porifera are exclusively marine.
(c) Asexual reproduction is absent in sponges.
(d) Sponges have water transport system.
(e) In water transport system water enters through minute pores, these minute pores are known as osculum.
Choose the correct answer from options given below:
1) a and d only
2) b, c, d and e only
3) a, b, d and e only
4) band c only

15. Which of the following is the most distinctive-feature of sponges?
1) They are acellular
2) They possess special cells called choanocytes.
3) They reproduce asexually.
4) They are all marine.

16. Identify the correct set of statements:
(a) Spongillá is a freshwater sponge.
(b) Cnidarians exhibit two basic body forms called polyp and medusa.
(c) Cnidarians exhibit organ level of organisation.
(d) Cnidoblast cells are present on the tentacles and the body of cnidarians.
(e) Cnidoblasts are used for anchorage, defense and for the capture of prey.
Choose the correct answer from options given below:
1) a and d only
2) b, c, d and e only
3) a, b, d and e only
4) b and c only

17. Metagenesis in Obelia is different from the alternation of generation in plants because
1) Polyp is diploid, while medusa is haploid
2) Polyp is haploid, while medusa is diploid
3) Both are diploid, and there is no change in ploidy
4) None of the above

18. The cnidoblasts or stinging cells of coelenterates are concerned with
1) Nutrition and reproduction
2) Reproduction and excretion
3) Anchorage and defense
4) All of the above

19. Given below are two statements; one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The presence of water vascular system is the most unique feature of porifera.

Reason (R): Water vascular system helps in locomotion, capture and transport of food and respiration.

In the light of the above statements, choose the correct answer from the options given below:

1) Both (A) and (R) are correct but (R) is the not correct explanation of (A).
2) (A) is correct but (R) is not correct.
3) (A) is not correct but (R) is correct.
4) Both (A) and (R) are correct and (R) is the correct explanation of (A).

20. Which of the following is an incorrect statement regarding Cnidarians?

1) They are all terrestrial.
2) They are diploblastic with blind sac body plan.
3) Gastrovascular cavity serves for digestion and circulation.
4) Some cnidarians have a skeleton of calcium carbonate and form coral reefs.

21. Which of the following is incorrect?

1) Meandrina - Brain coral
2) Gorgonia - Sea fan
3) Adamsia - Sea anemone
4) Aurelia - Sea feather

22. Given below are two statements; one is labelled as

Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Members of phylum Ctenophora are also called comb jellies.

Reason (R): Body of ctenophores is delicate and have internal row of comb plates.

In the light of the above statements, choose the correct answer from the options given below:

1) Both (A) and (R) are correct but (R) is the not correct explanation of (A).
2) (A) is correct but (R) is not correct.
3) (A) is not correct but (R) is correct.
4) Both (A) and (R) are correct and (R) is the correct explanation of (A).

23. Hydra is a

1) Triploblastic, radially symmetrical, and coelomate organism
2) Diploblastic, radially symmetrical, and medusoid
3) Triploblastic, bilaterally symmetrical, and coelomate
4) Diploblastic, radially symmetrical, and polyp

24. Polyp phase is absent in

1) Adamsia
2) Hydra
3) Aurelia
4) Obelia

25. Which of the following is incorrect with respect to ctenophores?
1) Comb plates for locomotion
2) External fertilization
3) Exclusively marine
4) Reproduction may be sexual or asexual

Platyhelminthes, Aschelminthes and Annelida

26. Mostly hermaphrodite animals are present in phylum
1) Arthropoda
2) Aschelminthes
3) Platyhelminthes
4) Echinodermata

27. Flame cells of flatworms are used for
1) Respiration
2) Excretion
3) Circulation
4) Digestion

28. Muscular pharynx is found in
1) Taenia solium
2) Ascaris
3) Planaria
4) Echinococcus

29. Choose the incorrect option with respect to filarial worm
1) It is circular in cross-section.
2) It is a hermaphrodite with direct development.
3) It has a complete alimentary canal.
4) It causes elephantiasis.

30. Which group of animals belong to the same phylum in the given options?
1) Bladderworm, earthworm and ringworm
2) Tapeworm, pinworm and silkworm
3) Pinworm, tapeworm and bladderworm
4) Roundworm, hookworm and filaria worm

31. Given below are two statements.
Statement I: In Aschelminthes fertilisation is internal and development may be direct (the young ones resemble the adult) or indirect.
Statement II: Male Ascaris is longer than female.
In the light of the above statements, choose the correct answer from the options given below:
1) Statement I is correct, but statement II is incorrect.
2) Statement I is incorrect, but statement II is correct,
3) Both statement I and statement II are correct.

4) Both statement I and statement II are incorrect.

32. Ancylostoma and Fasciola are the member of
1) Platyhelminthes and Aschelminthes respectively
2) Annelida and Platyhelminthes respectively
3) Platyhelminthes and Annelida respectively
4) Aschelminthes and Platyhelminthes respectively

33. In annelids, locomotion takes place with the help of
1) Longitudinal and circular muscles
2) Parapodiae in aquatic annelids
3) Both (1) and (2)
4) None of the above

34. Which of the following is incorrect with respect to Nereis?
1) Presence of parapodia
2) Dioecious
3) Closed circulatory system
4) Terrestrial form

35. Earthworm, Nereis and leech are similar with respect to
1) Ventral nerve cord
2) Metamerism
3) Coelom
4) All of these

Arthropoda, Mollusca, Echinodermata and Hemichordata

36. Mark the wrong statement with respect to insects.
1) Respiratory pigment is absent.
2) Malpighian tubules are used for excretion.
3) Development is always direct.
4) Eyes can be simple or compound.

37. Which of the following is incorrect regarding arthropods?
1) They have a complete digestive tract with separate mouth and anus.
2) They are monoecious.
3) They have chitinous exoskeleton.
4) They have respiratory organs. like gills, trachea, book lungs, and book gills.

38. Exoskeleton of insects is derived from
1) Cellulose
2) Chitin
3) Protein
4) Silica

39. Arthropods are the most successful invaders of terrestrial environment among invertebrates, due to the presence of
1) Chitinous exoskeleton

2) Mode of Respiration
3) Circulation
4) Both (1) and (2)

40. Which one of the following statements is incorrect?
1) In cockroaches and prawns excretion of waste material occurs through malpighian tubules.
2) In ctenophores, locomotion is mediated by comb plates.
3) In Fasciola, flame cells take part in excretion.
4) Earthworms are hermaphrodites and yet cross fertilization takes place among them.

41. Given below are two statements about arthropods.
Statement I: They have organ-system level of body organisation.
Statement II: Their body is segmented and has an open type of circulatory system.
In the light of the above statements, choose the correct answer from the options given below:
1) Statement I is correct, but statement II is incorrect.
2) Statement I is incorrect, but statement II is correct.
3) Both statement I and statement II are correct.
4) Both statement I and statement II are incorrect.

42. Match the following columns and choose the correct option.

Column I		Column II	
1	Hirudinaria	a	Makes soil porous
2	Earthworm	b	Disease vector
3	Aedes	c	Blood sucking form

1) 1-c, 2-b, 3- a
2) 1-b, 2-c, 3-a
3) 1-c, 2-a, 3-b
4) 1-a, 2-b, 3-c

43. The unique feature of phylum Arthropoda is/are
1) Jointed appendages
2) Thick chitinous exoskeleton
3) Compound eyes and antenna
4) All of the above

44. Radula in molluscs is a/an
1) Excretory structure
2) Part of gills
3) File-like rasping organ in mouth
4) Chemoreceptor

45. Which of the following is called pearl oyster?
1) Unio
2) Mytilus
3) Pinctada

4) Cypraea

46. The larva of echinoderms are

1) Asymmetrical
2) Radially symmetrical
3) Bilaterally symmetrical
4) Star-shaped and pentamerous

47. Which phylum has none of the freshwater forms?

1) Chordata
2) Porifera
3) Echinodermata
4) Mollusca

48. Water vascular system helps in

1) Locomotion
2) Respiration
3) Capture and transport of food
4) All of the above

49. Match column A with column B and choose the correct option.

Column I		Column II	
A	Porifera	(i)	Canal system
B	Aschelminthes	(ii)	Water-vascular system
C	Annelida	(iii)	Muscular Pharynx
D	Arthropoda	(iv)	Jointed appendages
E	Echinodermata	(v)	Metamers

1) A-(ii), B—(iii), C-(v), D-(iv), E-(i)
2) A-(ii), B-(v), C—(iii), D—(iv), E-(i)
3) A-(i), B—(iii), C—(v), D—(iv), E-(ii)
4) A-(i), B—(v), C—(iii), D-(iv), E-(ii)

50. What is common between Antedon, Cucumaria and Ophiura?

1) Sexes are separate
2) Excretory system is absent
3) Fertilisation is usually external
4) All of the above

51. Hemichordates are

1) Marine and disc-like
2) Freshwater and disc-like
3) Marine and worm-like
4) Freshwater and worm-like

52. The body of Balanoglossus is divided into

1) Head and trunk
2) Head, neck and abdomen
3) Proboscis, collar and trunk
4) Prosoma, mesasoma and metasoma

53. The notochord-like structure of hemichordates is called

1) Proboscis
2) Pyloric
3) Protochord
4) Stomochord

54. The examples of hemichordates are
1) Balanoglossus and Sacculina
2) Saccoglossus and Herdmania
3) Cephalodiscus and Pyrosoma
4) Balanoglossus and Saccoglossus

55. Which of the following pairs of animals are jawless vertebrates?
1) Lamprey and Amphioxus
2) Amphioxus and Herdmania
3) Lamprey and hagfish
4) Rohu and eel

Chordata

56. Which of the following statement is correct with respect to vertebrates and chordates?
1) All vertebrates are chordates, and all chordates are vertebrates.
2) All chordates are not vertebrates, but all vertebrates are chordates.
3) All chordates are vertebrates, but all vertebrates are not chordates.
4) All of the above.

57. The character common to both cartilaginous and bony fishes is the presence of
1) Air bladder
2) External fertilization
3) Two-chambered heart
4) Terminal mouth and placoid scales on skin

58. Recognise the figure and choose the correct option related to it.

1) A member of Chondrichthyes
2) Mouth is located ventrally
3) Fertilisation is external
4) All of the above

59. Match the column I and column II and select correct option.

Column I	Column II

(a)	Hippocampus	(i)	Fighting fish
(b)	Exocoetus	(ii)	Rohu
(c)	Labeo	(iii)	Sea horse
(d)	Betta	(iv)	Flying fish

1) a-(i), b-(ii), c-(iii), d-(iv)
2) a-(iii), b-(iv), c-(ii), d-(i)
3) a-(ii), b-(iii), c-(iv), d-(i)
4) a-(i), b-(iv), c-(ii), d-(iii)

60. Which of the following is not a character of bony fishes?
1) They have cycloid or ctenoid scales.
2) They have four pairs of gills with operculum.
3) They have air bladder to maintain buoyancy.
4) Their pelvic fins bear claspers.

61. Given below are two statements: one is labelled Assertion (A) and the other is labelled as Reason (R).
Assertion (A): Sting rays are cold-blooded (poikilothermous) animals.
Reason (R): They lack the capacity to regulate their body temperature.
In the light of the above statements, choose the correct answer from the options given below:
1) (A) is correct, but (R) is not correct.
2) (A) is not correct, but (R) is correct.
3) Both (A) and (R) are correct, and (R) is the correct explanation of (A).
4) Both (A) and (R) are correct, but (R) is not the correct explanation of (A).

62. Pharynx is not perforated by gill slits in
1) Saw fish
2) Fighting fish
3) Cuttlefish
4) Hag fish

63. Four pairs of gills are present in
1) Osteichthyes
2) Chondrichthyes
3) Cyclostomes
4) None of the above

64. Recognise the figure and choose the correct option.



1) a- Scoliodon, b – Hippocampus
2) a - Cartilaginous fish, b - Bony fish
3) a - Dog fish, b - Saw fish
4) a - Pristis, b- Scoliodon

65. Match the following columns and choose the correct option.

Column I		Column II	
1	Electric organs	a	Exocoetus
2	Poison sting	b	Pterophyllum
3	Flying fish	c	Torpedo
4	Angel fish	d	Trygon

1) 1-d, 2-c, 3-b, 4-a
2) 1-c, 2-d, 3-a, 4-b
3) 1-c, 2-d, 3-b, 4-a
4) 1-d, 2-c, 3-a, 4-b

66. Which of the following is incorrect w.r.t. class Amphibia?
1) Tympanum covers the middle ear.
2) Eyes have eyelids.
3) They are mostly found in sea water.
4) Skin is smooth (without scales).

67. Class Reptilia is named on the basis of
1) Habitat
2) Dry and cornified skin
3) Mode of locomotion
4) Dentition

68. Which of the following pairs of animals has nonglandular skin?
1) Snake and Frog
2) Chameleon and Turtle
3) Frog and Pigeon
4) Crocodile and Tiger

69. Match the following columns and choose the correct option.

Column I		Column II	
1	Bufo	a	Tree frog
2	Testudo	b	Toad
3	Hyla	c	Tree lizard
4	Chameleon	d	Tortoise

1) 1-b, 2-a, 3-d, 4-c
2) 1-a, 2-b, 3-d, 4-c
3) 1-b, 2 - d, 3 - a, 4-c
4) 1-a, 2- d, 3-b, 4- c

70. Which one of the following is not a poisonous snake?
1) Cobra
2) Viper
3) Python

4) Krait

71. Recognise the figure and choose the incorrect option related to it.



1) Sexes are separate
2) Fertilisation is internal
3) They are oviparous and development is indirect
4) They are poikilotherms

72. Given below are two statements.

Statement I: Three chambered heart is present in both amphibians and reptiles.

Statement II: An amphibian skin is moist, but a reptile skin is dry.

In the light of the above statements, choose the correct answer from the options given below:

1) Statement I is correct, but statement II is incorrect.
2) Statement I is incorrect, but statement II is correct.
3) Both statement I and statement II are correct.
4) Both statement I and statement II are incorrect.

73. Cloaca is a common chamber for opening of

1) Alimentary canal and urinary tract
2) Urinary tract and reproductive tract
3) Alimentary canal and reproductive tract
4) Alimentary canal, urinary and reproductive tracts

74. Mark the incorrect statement w.r.t Reptilia:

i. The class name refers to their creeping or crawling mode of locomotion.
ii. Skin is dry and cornified.
iii. Limbs, when present, are two pairs.
iv. Fertilization is external.
v. Oviparous.
vi. Indirect development.

1) i, ii and iv
2) i, ii, iii and v
3) ii, iii, iv and v
4) iv and vi

75. Which of the following was the main cause that made land vertebrates to leave the aquatic habitat?

1) Four-chambered heart
2) Cutaneous respiration
3) Internal fertilization

4) All of these

76. Which of the following is the characteristic of all mammals, without any exception?

1) Presence of seven cervical vertet ae in neck
2) Presence of external ears or pinnae
3) Viviparity and direct development
4) Presence of milk-producing mammary glands

77. Which of the following is/are the characteristic features of class Mammalia?

(A) Presence of pinna.
(B) Commonly exhibit viviparity
(C) Limbs absent
(D) Mammary glands.

1) A, B and C
2) A, B and D
3) A and B
4) B, C and D

Answer Key

1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**
3	4	3	2	2	3	1	3	1	2	2	4	1	1	2
16	**17**	**18**	**19**	**20**	**21**	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
3	3	3	3	1	4	2	4	3	4	3	2	2	2	4
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**	**41**	**42**	**43**	**44**	**45**
1	4	3	4	4	3	2	2	1	1	3	3	4	3	3
46	**47**	**48**	**49**	**50**	**51**	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
3	3	4	3	4	3	3	4	4	3	2	3	3	2	4
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**	**71**	**72**	**73**	**74**	**75**
3	3	1	4	2	3	3	2	3	3	3	3	4	4	3
76	**77**													
4	2													