Question	How many groups of bacteria are characterised on the basis of their shape-
Type	multiple choice
Option	Four
Option	Three
Option	Two
Option	Five
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Bacteria are (1) Sole member of monera (2) Most abundant microorganism (3) Complex in structure (4) Can found in extreme habitats
Type	multiple choice
Option	Only 1 and 2
Option	Only 1, 2 and 4
Option	Only 1 and 3
Option	1, 2, 3 and 4
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	The bacterium Spirillum is present in the shape as
Type	multiple choice
Option	Comma shaped
Option	Spiral
Option	Rod shaped
Option	Spherical
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following conditions would be favored by thermoacidophiles?
Type	multiple choice
Option	Hot and alkaline
Option	Snow and acidic
Option	Hot and sulphur spring
Option	Gut of cows
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	The primitive prokaryotes responsible for the production of biogas from the dung of ruminant animals, include the
Type	multiple choice
Option	Thermoacidophiles
Option	Methanogens
Option	Eubacteria
Option	Halophiles
Answer	2
Solution	

Positive Marks	4
Negative Marks	1
Question	Eubacteria include
Type	multiple choice
Option	Blue-green algae and Mycoplasma
Option	Archaebacteria and blue-green algae
Option	Cyanobacteria and eukaryotes
Option	Bacteria and eukaryotes
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Assertion: Monera are most primitive. Reason: Monerans show presence of nucleus,
Type	multiple choice
Option	Assertion and reason are true and reason is correct explanation of assertion
Option	Assertion and reason are true and reason is not correct explanation of assertion
Option	Assertion is true and reason is false
Option	Assertion and reason are false.
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Given figure is of a filamentous bluegreen algae. Identify the algae and choose the option that is correct for A, B and C in the figure.
Type	multiple choice
Option	A - Gelidium, B - Vegetative cell, C - Heterocyst
Option	A - Volvox, B - Somatic cell, C - Mucilaginous sheath
Option	A- Chara, B - Mucilaginous sheath C – Heterocyst
Option	A- Nostoc, B - Heterocyst, C - Mucilaginous sheath
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Find out the mismatched one:
Type	multiple choice
Option	Eubacteria – Peptidoglycan
Option	Sulphur bacteria – Thermoacidophile
Option	Thermophile - Hot springs
Option	Dead sea – Methanogens
Answer	4
Solution	
Positive Marks	4

Negative Marks	1
Question	Which bacteria are photosynthetic autotrophs?
Type	multiple choice
Option	Cyanobacteria
Option	Archaebacteria
Option	Methanogens
Option	All the above
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following is present in all bacteria-
Type	multiple choice
Option	Peptidoglycan wall
Option	Plasma membrane
Option	70 S ribosome
Option	Both (b) and (c)
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Which bacteria is true bacteria?
Type	multiple choice
Option	Eubacteria
Option	Methanogens
Option	Thermoacidophiles
Option	Halophiles
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Which bacteria play a great role in recycling nutrients like nitrogen, phosphorous, iron and sulphur
Type	multiple choice
Option	Archaebacteria
Option	Photosynthetic autotrophs
Option	Chemosynthetic autotrophic
Option	Heterotrophic bacteria
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	What is true for archaebacteria?
Type	multiple choice
Option	All are halophilic
Option	All are photosynthetic
Option	All are fossils
Option	These are oldest living beings
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following are found in extreme saline conditions?

Type	multiple choice
Option	Archaebacteria
Option	Eubacteria
Option	Cyanobacteria
Option	Mycobacteria
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Desmids are also knowns as
Type	multiple choice
Option	Diatoms
Option	Golden algae
Option	Dinoflagellates
Option	Euglenoids
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Plasmodium, the malarial parasite, belong to class
Type	multiple choice
Option	Sarcodina
Option	Ciliate
Option	Sporozoa
Option	Dinophyceae
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Oils and chrysolaminarin are characteristic stored food in -
Type	multiple choice
Option	Dinoflagellates
Option	Euglenoids
Option	Diatoms
Option	None
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Silica gel is obtained from
Type	multiple choice
Option	Red algae
Option	Diatoms
Option	Euglena
Option	Mycoplasma
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Identify the given figure and select the correct option.

	
Type	multiple choice
Option	It is marine water plankton
Option	It is a saprophytic protist
Option	It is parasitic predator believed to but primary relative of animals
Option	Ciliated protozoan
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the statement(s) given below is/are correct for amoeboid protozoans?
Type	multiple choice
Option	Live in freshwater, sea water or moist soil
Option	Has pseudopodia for locomotion and capturing prey
Option	Have silica shells on their surface in marine forms
Option	All of the above
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Match the following columns **Protozoans** / **Examples** (A) Flagellated — (1) Entamoeba (B) Ciliated — (2) Plasmodium (C) Amoeboid — (3) Paramecium (D) Sporozoans — (4) Trypanosoma
Type	multiple choice
Option	A-1, B-2, C-3, D-4
Option	A-2, B-3, C-1, D-4
Option	A-4, B-3, C-1, D-2
Option	A-3, B-2, C-4, D-1
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Match the following columns.

Column I (Features)		**Column II (Protista)**	
(A)	Chief producers in the oceans	(1)	Diatoms
(B)	Red tide	(2)	Dinoflagellates
(C)	Connecting link between plants and animals	(3)	Euglenoids
(D)	Fungus animals	(4)	Slime moulds

Type	multiple choice
Option	A B C D 2 3 4 1
Option	1 2 3 4
Option	3 4 1 2
Option	4 1 2 3
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	The given statements describe a group of organisms. I. Instead of a cell wall, they have a protein rich layer called pellicle which makes their body flexible. II. They have two flagella, a short and a long one. III. They are photosynthetic in the presence of sunlight, when deprived of sunlight they behave like heterotrophs by predating on other smaller organisms. IV. They are connecting link between plants and animals. Which of the following group is referred to here by the above statements?
Type	MULTIPLE CHOICE
Option	Slime moulds
Option	Dinoflagellates
Option	Euglenoids
Option	Protozoans
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Assertion: Eukaryotic cell type is present in Protista. Reason: Protists have well defined nucleus and other cell organelles.
Type	multiple choice
Option	If assertion and reason is true and reason is correct explanation of assertion.
Option	If assertion and reason are true and reason is not correct explanation of assertion.
Option	If assertion is true and reason is false.
Option	If assertion and reason is false.
Answer	1
Solution	

Positive Marks	4
Negative Marks	1
Question	Statement 1: Protists reproduce asexually by cell fusion. Statement 2: Chrysophytes are found only in marine habitat.
Type	multiple choice
Option	Both statements are correct.
Option	Statement 1 is correct and statement 2 is not correct.
Option	Statement 1 is incorrect and statement 2 is correct.
Option	Both statements are incorrect.
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following groups of protozoans is not correctly matched with its feature?
Type	multiple choice
Option	Amoeboid -Marine forms have silica shells on their surface.
Option	Flagellated - Either free living or parasitic
Option	Ciliated - Actively moving organism due to the presence of cilia.
Option	Sporozoans – Move and capture their prey with the help of false feet.
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Trypanosoma causes
Type	multiple choice
Option	Sleeping sickness
Option	Cholera
Option	Malaria
Option	Food poisoning
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following statements is correct?
Type	multiple choice
Option	Slime moulds are haploid
Option	Protozoans lack cell wall
Option	Dinoflagellates are non-motile
Option	Pellicle is absent in Euglena
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Statement 1: Dinoflagellate has a stiff cellulose plate on the outer surface of the cell wall. Statement 2: Red dinoflagellate shows rapid multiplication and makes red tide.
Type	multiple choice
Option	Both statements are correct.
Option	Statement 1 is correct and statement 2 is not correct.
Option	Statement 1 is correct and statement 2 is correct.
Option	Both'statements are incorrect.
Answer	1

Solution	
Positive Marks	4
Negative Marks	1
Question	Match the following **Reproduction** / **Method** (A) Asexual — i. Fission (B) Sexual — ii. Conidia (C) Vegetative — iii. Basidiospore
Type	multiple choice
Option	A-i, B-ii, C-iii
Option	A-ii, B-iii, C-i
Option	A-i, B-iii, C-ii
Option	A-iii, B-ii, C-i
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following are commonly known forms of basidiomycetes?
Type	multiple choice
Option	Mushroom
Option	Puffball
Option	Bracket fungi
Option	All of these
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Select the incorrect match.
Type	multiple choice
Option	Morels and truffles – Phycomycetes
Option	Mushrooms and puffballs – Basidiomycetes
Option	Smut and rust – Basidiomycetes
Option	Bread mould - Phycomycetes
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Where do the members of basidiomycetes occur?
Type	multiple choice
Option	Soil
Option	Logs
Option	Tree stumps and living plant bodies
Option	All of them
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Among rust, smut fungi and mushroom, all three
Type	multiple choice
Option	Are pathogen
Option	Are saprobes

Option	Bear ascocarps
Option	Bear basidiospore
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Which of the following is the correct sequence of Class → Mycelium→ Fruiting body observed in the kingdom Fungi?
Type	multiple choice
Option	Phycomycetes → Septate, coenocytic→ Not present
Option	Ascomycetes → Aseptate and branched →Ascocarp
Option	Basidiomycetes → Aseptate and branched →Basidiocarp
Option	Deuteromycetes → Septate and branched → Not present
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Consider the following statements about sexual reproduction S-I: Zygospores are formed by the fusion of two gametes. S-II: All zygospores are of isogamous type.
Type	multiple choice
Option	Both statements are correct.
Option	Only S- I is correct.
Option	Only S-II is correct.
Option	Both incorrect
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	Dikaryophase is a specific characteristic of
Type	multiple choice
Option	All fungi
Option	Phycomycetes and ascomycetes
Option	Basidiomycetes and deuteromycetes
Option	Ascomycetes and basidiomycetes
Answer	4
Solution	
Positive Marks	4
Negative Marks	1
Question	Fungi that absorb nutrients directly from the cytoplasm of living host are called
Type	multiple choice
Option	Saprophytes
Option	Parasites
Option	Symbionts
Option	Mycorrhiza
Answer	2
Solution	
Positive Marks	4
Negative Marks	1
Question	In fungi, the fusion of protoplasm between two motile and non-motile gametes is called
Type	multiple choice
Option	Plasmogamy

Option	Plasmokinesis
Option	Karyogamy
Option	Cytokinesis
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Penicillium is member of class
Type	multiple choice
Option	Ascomycetes
Option	Basidiomycetes
Option	Phycomycetes
Option	Deuteromycetes
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	In fungi, deuteromycetes reproduce only by asexual spore known as
Type	multiple choice
Option	Basidium
Option	Zoospore
Option	Conidia
Option	Aplanospore
Answer	3
Solution	
Positive Marks	4
Negative Marks	1
Question	Fungi lacking cross-walls in the mycelium belong to class
Type	multiple choice
Option	Phycomycetes
Option	Ascomycetes
Option	Basidiomycetes
Option	Deuteromycetes
Answer	1
Solution	
Positive Marks	4
Negative Marks	1
Question	Match the following **Fungi** / **Pathogen form** (A) *Puccinia* — (i) Smut (B) *Agaricus* — (ii) Rust fungus (C) *Ustilago* — (iii) Mushroom
Type	multiple choice
Option	A-i, B-ii, C-iii
Option	A-ii, B-iii, C-i
Option	A-i, B-iii, C-ii
Option	A-iii, B-ii, C-i
Answer	2
Solution	
Positive Marks	4
Negative Marks	1

Question	Which one of the following matches is correct?
Type	multiple choice
Option	Albugo - Aseptate mycelium - Basidiomycetes
Option	Alternaria - Sexual reproduction absent – Deuteromycetes
Option	Mucor - Reproduction by conjugation- Ascomycetes
Option	Agaricus - Parasitic fungus - Basidiomycetes
Answer	2
Solution	
Positive Marks	4
Negative Marks	1