Reproductive Health (DPP)

DPP - 1

1. In the context of amniocentesis, which of the following statement is incorrect?
1) It can not determine the sex of child.
2) It can be used for the detection of Down syndromé.
3) It can be used for the detection of Sickle cell anemia.
4) It is usually done to determine the survivability of the foetus.

2. What are the major tasks under RCH programs?
1) Creating awareness among people about various reproduction-related aspects
2) Providing facilities and support for building up a reproductively unhealthy society.
3) None of these
4) Both (a) and (b)

3. The world population which was around 2 billion (2000 million) in 1900 rocketed to about ……. by 2000.
1) 7.2 billion
2) 6 million
3) 7.2 million
4) 6 billion

4. Defects before birth in the foetus can be detected by:
1) MRI
2) Biopsy
3) Ultrasonography
4) Amniocentesis

5. What was the population of india at the time of independence.
1) 350 million
2) 1.2 billion
3) 2 billion
4) 5 million

6. The fluid used during amniocentesis is called.
1) Chorionic fluid
2) Placental fluid
3) Amniotic fluid
4) Uterine fluid

7. Statutory ban has been laid on _____ to check female foeticide.
1) Choriocentesis
2) Amniocentesis
3) Uterocentesis
4) Embryocentesis

8. What steps should be taken to build a socially responsible and healthy society
1) Proper information about reproductive organs
2) Awareness of problems about sexrelated crimes
3) Both (a) and (b)
4) None of these

9. Saheli is _____ contraceptive
1) Oral

2) Intravenous
3) Topical
4) Vaginal

10. Which of the following could be a reason for increasing population
1) Rapid decline in birth rate
2) Rapid decline in death rate
3) Poor medical facilities
4) All of the above

11. Which of the following is not a method of contraception?
1) Condoms
2) Pills of a combination of oxytocin and vasopressin
3) Lippes loop
4) Tubectomy

12. This diagram shows/denotes.

1) Barrier method, prevents conception
2) Barrier method, prevents implantation
3) Barrier method, prevents ovulation
4) Barrier method, prevents ejaculation

13. Identify the figures of the contraceptives given below and select the correct option.

	A	B	C	D
1)	Condom for female	Implant	Cu-T	Condom for male
2)	Implant	Cu-T	Condo m for female	Condom for male
3)	Condom for male	Cu-T	Implant	Condom for female
4)	Condom for male	Implant	Cu-T	Condom for female

14. Most effective method of contraception is.
1) Natural method
2) Sterilization method
3) Hormonal method
4) Chemical method

15. 'Saheli', a weekly oral contraceptive can described as.
1) 'Once in a day' pill
2) Non-steroidal
3) With high side effects
4) Very low contraceptive value

DPP - 2

16. Medical termination of pregnancy is.
1) Carried out by tubectomy in females
2) Induced abortion

3) Inability to conceive due to certain problem
4) Menopause stage in females

17. MTP is considered safe up to.
1) 12 weeks
2) 24 weeks
3) 26 weeks
4) 28 weeks

18. Government of India legalized MTP in the year.
1) 1988
2) 1978
3) 1985
4) 1971

19. The Medical Termination of Pregnancy (Amendment) Act, 2017 was enacted by the government of India with the intension of reducing the incidence of.
1) Illegal abortion
2) Consequent maternal mortality and morbidity
3) Both a and b
4) None of these

20. Majority of the MTPs are performed illegally by unqualified quacks which could be:
1) Fatal to mother
2) Fatal to child
3) Fatal to both mother and child
4) Absolutely safe for both

21. In many places MTP is being … A … illegally to abort even a normal foetus. Especially when the sex of the foetus is …. B ….
1) A-used, B – male
2) A- misused, B – female
3) A- used, B – normal
4) A- used, B - healthy

22. MTP is much more riskier in which phase of the pregnancy?
1) 2nd trimester
2) 1st trimester
3) 1st week
4) 2nd week

23. MTP helps to overcome pregnancy that results due to.
1) Rapes
2) Unsafe sex
3) Failure of contraceptives
4) All of the above

24. The ban on amniocentesis helped to reduce the incidences of...
1) Pregnancy
2) Involuntary abortions
3) MTP
4) Both (b) and (c)

25. Number of MTPs performed in a year all over the world is …… of the total number of conceived pregnancies in a year.
1) $1/8^{th}$
2) $1/4^{th}$

3) $1/5^{th}$
4) $1/12^{th}$

26. Match the columns and find out the correct combination:

A	Non-medicated IUD	1	LNG-20
B	Copper releasing IUD	2	Cu-T
C	Hormone releasing IUD	3	Lippes loop
D	Female barrier	4	Diaphragm
		5	Nirodh

1) A-1 B-3 C-2 D-4
2) A-3 B-1 C-2 D-5
3) A-3 B-2 C-1 D-4
4) A-3 B-2 C-1 D-5

27. Which of the following is used as barrier method
1) LNG 20
2) i pill
3) Female condom
4) None of these

28. Copper ions released from copper releasing intra uterine devices (IUDs).
1) Make uterus unsuitable for implantation
2) Increase phagocytosis of sperms
3) Suppress sperm motility
4) Prevent ovulation.

29. Ovum and sperms are prevented from physically meeting with the help of.
1) Barriers
2) Condoms
3) Vaults
4) All of these

30. Match the following columns.

Column I (Natural methods of contraception)		Column II (Characteristics)	
A	Coitus interruptus	1	Avoid intercourse during ovulation
B	Lactational amenorrhea	2	Avoid insemination into vagina
C	Periodic abstinence	3	Ovum is not available for fertilisation

	A	B	C
1)	3	1	2
2)	1	3	2
3)	3	2	1
4)	2	3	1

DPP - 3

31. Sexually transmitted diseases are alternatively known as.
1) Contagious diseases
2) Venereal diseases
3) Viral diseases

4) Degenerative diseases

32. Consider the following statements.

(i) DPP-03 are Except for Hepatitis B, Genital herpes, and HIV infections, other sexually transmitted diseases are completely curable if detected early and treated properly.

(ii) Early symptoms of STDs includes itching, fluid discharge, and swelling in genital areas.

1) i is true, ii is false
2) Both i and ii are true
3) i is false, ii is true
4) Both i and ii are false

33. Among the given options, which set represents sexually transmitted infections (STI) only?

1) Gonorrhoea, syphilis, genital herpes
2) Trichomoniasis, hepatitis - B, common cold
3) Chlamydiosis, genital warts, Taeniasis
4) Taeniasis, Genital herpes, Fibrosis

34. Hepatitis-B and HIV spreads through:

1) Sharing needles
2) Transfusion of blood
3) Infected mother to foetus
4) All of the above

35. STD stands for.

1) Sexually Transmitted Disease
2) Sex Termination Disease
3) Sex-Transfusion Disease
4) All of the above

36. Which is not a reproduction-related problem?

1) STDs
2) Abortion
3) Gestation
4) Infertility

37. Complications of STDs is:

1) Swellings in lungs
2) Pelvic inflammatory Diseases
3) Still births
4) Both b and c

38. Choose the correct option.

(I) RTI-Reproductive Tract infections

(II) VD-Venereal diseases

(III) STD-Sexually Transmitted Diseases

(IV) HIV-Human infections virus

1) All of the above
2) I, II, III
3) II, III
4) I, II

39. Which of the following will not be useful as a prevention of STDs.

1) Avoiding sex with unknown partners
2) Use of condoms during coitus
3) Use of oral pills
4) Avoid sex with multiple partners

40. Correct statement about ectopic pregnancy is.
1) Development of baby won't affect
2) Implantation inside the womb
3) Do not require any medical diagnosis
4) Implantation outside the womb

41. Artificial insemination is used in case of.
1) Inability of the male partner to inseminate the female
2) Very high sperm counts in the ejaculates
3) Both (a) and (b)
4) None of these

42. Assisted reproductive technologies (ART).
1) Include social awareness programmes to educate people about reproductive health and diseases
2) Include research organisation working to produce new and more effective contraceptives for birth control
3) Include a number of special techniques which assist infertile couples to have children
4) Both (b) and (c)

43. Which among the listed ARTs are include under embryo transfer (ET) technique?
1) ICSI and IUI
2) ZIFT and IUT
3) GIFT and ZIFT
4) ICSI and GIFT

44. ZIFT means.
1) Zygote in fallopian tube
2) Zygote intra fallopian transfer
3) Zygote inter fallopian tube
4) Zygote inter fallopian transfer

45. Match List - I with List - II, choose the correct option from the following.

Column – I		Column - II	
1	MTP	a	ZIFT
2	STD	b	LNG - 20
3	IUD	c	Induced abortion
4	ART	d	AIDS

1) 1-b, 2-a, 3-d, 4 – c
2) 1-c, 2- d, 3- b, 4 -a
3) 1- a, 2 – b, 3 – c, 4-d
4) 1-c, 2 – b, 3 – d, 4-a

DPP-04

46. IUI stands for.
1) Intra uterine insemination
2) In uterine injection
3) Inner uterine injection
4) Inter uterine insemination

47. Where does fertilisation occurs in case of IVF?
1) Within the fallopian tube
2) In uterus

3) Outside the body
4) Inside vagina

48. The reasons for infertility could be.
1) Congenital
2) Immunological
3) Psychological
4) All of the above

49. The technique used by infertile couples to produce children is called.
1) MTP
2) IUD
3) ART
4) Tubectomy

50. The zygote or early embryos with up-to 8 blastomeres could be transferred into the.
1) Fallopian tube
2) Near to ovary
3) Uterus
4) Cervical canal

51. How intra uterine insemination (IUI) differ from intra uterine transfer (IUT)?
1) Embryo is transferred into uterus in IUI
2) IUI is a type of IVF technique
3) IUI involves the transfer of semen into female's uterus
4) Sperm is directly injected into ovum in IUI

52. The test tube baby means.
1) Fertilization and development both in uterus
2) Fertilization in vitro and then implantation in uterus
3) A baby grown in test tube
4) Fertilized and developed embryo in test tube

53. Which of the following technique is used for females who cannot produce gamete, but can provide suitable environment for fertilisation and further development:
1) GIFT
2) AI
3) IUI
4) IVF

54. Match List - I with List - II & choose the correct option from the following.

List – I		List - II	
1	InVivo fertiliza tion	a	Inability to produce children inspite of unprotected sexual act.
2	IUT	b	IUD
3	Multilo ad 375	c	Transfer of embryo with more than 8- blastomeres into uterus.
4	Infertility	d	Fusion of gametes within female

1) 1- b, 2- c, 3 - a, 4-d
2) 1 - c, 2 – a, 3 – d, 4-b
3) 1- d, 2- c, 3- a, 4-b
4) 1-d, 2- c, 3- b, 4 - a

55. Which of the following technique involves in-vivo fertilization.
1) GIFT
2) ICSI

3) Test tube baby programme
4) All of these

56. Select correct statements.
1) PID is a complication of STDs
2) STIs are a major threat to a healthy society
3) HIV leading to AIDS is a some of the common STIs
4) All of the above

57. People especially vulnerable to STDs are in the age group of-
1) 15-24 years
2) 25-40 years
3) 5-12 years
4) 40-6- years

58. Match List I with List II & choose the correct option:

List – I		List - II	
1	MTP	a	Cu-7
2	HIV	b	Induced Abortion
3	IUD	c	AIDS

1) 1-b, 2-c, 3-a
2) 1-a, 2-b, 3-c
3) 1-c, 2-a, 3-b
4) 1-b, 2-a, 3-c

59. Choose the incorrect statement from the following:
1) Infections or diseases which are transmitted through sexual intercourse are collectively called sexually transmitted infections.
2) HIV infection is the most dangerous STD.
3) In order to prevent STIs, don't use condoms during coitus.
4) Chlamydiasis, genital warts, and trichomoniasis are examples of STDs.

60. Match Column A with Column B.

Column A		Column B	
1	Hepatitis B	a	Curable STD
2	Syphilis	b	Transmitted by sharing of infected needles.
3	Surgical method	c	Oral contraceptive
4	Saheli	d	Sterilisation

1) 1-a, 2-b, 3-d, 4-c
2) 1-b, 2-a, 3-d, 4-c
3) 1-b, 2-a, 3-c, 4-d
4) 1-a, 2-b, 3-c, 4-d

Answer Key

1)	1	**16)**	2	**31)**	2	**46)**	1
2)	1	**17)**	1	**32)**	2	**47)**	3
3)	4	**18)**	4	**33)**	1	**48)**	4
4)	4	**19)**	3	**34)**	4	**49)**	3
5)	1	**20)**	3	**35)**	1	**50)**	1
6)	3	**21)**	2	**36)**	3	**51)**	3
7)	2	**22)**	1	**37)**	4	**52)**	2
8)	3	**23)**	4	**38)**	2	**53)**	1
9)	1	**24)**	3	**39)**	3	**54)**	4
10)	2	**25)**	3	**40)**	4	**55)**	1
11)	2	**26)**	3	**41)**	1	**56)**	4
12)	1	**27)**	3	**42)**	3	**57)**	1
13)	4	**28)**	3	**43)**	2	**58)**	1
14)	2	**29)**	4	**44)**	2	**59)**	3
15)	2	**30)**	4	**45)**	2	**60)**	2