

Cucumber Report

16-Sep-2025, 6:32:23 pm

Start : Sep 16, 6:30:59.948 pm

End : Sep 16, 6:32:17.938 pm

Duration : 1 m 17.990 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 5
SKIPPED - 0


Steps

PASSED - 10
FAILED - 5
SKIPPED - 6




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Verify the functionalities of Elements page</u>		1 m 17.990 s		5	0	5	0	21	10	5	6

Tag	Scenario				Feature			
	Name	T	P	F	S	T	P	F
<i>@login</i>		5	0	5	0	1	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Verify the functionalities of Elements page</u>	5	0	5	0	1 m 17.990 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify the functionalities of Elements page</u>	<u>Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "both_Empty"</u>	4	2	1	1	1 m 16.804 s
2	<u>Verify the functionalities of Elements page</u>	<u>Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "password_Empty"</u>	4	2	1	1	1 m 14.415 s
3	<u>Verify the functionalities of Elements page</u>	<u>Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "username_Empty"</u>	4	2	1	1	1 m 17.956 s
4	<u>Verify the functionalities of Elements page</u>	<u>Verify User is able to login via credential to the gemEcoSystem</u>	5	2	1	2	1 m 15.779 s
5	<u>Verify the functionalities of Elements page</u>	<u>Verify User is not able to login via incorrect user credential to the gemEcoSystem</u>	4	2	1	1	1 m 12.212 s


Verify the functionalities of Elements page



Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "both_Empty"




#	Step / Hook Details	Status	Duration
1	Given user navigates to "baseurl"	PASSED	20.466 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)	PASSED	7.573 s
	Step Screenshot		
2	When user click on "Login"	PASSED	0.361 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)	PASSED	0.644 s
	Step Screenshot		

#	Step / Hook Details	Status	Duration
			
3	<p>When user "Sign In Via Credentials" and login using emptyField "both_Empty"</p> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at ?.user "Sign In Via Credentials" and login using emptyField "both_Empty"(file:///C:/Users/priyanka.bansal/IdeaProjects/playwright_java_poc/src/test/resources/features/Login.feature:27) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible</pre>	FAILED	30.041 s

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run\$\$\$capture(FutureTask.java:264) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java) at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.FutureTask.<init>(FutureTask.java:132) at java.base/java.util.concurrent.AbstractExecutorService.newTaskFor(AbstractExecutorService.java:113) at java.base/java.util.concurrent.ExecutorCompletionService.newTaskFor(ExecutorCompletionService.java:127) at java.base/java.util.concurrent.ExecutorCompletionService.submit(ExecutorCompletionService.java:183) at org.testng.internal.PoolService.submitTasksAndWait(PoolService.java:44) at org.testng.internal.invokers.MethodRunner.runInParallel(MethodRunner.java:132) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:958) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	2.432 s
4	Then verify that user received warning and not logged in	SKIPPED	0.009 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) Final Failed Screenshot 	PASSED	3.658 s

Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "password_Empty"




#	Step / Hook Details	Status	Duration
1	Given user navigates to "baseurl"	PASSED	13.181 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)	PASSED	4.673 s
	Step Screenshot		
2	When user click on "Login"	PASSED	3.334 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)	PASSED	3.575 s
	Step Screenshot		
3	When user "Sign In Via Credentials" and login using emptyField "password_Empty"	FAILED	33.332 s
	<pre style="font-family: monospace; font-size: small; margin: 0;">com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-</pre>		


#	Step / Hook Details	Status	Duration
	<pre>4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at ?.user "Sign In Via Credentials" and login using emptyField "password_Empty"(file:///C:/Users/priyanka.bansal/IdeaProjects/ playwright_java_poc/src/test/resources/features/Login.feature:27) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name=TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright- java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java- 4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java- 4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.callTestMethodWithDataProviderMethodWorker(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run\$\$\$capture(FutureTask.java:264) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java) at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.FutureTask.<init>(FutureTask.java:132) at java.base/java.util.concurrent.AbstractExecutorService.newTaskFor(AbstractExecutorService.java:113) at java.base/java.util.concurrent.ExecutorCompletionService.newTaskFor(ExecutorCompletionService.java:127) at java.base/java.util.concurrent.ExecutorCompletionService.submit(ExecutorCompletionService.java:183) at org.testng.internal.PoolService.submitTasksAndWait(PoolService.java:44) at org.testng.internal.invokers.MethodRunner.runInParallel(MethodRunner.java:132) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:958) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	0.238 s
4	Then verify that user received warning and not logged in	SKIPPED	0.000 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) Final Failed Screenshot 	PASSED	4.753 s

Verify User is not able to login via empty credential to the gemEcoSystem using emptyField "username_Empty"




#	Step / Hook Details	Status	Duration
1	Given user navigates to "baseUrl" AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	28.206 s
2	When user click on "Login" AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	0.225 s
3	When user "Sign In Via Credentials" and login using emptyField "username_Empty" <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615)</pre>	FAILED	30.075 s

#	Step / Hook Details	Status	Duration
	<pre> at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at ?.user "Sign In Via Credentials" and login using emptyField "username_Empty"(file:///C:/Users/priyanka.bansal/IdeaProjects/playwright_java_poc/src/test/resources/features/Login.feature:27) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name=TimeoutError stack=TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInWithEmptyFields(LoginPage.java:115) at stepdefinitions.LoginSteps.userAndLoginUsingEmptyField(LoginSteps.java:120) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run\$\$\$capture(FutureTask.java:264) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java) at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.FutureTask.<init>(FutureTask.java:132) at java.base/java.util.concurrent.AbstractExecutorService.newTaskFor(AbstractExecutorService.java:113) at java.base/java.util.concurrent.ExecutorCompletionService.newTaskFor(ExecutorCompletionService.java:127) at java.base/java.util.concurrent.ExecutorCompletionService.submit(ExecutorCompletionService.java:183) at org.testng.internal.PoolService.submitTasksAndWait(PoolService.java:44) at org.testng.internal.invokers.MethodRunner.runInParallel(MethodRunner.java:132) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:958) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)	PASSED	2.625 s
	Step Screenshot		

#	Step / Hook Details	Status	Duration
			
4	Then verify that user received warning and not logged in	SKIPPED	0.002 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) Final Failed Screenshot 	PASSED	4.872 s

Verify User is able to login via credential to the gemEcoSystem



#	Step / Hook Details	Status	Duration
1	Given user navigates to "baseurl"	PASSED	24.338 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	3.778 s



#	Step / Hook Details	Status	Duration
2	<p>When user click on "Login"</p> <p>AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)</p> <p>Step Screenshot</p> 	PASSED	0.280 s
3	<p>When user "Sign In Via Credentials" and logged in using "admin" User</p> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page.GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedinViaCredential(LoginPage.java:81) at stepdefinitions.LoginSteps.userLoggedInUsingUser(LoginSteps.java:86) at ?.user "Sign In Via Credentials" and logged in using "admin" User(file:///C:/Users/priyanka.bansal/IdeaProjects/playwright_java_poc/src/test/resources/features/Login.feature:8) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand</pre>	FAILED	30.045 s


#	Step / Hook Details	Status	Duration
	<pre>(C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.implLocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.implLocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.implLocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedInViaCredential(LoginPage.java:81) at stepdefinitions.LoginSteps.userLoggedInUsingUser(LoginSteps.java:86) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run\$\$\$capture(FutureTask.java:264) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java) at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.FutureTask.<init>(FutureTask.java:132) at java.base/java.util.concurrent.AbstractExecutorService.newTaskFor(AbstractExecutorService.java:113) at java.base/java.util.concurrent.ExecutorCompletionService.newTaskFor(ExecutorCompletionService.java:127) at java.base/java.util.concurrent.ExecutorCompletionService.submit(ExecutorCompletionService.java:183) at org.testng.internal.PoolService.submitTasksAndWait(PoolService.java:44) at org.testng.internal.invokers.MethodRunner.runInParallel(MethodRunner.java:132) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:958) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario)</p> <p>Step Screenshot</p> 	PASSED	2.373 s
4	Then verify that user is logged in	SKIPPED	0.000 s
5	And user navigate to the "jewel" application	SKIPPED	0.001 s
	<p>AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <p>Final Failed Screenshot</p>	PASSED	2.713 s

#	Step / Hook Details	Status	Duration
			

Verify User is not able to login via incorrect user credential to the gemEcoSystem

FAILED	DURATION - 1 m 12.212 s / 6:30:59.980 pm // 6:32:12.192 pm /		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
	Verify the functionalities of Elements page @login			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "baseurl"	PASSED	17.423 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	0.383 s
2	When user click on "Login"	PASSED	3.385 s
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	3.533 s

#	Step / Hook Details	Status	Duration
3	<p>When user "Sign In Via Credentials" and logged in using "incorrectUser" User</p> <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 3000ms exceeded. name=TimeoutError stack=TimeoutError: Timeout 3000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:120) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060) at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedinViaCredential(LoginPage.java:81) at stepdefinitions.LoginSteps.userLoggedInUsingUser(LoginSteps.java:86) at ?.user "Sign In Via Credentials" and logged in using "incorrectUser" User(file:///C:/Users/priyanka.bansal/IdeaProjects/playwright_java_poc/src/test/resources/features/Login.feature:15) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 3000ms exceeded. name=TimeoutError stack=TimeoutError: Timeout 3000ms exceeded. at ProgressController.run (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\progress.js:78:26) at Frame.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\frames.js:619:23) at FrameDispatcher.waitForSelector (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\frameDispatcher.js:106:103) at FrameDispatcher._handleCommand (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:94:40) at DispatcherConnection.dispatch (C:\Users\PRIYAN~1.BAN\AppData\Local\Temp\playwright-java-4864010062574027123\package\lib\server\dispatchers\dispatcher.js:361:39) } Call log: - waiting for getByRole(AriaRole.BUTTON, new Page. GetByRoleOptions().setName("Sign In Via Credentials")) to be visible at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:254) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:211) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:118) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:130) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:106) at com.microsoft.playwright.impl.FrameImpl.waitForSelectorImpl(FrameImpl.java:1060)</pre>	FAILED	33.316 s

#	Step / Hook Details	Status	Duration
	at com.microsoft.playwright.impl.LocatorImpl.lambda\$waitForImpl\$7(LocatorImpl.java:619) at com.microsoft.playwright.impl.LoggingSupport.withLogging(LoggingSupport.java:47) at com.microsoft.playwright.impl.ChannelOwner.withLogging(ChannelOwner.java:89) at com.microsoft.playwright.impl.LocatorImpl.waitForImpl(LocatorImpl.java:619) at com.microsoft.playwright.impl.LocatorImpl.waitFor(LocatorImpl.java:615) at utils.functional.ElementUtils.clickOnButtonByName(ElementUtils.java:111) at pages.LoginPage.userLoggedinViaCredential(LoginPage.java:81) at stepdefinitions.LoginSteps.userLoggedInUsingUser(LoginSteps.java:86) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run\$\$\$capture(FutureTask.java:264) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java)		

#	Step / Hook Details	Status	Duration
	at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.FutureTask.<init>(FutureTask.java:132) at java.base/java.util.concurrent.AbstractExecutorService.newTaskFor(AbstractExecutorService.java:113) at java.base/java.util.concurrent.ExecutorCompletionService.newTaskFor(ExecutorCompletionService.java:127) at java.base/java.util.concurrent.ExecutorCompletionService.submit(ExecutorCompletionService.java:183) at org.testng.internal.PoolService.submitTasksAndWait(PoolService.java:44) at org.testng.internal.invokers.MethodRunner.runInParallel(MethodRunner.java:132) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:958) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:842) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.captureScreenshotAfterStep(io.cucumber.java.Scenario) Step Screenshot 	PASSED	0.232 s
4	Then verify that user is not logged in	SKIPPED	0.002 s
	AFTER - hooks.Hooks.afterScenario(io.cucumber.java.Scenario) Final Failed Screenshot 	PASSED	2.558 s