



Relational Database Project – Book Store

Entity–relationship model



Logical Design: Relational Model of the Book Store using Power Designer 16.0



Data Definition Language

```
CREATE DATABASE BookStore;
```

```
use BookStore;
```

```
/*=====*/
```

```
/* Table: AUTHOR */
```

```
/*=====*/
```

```
drop table if exists AUTHOR;
```

```
create table AUTHOR
```

```
(
```

```
  AUTH_ID      varchar(10)      not null,
```

```
  AUTH_NAME    char(20)         null,
```

```
  AUTH_ADDRESS char(100)        null,
```

```
  constraint PK_AUTHOR primary key clustered (AUTH_ID)
```

```
);
```

```
/*=====*/
```

```
/* Table: BOOK */
```

```
/*=====*/
```

```
drop table if exists BOOK;
```

```
create table BOOK
```

```
(
```

```
  BOOK_ID      varchar(10)      not null,
```

```
  BOOK_PRICE   float            null,
```

```
  BOOK_ISBN    varchar(20)      not null,
```

```
  AUTH_ID      varchar(10)      null,
```

```
  BOOK_TITLE   varchar(50)      null,
```

```
  BOOK_YEAR    integer          null,
```

```
  constraint PK_BOOK primary key clustered (BOOK_ID, BOOK_ISBN)
```

```
);
```

```
/*=====*/
```

```
/* Table: CUSTOMER */
```

```
/*=====*/
```

```
drop table if exists CUSTOMER;
```

```

create table CUSTOMER
(
    CUST_ID      varchar(10)      not null,
    CUST_NAME    char(20)         null,
    CUST_ADDRESS varchar(200)     null,
    CUST_PHONE   integer          null,
    CUST_EMAIL   varchar(20)      not null,
    constraint PK_CUSTOMER primary key clustered (CUST_ID, CUST_EMAIL)
);

```

```

/*=====*/
/* Table: HAVE                                */
/*=====*/

```

```

drop table if exists HAVE;
create table HAVE
(
    SHOP_ID      varchar(10)      not null,
    BOOK_ID      varchar(10)      not null,
    BOOK_ISBN    varchar(20)      not null,
    constraint PK_HAVE primary key clustered (SHOP_ID, BOOK_ID, BOOK_ISBN)
);

```

```

/*=====*/
/* Table: PUBLISHER                          */
/*=====*/

```

```

drop table if exists PUBLISHER;
create table PUBLISHER
(
    PUB_ID      varchar(10)      not null,
    BOOK_ID     varchar(10)      null,
    BOOK_ISBN   varchar(20)      null,
    PUB_NAME    char(30)         null,
    PUB_ADDRESS varchar(250)     null,
    PUB_PHONE   integer          null,
    PUB_URL     varchar(1024)    null,

```

```
constraint PK_PUBLISHER primary key clustered (PUB_ID)
```

```
);
```

```
/*=====*/
```

```
/* Table: SHOPPING_CART */
```

```
/*=====*/
```

```
drop table if exists SHOPPING_CART;
```

```
create table SHOPPING_CART
```

```
(
```

```
SHOP_ID      varchar(10)      not null,
```

```
CUST_ID      varchar(10)      null,
```

```
CUST_EMAIL   varchar(20)      null,
```

```
constraint PK_SHOPPING_CART primary key clustered (SHOP_ID)
```

```
);
```

```
/*=====*/
```

```
/* Table: STORED */
```

```
/*=====*/
```

```
drop table if exists STORED_T;
```

```
create table STORED_T
```

```
(
```

```
WAR_ID       varchar(10)      not null,
```

```
BOOK_ID      varchar(10)      not null,
```

```
BOOK_ISBN    varchar(20)      not null,
```

```
constraint PK_STORED_T primary key clustered (WAR_ID, BOOK_ID, BOOK_ISBN)
```

```
);
```

```
/*=====*/
```

```
/* Table: WAREHOUSE */
```

```
/*=====*/
```

```
drop table if exists WAREHOUSE;
```

```
create table WAREHOUSE
```


```
(
```

```
WAR_ID       varchar(10)      not null,
```

```
WAR_NAME     char(20)         null,
```

constraint PK_WAREHOUSE primary key clustered (WAR_ID)

);




Inserting data in tables.....

SELECT * FROM bookstore.publisher;

Insert into Publisher (PUB_ID, BOOK_ID, BOOK_ISBN, PUB_NAME, PUB_ADDRESS, PUN_PHONE ,PUB_URL)
values(01,'ABC1', 'ABCD1','Penguin Random House', 'Luchana 23 Madrid
Spain',535819,'http://www.penguinrandomhouse.com/');

Insert into Publisher (PUB_ID, BOOK_ID, BOOK_ISBN, PUB_NAME, PUB_ADDRESS, PUN_PHONE ,PUB_URL)
values(02, 'ABC2', 'ABCD2', 'Hachette Livre', '50 Victoria Embankment', 227000,
'https://www.hachette.com/');

Insert into Publisher (PUB_ID, BOOK_ID, BOOK_ISBN, PUB_NAME, PUB_ADDRESS, PUN_PHONE ,PUB_URL)
values(03,'ABC3', 'ABCD3', 'HarperCollins', 'The News Building London Bridge
Street', 2427737, 'https://www.harpercollins.com/');



select * from author;

insert into Author values (01,'Cat Sebastian', '9296 Henry St. Auburndale FL 33823');


insert into Author values (02,'Lorraine Heath', '974 Broad Dr. Marcus Hook PA 19061');

insert into Author values (03,'Jill Shalvis','187 Cherry Rd. Reston VA 20191');

insert into Author values (04,'Kevin Kwan','13 Locust St. Round Lake IL 60073');

insert into Author values (05,'Elisabeth Noreback','26 Rock Creek Dr. Tuscaloosa AL 35405');

insert into Author values (06,'Pamela Brown', '409 Santa Clara Ave. Cedar Rapids IA 52402');



select * from book;

insert into book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B001', 384.00, '9706279318', 'A001', 'A Gentleman Never Keeps Score', 2018);

```

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B002', 94.50, '9728304828', 'A002', 'Texas Glory', 2015 );

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B003', 45.00, '9702833373', 'A003', 'Texas Glory', 2017 );

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B004', 234.50, '9703859383', 'A004', 'Crazy Rich Asians', 2018 );


insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B005', 23.60, '9793937483', 'A005', 'Tell me you are mine', 2015 );

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B006', 200.60, '9729473047', 'A006', 'The spy and the traitor', 2010 );

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B007', 145.00, '9703746264', 'A007', 'Paradise Sky by Joe Lansdale', 2016 );

insert into Book (BOOK_ID, BOOK_PRICE, BOOK_ISBN, AUTH_ID, BOOK_TITLE, BOOK_YEAR)
values ('B008', 165.99, '9739482733', 'A008', 'Meet Camaro from The Night Charter', 2010 );

```



```
SELECT * FROM bookstore.customer;
```

```


insert into Customer values (115099561,'Karol Wilson', '75 Poplar Court
Eugene OR 97402',123456, 'emkw@mail.com');

insert into Customer values (45528305,'Richard Orson', '33 Richardson
Dr. Chandler AZ 85224',89034, 'rior@mail.com');

insert into Customer values (2211600,'Loraine Williams', '8 Market St.
Portsmouth VA 23703',782927,'lowi@mail.com');

insert into Customer values (649373,'Scott Luka', '412 Pawnee Lane Kenosha, WI
53140',7682,'sclu@mail.com');

```





SELECT * FROM bookstore.warehouse;

insert into Warehouse values (01, 5393544, '530 Roosevelt Lane Hopewell Junction NY 12533');

insert into Warehouse values (02, 9759583, '9592 Applegate Road Bedford OH 44146');

insert into Warehouse values (03, 9958484, '21 Arch Ave. Grand Haven MI 49417');




SELECT * FROM bookstore.warehouse;

insert into Warehouse values ('WA01', 55521, 'Roosevelt Lane Hopewell Junction NY 12533');

insert into Warehouse values ('WA02', 44393, '9592 Applegate Road Bedford OH 44146');

insert into Warehouse values ('WA03', 34938, '21 Arch Ave. Grand Haven MI 49417');




```
SELECT * FROM bookstore.shopping_cart;
```

```
insert into shopping_cart values ('S01',115099561,'emkw@mail.com');
```

```
insert into shopping_cart values ('S02',45528305,'rior@mail.com');
```

```
insert into shopping_cart values ('S03',2211600,'lowi@mail.com');
```

```
insert into shopping_cart values ('S04',649373,'sclu@mail.com');
```



```
SELECT * FROM WAREHOUSE_HAVE_BOOKS;
```

```
insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA01','9728304828',15);
```

```
insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA01','9739482733',29);
```

```

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA01','9729473047',151);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA02','9703859383',20);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA02','9793937483',383);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA02','9706279318',293);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA03','9702833373',393);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA03','9729473047',38);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA03','9706279318',48);

insert into warehouse_have_books (WH_CODE,Book_ISBN,count)
values('WA03','9739482733',29);

```

```

SELECT * FROM shoppingbaskets_have_books;

```


```

insert into shoppingbaskets_have_books values('9706279318','S01',1);
insert into shoppingbaskets_have_books values('9703746264','S01',1);
insert into shoppingbaskets_have_books values('9729473047','S01',1);
insert into shoppingbaskets_have_books values('9739482733','S02',1);
insert into shoppingbaskets_have_books values('9728304828','S02',1);
insert into shoppingbaskets_have_books values('9702833373','S02',2);
insert into shoppingbaskets_have_books values('9703859383','S02',1);
insert into shoppingbaskets_have_books values('9793937483','S03',1);
insert into shoppingbaskets_have_books values('9703859383','S03',1);
insert into shoppingbaskets_have_books values('9702833373','S03',1);
insert into shoppingbaskets_have_books values('9739482733','S04',1);
insert into shoppingbaskets_have_books values('9702833373','S04',1);
insert into shoppingbaskets_have_books values('9729473047','S04',1);
insert into shoppingbaskets_have_books values('9793937483','S04',1);


```

QUERIES

- 1) Which book is being sell more right now?
select B.BOOK_ISBN, B.BOOK_TITLE,sum(UNK) as maxbooks from BOOK B,
shoppingbaskets_have_books SB
where SB.BOOK_ISBN=B.BOOK_ISBN
group by BOOK_ISBN, BOOK_TITLE
order by maxbooks desc
LIMIT 1



- 2) Which customer is buying more books?
select maxnumber, Customer
from (select sum(UNK) as maxnumber, CUST_NAME as Customer
from customer C, shopping_cart SB,shoppingbaskets_have_books SBB
where C.CUST_EMAIL=SB.CUST_EMAIL
and SB.SHOP_ID=SBB.SHOP_ID
group by CUST_NAME
order by maxnumber desc) mysums
LIMIT 1



3) Which warehouse has Texas Glory in stock?


```
select W_CODE, W_ADDRESS
```

```
from warehouse W, warehouse_have_books WB, book B
```

```
where WB.WH_CODE=W.W_CODE
```

```
and WB.BOOK_ISBN = B.BOOK_ISBN
```

```
and B.BOOK_TITLE = 'Texas Glory';
```



4) Which author has more books on sell?

```
select AUTH_NAME,count(BOOK_TITLE) as numberbooks
```


```
from author A, book B
```

```
where A.AUTH_ID=B.AUTH_ID
```

```
group by AUTH_NAME
```

```
order by numberbooks desc
```

```
LIMIT 1
```



- 5) Which publisher offers less books?
- ```
select P.PUB_NAME, count(BOOK_TITLE) as numberofbooks
from Publisher P, Book B
where P.PUB_ID=B.PUB_ID
group by P.PUB_ID
order by numberofbooks desc
LIMIT 1
```

MySQL Workbench

Local instance MySQL80 (boo... x Local instance MySQL80 (booksto.x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 SQL File 1\* SQL File 6\* SQL File 7\* SQL File 8\* x

Limit to 1000 rows

```
1 • select P.PUB_NAME, count(BOOK_TITLE) as numberofbooks
2 from Publisher P, Book B
3 where P.PUB_ID=B.PUB_ID
4 group by P.PUB_ID
5 order by numberofbooks desc
6 LIMIT 1
7
8
9
```

SCHEMAS

Filter objects

bookstore

- author
- book
- customer
- publisher
- shopping\_cart
- shoppingbaskets
- warehouse
- warehouse\_have\_

Administration Schemas

Information

Result Grid

| PUB_NAME      | numberofbooks |
|---------------|---------------|
| HarperCollins | 3             |