

Class starts at 9:05 pm :)

ENJOY THE SONG :)

Iterations

Introduction

```
print(1)
print(2)
print(3)
print(4)
print(5)
#DRY -> Don't Repeat Yourself
```

```
↔ 1
   2
   3
   4
   5
```

```
...
1. Initialize the starting point
2. Condition till when to repeat
3. Action
4. Updation
...
```

```
...
#While Loop

variable initialize #start
while condition:
    action
    update variable
...
```

Print 1 to n

```
n=int(input())
start=1 #initialize
while start<=n: #condition  1<=10, 2<=10, 3<=10, 4<=10, 5<=10.....10<=10, 11<=10
    print(start) #action    1 2 3 4 5...10
    start+=1 #update       2 3 4 5 6...11

print("Im out of the while loop") #executes once the while condition is false
```

```

➡ 10
1
2
3
4
5
6
7
8
9
10
Im out of the while loop

```

```

n=int(input())
start=1 #initialize
while start<=n: #condition
    print(start) #action

print("Im out of the while loop") #executes once the while condition is false

#infinite loop -> no updation

```

Break statement example

```

n=int(input())
start=1 #initialize
while start<=n: #condition
    if(start==5): #1==5 false 2==5 false 3==5 false 4==5 false 5==5 true
        print("Break statement is encountered")
        break
    print(start) #action
    start+=1 #update

print("Im out of the while loop") #executes once the while condition is false

```

```

➡ 10
1
2
3
4
Break statement is encountered
Im out of the while loop

```

Continue statement example

Skips that iteration

```

n=int(input())
start=0 #initialize
while start<n: #condition 0<=5, 1<=5, 2<=5 3<=5, 4<=5 5<=5, 6<=5 false
    start+=1 #update 1, 2, 3, 4, 5, 6
    if(start==3): #1==3 false 2==3 false 3==3 true 4==3 false, 5==3 false, 6==3 false
        print("Skip this iteration")

```

```

    continue
    print(start) #action      1 2 4 5 6

```

print("Im out of the while loop") #executes once the while condition is false

```

↔ 5
   1
   2
   Skip this iteration
   4
   5
   6
   Im out of the while loop

```

```

n=int(input())
start=0 #initialize
while start<=n: #condition  0<=5, 1<=5, 2<=5 3<=5, 4<=5 5<=5, 6<=5 false
    if(start==3): #1==3 false  2==3 false 3==3 true 4==3 false, 5==3 false, 6==3 fa
        print("Skip this iteration")
        continue
    print(start) #action      1 2 4 5 6
    start+=1 #update        1, 2, 3, 4, 5, 6

```

print("Im out of the while loop") #executes once the while condition is false

#this is an infinte loop because updation comes after conitnue

While Else

```

n=int(input())
start=1 #initialize
while start<=n: #condition
    if(start==5):
        print("Break statement is encountered")
        break
    print(start) #action
    start+=1 #update
else: #this block only runs when the loop terminates without comming across the b
    print("Loop terminated without break statement")

```

```

↔ 7
   1
   2
   3
   4
   Break statement is encountered

```

Range Function

range function return values from 0 to n-1

default:

start=0

jump=1

user gives the end value=n

...

range(end) -> 0 to end-1

range(5) -> 0,1,2,3,4

range(start,end) -> start to end-1

range(1,5) -> 1,2,3,4

range(start,end,jump) -> jump defines the step

range(1,6,2) -> 1,3,5

range(-5,-1) -> start=-5, end= -1-1= -2, jump=1

-5,-4,-3,-2

range(0,-5,-1) -> start=0, end = -5-1 = -6, jump =-1

0,-1,-2,-3,-4

range(-5) -> start =0, end=-5-1, jump = 1

nothing

range(-4,-10) -> start = - 4 , end= -10, jump =1

nothing

range(5,1)

nothing

range(5,1,-1) -> start =5, end=1-1=0, jump=-1

5,4,3,2

jump cant be zero

range always takes integer values

Quiz 1

range(5) # start =0, end=5-1=4, jump = 1

#0 1 2 3 4

 range(0, 5)

Quiz 2

range(5,15, 2) # start =5, end=15-1=14, jump = 2

5 7 9 11 13

Quiz 3

```
range(-5,0,1) # start =-5, end= 0 - 1 = -1, jump = 1
# -5 -4 -3 -2 -1
```

Quiz 4

```
range(-10,-5,-1) # start = -10, end= -5, jump =-1
#nothing
```

```
'''
```

```
Break : 10:20 pm - 10:30 pm
```

```
'''
```

Iterables and Iterators

```
'''
```

```
Iterables - list, string, tuple, set, or range
```

```
Iterator: Loops -> for
```

```
'''
```

For loop

```
for variable in iterable:
    action
```

```
for i in range(1,101): # start=1, end=100, jump=1
    print(i, end=" ")
```

```
➞ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29
```

Quiz 5

```
for i in range(0,1): #Start=0, end=1-1=0, jump=1 range-> 0
    #LOOP GETS ONLY 1 VALUE WHICH IS 0, HENCE IT RUNS 1 TIME
    print('Hello')
```

```
➞ Hello
```

Variable name

```
for _ in range(1,10):
    print(_)
```

```

➡ 1
   2
   3
   4
   5
   6
   7
   8
   9

```

Break and Continue in for loop

```

for i in range(10): #range(0,1,2,3,..9)
    if(i==4):
        break
    print(i)

```

```

➡ 0
   1
   2
   3

```

```

for i in range(10): #start=0, end=9, jump=1, 0, 1, 2, 3
    if(i%2==0): #0%2==0 t 1%2==1 f, 2%2==0 t, 3%2==1 f
        continue
    print(i)

```

```

➡ 1
   3
   5
   7
   9

```

Pass Statement: only used in testing

pass does absolutely nothing, it acts like a placeholder for future code

```

for i in range(10):
    if(i%2==0):
        pass
    print(i)

```

```

➡ 0
   1
   2
   3
   4
   5
   6
   7
   8
   9

```

Quiz 6

```
for i in range(0,10): # 1 2 3 4 5 6 7 8 9
    if(i % 3 == 0): #3%3==0, 6%3==0, 9%3==0
        continue
    print(i, end = ' ') # 1 2 4 5 7 8
```

⇒ 1 2 4 5 7 8

Quiz 7

```
for i in range(1,10): # 1 2 3
    if(i % 3 == 0): #1%3==0 f, 2%3==0 f, 3%3==0 t
        break
    print(i, end = ' ') # 1 2
```

⇒ 1 2

Nested Loops

```
'''
1 2 3 4 5
1 2 3 4 5
1 2 3 4 5
1 2 3 4 5
1 2 3 4 5
'''

for i in range(1,6):
    print(i, end=" ")
print()
for i in range(1,6):
    print(i, end=" ")
print()
for i in range(1,6):
    print(i, end=" ")
print()
for i in range(1,6):
    print(i, end=" ")
print()
for i in range(1,6):
    print(i, end=" ")
```

⇒ 1 2 3 4 5
1 2 3 4 5
1 2 3 4 5
1 2 3 4 5
1 2 3 4 5

```
# how many times you have to perform the task -> repeat 5 times  
# figure out the task -> print(1,5)
```

```
for i in range(5): #0, 1, 2, 3, 4  
    for j in range(1,6): #1,2,3,4,5  
        print(j, end=" ")  
    print()
```

```
↩ 1 2 3 4 5  
   1 2 3 4 5  
   1 2 3 4 5  
   1 2 3 4 5  
   1 2 3 4 5
```

Difference btw for and while loop

#FOR loop

1. Best for known range
2. All 3 steps are in the same line
3. Few chances to goto an infinite loop

#WHILE loop

1. Best known for unknown range
2. All steps are seperate
3. Can easily go into infinte loop