

Study Registration: NCT01743339

Title

A Randomized Controlled Trial of CBT for Insomnia in Patients With PTSD and Depression

Brief Summary

The primary purpose of this study is to test whether and how cognitive-behavioral therapy for insomnia (CBTi), a well-supported and highly effective insomnia treatment, may directly improve Posttraumatic Stress Disorder (PTSD) and Major Depressive Disorder (MDD) symptoms. The study is designed as a randomized controlled trial (RCT) to test the effect of CBTi on symptoms of PTSD and co-morbid depression prior to an evidence-based PTSD intervention and to assess the role of neurobiological processes and sleep architecture in mediating treatment outcomes.

Status: COMPLETED

Phase: NA

Primary Outcomes

1. PTSD (intensity and frequency for each symptom, and remission)

Secondary Outcomes

1. Insomnia severity

Eligibility Criteria

Inclusion Criteria:

- * must be English-speaking

Exclusion Criteria:

- * untreated sleep disorders other than insomnia or nightmares

Planned Enrollment: 110

Study Arms

- **Control** (ACTIVE_COMPARATOR): Control (brief check-in calls) and Cognitive Processing Therapy (12 individual weekly sessions)

Interventions

- **Cognitive Behavioral Therapy** (BEHAVIORAL): Cognitive Behavioral Therapy for Insomnia(4 individual therapy sessions over 5 weeks) will consist of a standard, structured, multi-component CBT intervention (sleep education, sleep hygiene, sleep restriction, stimulus control, cognitive therapy, and relapse prevention) Cognitive Processing Therapy will consist of a standard, structured 12-session protocol (PTSD education, exploring personal impact of trauma, experiencing emotions related to thoughts of trauma, cognitive therapy, and applying healthy thoughts and behaviors) delivered in individual weekly sessions