


LOCAL-FIRST WORKFLOWS FOR YOUR AI AGENTS

Turn repeat work into a workflow.

Focused agents. Visible decisions.
Workflows worth keeping.



Give your process a home.

Research. Judge. Draft. Review. Repeat.
Put the handoffs and decisions into a workflow.

CONTEXT

Carry it forward.

Pass the task and connected outputs to the next step.

RESPONSIBILITY

Keep roles focused.

Give each agent a narrow task and the skills it needs.

REUSE


Save the process.

Run it again, schedule it, or take it to another harness.

Start in chat.

Try a labeled weekly-update example. Add your own notes. Connect AI when you're ready.

No Jeeves account. Demo mode uses simulated model responses.



Give uncertainty somewhere to go.

OUTAGE

Urgent triage.

A widespread checkout failure goes to the urgent specialist.

TYP0

Routine triage.

A minor, nonblocking defect goes to the normal specialist.

MISSING FACTS

Ask for details.


An underspecified report goes to a clarification specialist.

Three synthetic cases tested live with Jev and Codex. Explicit missing-information routes and confidence thresholds serve different purposes. These examples are not an accuracy benchmark.

Every step. In view.

Connect agents, decisions, actions, and handoffs. Inspect the trace when a run finishes.

Skills can be assigned to individual agents or inherited from the workflow.



Take your workflow along.

Export it as a skill with a bundled runner, requirements, and resources.

`your-workflow/`

`SKILL.md`

`scripts/run.cjs`

`workflow.json`

`input.example.json`

`references/requirements.md`

Needs a compatible harness, Node.js 22.12+, and the workflow's credentials and tools. The desktop app can be closed.

Your workspace. Your choices.

LOCAL STORAGE

On your computer.

Workflows, conversations, and run history live locally.

MODEL CHOICE

Bring the tools.

Use supported cloud providers, local model servers, or Codex CLI.

REPEAT WORK

Set a schedule.

Run recurring workflows while the local engine is running.

Live cloud providers receive task context. External accounts and credentials may be required. “Local-first” is a storage and execution design, not a promise that all processing is offline.

Bring one task you do every week.

A maintainer brief. A meeting follow-up.

A project update. Make the process visible.

DESKTOP PRODUCT PREVIEW

Current verified build: macOS Apple Silicon.
Public access has not been announced.

Discussion: Which steps repeat? Where do you need a judgment?
What should the workflow hand back for review?