



# PHP Ecommerce Web Project Postman Test Results

## Fetch products:



Postman interface showing a GET request to `localhost/Shopo/api/FetchProducts.php?product_id=1`. The test results show a status of 200 OK, time of 444 ms, and size of 324.08 KB. The test script is:

```
1 pm.test("FetchSingleProduct", function () {
2   if(pm.response.to.have.status(200)){
3     var jsonData = pm.response.json();
4     pm.expect(jsonData.product_id).to.eql("1");
5   }
6 });
```



Postman interface showing a GET request to `localhost/Shopo/api/FetchProducts.php`. The test results show a status of 200 OK, time of 429 ms, and size of 626.78 KB. The test script is:

```
1 pm.test("FetchAllProducts", function () {
2   if(pm.response.to.have.status(200)){
3     var jsonData = pm.response.json();
4     if(jsonData.length > 0){
5     }
6     else{
7       throw new Error("No products fetched");
8     }
9   }
10 });
```

## Register:

The screenshot shows the Postman application with a workspace named "My Workspace". On the left, a collection named "E-Commerce" with 22 requests is expanded, showing a list of API endpoints. The selected request is a POST to "localhost/Shopo/api/Register.php". The main panel displays the request details: Method (POST), URL (localhost/Shopo/api/Register.php), Headers (9), Body (raw), Pre-request Script, Tests, and Settings. The body contains a JSON object with user registration details. The "Test Results" tab shows a single test "RegisterNewValidUser" that passed. The status bar at the bottom indicates "Status: 200 OK", "Time: 582 ms", and "Size: 349 B".

```
POST localhost/Shopo/api/Register.php

{
  "email": "priyankaadode24@shopoo.com",
  "password": "password",
  "name": "Shopoo Third Admin",
  "phone": "2028089898",
  "date_of_birth": "1993-11-05",
  "activated": "1"
}
```

Test Results (1/1)

Test	Result
RegisterNewValidUser	PASS



The screenshot shows the Postman application with the same workspace and collection. The selected request is still the POST to "localhost/Shopo/api/Register.php". The body contains a JSON object for a different user. The "Test Results" tab shows a single test "NotRegisterExistingUser" that passed. The status bar at the bottom indicates "Status: 200 OK", "Time: 445 ms", and "Size: 384 B".

```
POST localhost/Shopo/api/Register.php

{
  "email": "sadode1724@conestogac.on.ca",
  "password": "Password",
  "name": "Sandeep",
  "phone": "2028089898",
  "date_of_birth": "2018-02-01",
  "date_joined": "2020-06-01 23:41:28",
  "updated_date": "2020-06-16 23:41:28",
  "activated": "1"
}
```

Test Results (1/1)

Test	Result
NotRegisterExistingUser	PASS



# Login:

The screenshot shows the Postman application interface. On the left, the 'Collections' tab is active, displaying a list of requests under the 'E-Commerce' collection. The 'POST localhost/Shopo/api/Login.php' request is selected. The main panel shows the details of this request, including the 'Body' tab with a JSON payload: 

```
{ "email": "admin@shopoo.com", "password": "admin123" }
```

. The 'Test Results' section at the bottom indicates a successful status (200 OK) with a message 'ValidCredentials'.

The screenshot shows the Postman application interface with the same 'POST localhost/Shopo/api/Login.php' request selected. The 'Body' tab displays a JSON payload: 

```
{ "email": "sadode1720@conestogac.on.ca", "password": "Passwords" }
```

. The 'Test Results' section at the bottom indicates a successful status (200 OK) but with a message 'InvalidCredentials', suggesting the server accepted the request but the credentials were not valid.

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

E-Commerce

22 requests

GET localhost/Shopo/api/FetchProducts.php?product\_id=1

GET localhost/Shopo/api/FetchProducts.php

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/Login.php?email=sadode1720@conestogac.on.ca&password=PassWord

Comments 0 Examples 0

GET localhost/Shopo/api/Login.php?email=sadode1720@conestogac.on.ca&password=PassWord

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

```
1 pm.test("InvalidMethodVerb", function () {
2   var jsonData = pm.response.json();
3   pm.expect(jsonData.isLoggedIn).to.eql(false);
4   pm.expect(jsonData.message).to.eql("Please select either POST or DELETE method verbs.");
5 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

- Get an environment variable
- Get a global variable
- Get a variable
- Set an environment variable
- Set a global variable
- Set a variable
- Clear an environment variable
- Clear a global variable

Body Cookies (1) Headers (11) Test Results (1/1)

Status: 200 OK Time: 431 ms Size: 469 B Save Response

All Passed Skipped Failed

PASS InvalidMethodVerb

Bootcamp Build Browse

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

E-Commerce

22 requests

GET localhost/Shopo/api/FetchProducts.php?product\_id=1

GET localhost/Shopo/api/FetchProducts.php

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

DEL localhost/Shopo/api/Login.php?email=sadode1720@conestogac.on.ca&password=PassWord

Comments 0 Examples 0

DELETE localhost/Shopo/api/Login.php

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

```
1 pm.test("ValidLogout", function () {
2   var jsonData = pm.response.json();
3   pm.expect(jsonData.isLoggedIn).to.eql(false);
4   pm.expect(jsonData.message).to.eql("Logged out successfully");
5 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

- Get an environment variable
- Get a global variable
- Get a variable
- Set an environment variable
- Set a global variable
- Set a variable
- Clear an environment variable
- Clear a global variable

Body Cookies (1) Headers (11) Test Results (1/1)

Status: 200 OK Time: 421 ms Size: 443 B Save Response

All Passed Skipped Failed

PASS ValidLogout

Bootcamp Build Browse

## Activate/Deactivate user:

Postman interface showing a successful POST request to `localhost/Shopo/api/Activate_DeactivateUser.php`. The request body is a JSON object:


```
{
  "email": "sadode1713@conestogac.on.ca",
  "password": "Password",
  "activated": false
}
```

The response status is **200 OK**, Time: 587 ms, Size: 341 B. The response body is `ActivateDeactivateUserProfile`.


Postman interface showing a successful POST request to `localhost/Shopo/api/Activate_DeactivateUser.php`. The request body is a JSON object:

```
{
  "email": "sadode1724@conestogac.on.ca",
  "password": "Password",
  "activated": true
}
```

The response status is **200 OK**, Time: 582 ms, Size: 329 B. The response body is `NotActivateDeactivateUserProfile`.



## Update Password:



Postman interface showing a POST request to `localhost/Shopo/api/UpdatePassword.php`. The request body is a JSON object:

```
{
  "email": "admin@shopoo.com",
  "password": "admin123",
  "newPassword": "admin"
}
```

The response status is 200 OK, Time: 723 ms, Size: 342 B. The test results show a single test passed: `UpdatePasswordForValidUser`.

Postman interface showing a GET request to `localhost/Shopo/api/UpdatePassword.php`. The test results show a single test failed: `NotUpdatePasswordForInvalidUser`.

```
pm.test("NotUpdatePasswordForInvalidUser", function () {
  var jsonData = pm.response.json();
  pm.expect(jsonData.isUpdated).toEqual(false);
  pm.expect(jsonData.message).toEqual("Invalid request method. Please use POST to update");
});
```

The response status is 200 OK, Time: 428 ms, Size: 358 B.



# Fetch User Orders:

Postman interface showing a successful GET request to `localhost/Shopo/api/FetchUserOrders.php?email=sadode1713@conestogac.on.ca&password=Password`. The test script `pm.test("Orders Fetched Successfully", function () { ... })` passed, indicating the user's orders were successfully fetched.

Postman interface showing a successful GET request to `localhost/Shopo/api/FetchUserOrders.php?email=sadode1719@conestogac.on.ca&password=Password`. The test script `pm.test("NoOrdersFound", function () { ... })` passed, indicating that no orders were found for the user.

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?password=P...

DEL localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sadode1719@conestogac.on.ca&password=Paword

Comments 0 Examples 0

GET localhost/Shopo/api/FetchUserOrders.php?email=sadode1719@conestogac.on.ca&password=Paword

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

1 pm.test("InvalidParameters", function () {

2 if(pm.response.to.have.status(200)){

3 var jsonData = pm.response.json();

4 pm.expect(jsonData.isOrderFetched).to.eql(false);

5 pm.expect(jsonData.message).to.eql("orders couldn't be fetched. The parameters passed by the user are invalid");

6 }

7 });

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

Get an environment variable

Get a global variable

Get a variable

Set an environment variable

Set a global variable

Set a variable

Clear an environment variable

Clear a global variable

Body Cookies (1) Headers (8) Test Results (1/1)

Status: 200 OK Time: 575 ms Size: 415 B Save Response

All Passed Skipped Failed

PASS InvalidParameters

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?password=P...

DEL localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sadode1719@conestogac.on.ca

Comments 0 Examples 0

GET localhost/Shopo/api/FetchUserOrders.php?email=sadode1719@conestogac.on.ca

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

1 pm.test("No Password provided", function () {

2 if(pm.response.to.have.status(200)){

3 var jsonData = pm.response.json();

4 pm.expect(jsonData.isOrderFetched).to.eql(false);

5 pm.expect(jsonData.message).to.eql("Please provide the password as well");

6 }

7 });

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

Get an environment variable

Get a global variable

Get a variable

Set an environment variable

Set a global variable

Set a variable

Clear an environment variable

Clear a global variable

Body Cookies (1) Headers (8) Test Results (1/1)

Status: 200 OK Time: 427 ms Size: 376 B Save Response

All Passed Skipped Failed

PASS No Password provided

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?password=P...

DEL localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?password=Paword

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

```
1 pm.test("No email or password passed", function () {
2   if(pm.response.to.have.status(200)){
3     var jsonData = pm.response.json();
4     pm.expect(jsonData.isOrderFetched).to.eql(false);
5     pm.expect(jsonData.message).to.eql("Please provide the email and other parameters");
6   }
7 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

- Get an environment variable
- Get a global variable
- Get a variable
- Set an environment variable
- Set a global variable
- Set a variable
- Clear an environment variable
- Clear a global variable

Body Cookies (1) Headers (8) Test Results (1/1)

Status: 200 OK Time: 432 ms Size: 387 B Save Response

All Passed Skipped Failed

PASS No email or password passed

Bootcamp Build Browse

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection

Trash

POST localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Register.php

PUT localhost/Shopo/api/Register.php

POST localhost/Shopo/api/Login.php

POST localhost/Shopo/api/Login.php

GET localhost/Shopo/api/Login.php?email=sadode1720@co...

DEL localhost/Shopo/api/Login.php?email=sadode1720@co...

POST localhost/Shopo/api/Activate\_DeactivateUser.php

POST localhost/Shopo/api/Activate\_DeactivateUser.php

GET localhost/Shopo/api/Activate\_DeactivateUser.php?email=...

POST localhost/Shopo/api/UpdatePassword.php

POST localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/UpdatePassword.php

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?email=sado...

GET localhost/Shopo/api/FetchUserOrders.php?password=P...

DEL localhost/Shopo/api/FetchUserOrders.php?email=sado...

DEL localhost/Shopo/api/FetchUserOrders.php?email=sadode1723@conestogac.on.ca&password=Password

Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Settings

```
1 pm.test("Incorrect request method used", function(){
2   var jsonData = pm.response.json();
3   pm.expect(jsonData.message).to.eql("Incorrect request method. Expected GET. Please try again later");
4 });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about test scripts

SNIPPETS

- Get an environment variable
- Get a global variable
- Get a variable
- Set an environment variable
- Set a global variable
- Set a variable
- Clear an environment variable
- Clear a global variable

Body Cookies (1) Headers (8) Test Results (1/1)

Status: 200 OK Time: 424 ms Size: 381 B Save Response

All Passed Skipped Failed

PASS Incorrect request method used

Bootcamp Build Browse

## Add Products to Cart:

This screenshot shows the Postman interface for a REST client. The left sidebar displays a collection named 'AddProductToCart\_Tests' with 3 requests. The main panel shows a POST request to 'http://localhost/myweb/php\_project/addProducts.php'. The request body is a JSON object: 

```
{  "user_id": "1",  "product_id": "1",  "quantity": "2"}
```

. The 'Test Results' section at the bottom indicates a successful status of 200 OK, with a time of 23 ms and a size of 486 B. The test result is 'PASS' with the message 'Status code is 200'.

This screenshot shows the Postman interface for a REST client, similar to the first one. The left sidebar displays a collection named 'AddProductToCart\_Tests' with 3 requests. The main panel shows a POST request to 'http://localhost/myweb/php\_project/addProducts.php'. The request body is a JSON object: 

```
{  "user_id": "1",  "product_id": "1",  "quantity": "2"}
```

. The 'Test Results' section at the bottom indicates a successful status of 200 OK, with a time of 18 ms and a size of 486 B. The test result is 'PASS' with the message 'Body is correct'.

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_project/addProducts.php

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Code

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON Beautify

```
1 {"user_id":"1","product_id":"5","quantity":"10"}
```

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 10 ms Size: 486 B Save Response

All Passed Skipped Failed

PASS Body is correct

Bootcamp Build Browse

## Fetch Product Comments:

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_project/...  
POST http://localhost/myweb/php\_project/...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_project/FetchAllCommentsForAProduct.php

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Code

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON Beautify

```
1 {"product_id":"3"}
```

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 7 ms Size: 123.99 KB Save Response

All Passed Skipped Failed

PASS Status code is 200

Bootcamp Build Browse

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_project/FetchAllCommentsForAProduct.php

Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

1 { "product\_id": "3" }

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 9 ms Size: 123.99 KB Save Response

All Passed Skipped Failed

PASS Body matches string

Bootcamp Build Browse

## Create Order:

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_project/CreateOrder.php

Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

1 { "user\_id": "1" }

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 20 ms Size: 482 B Save Response

All Passed Skipped Failed

PASS Status code is 200

Bootcamp Build Browse

Filter

HistoryCollectionsAPIs

New CollectionTrash

AddProductToCart\_Tests

3 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

CreateAnOrder\_Tests

3 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

DeleteProduct(s)FromTheCart\_Te...

2 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

FetchAllCommentsOfAProduct\_T...

2 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST http... POST http... POST http... POST http... POST http... POST http... POST http... POST http... X + ...

No Environment

Comments 0Examples 0

http://localhost/myweb/php\_project/CreateOrder.php

SendSave

POST http://localhost/myweb/php\_project/CreateOrder.php

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookiesCode

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

1{"user\_id":"1"}

BodyCookiesHeaders (10)Test Results (1/1)Status: 200 OKTime: 18 msSize: 482 BSave Response

AllPassedSkippedFailed

PASSBody is correct

BootcampBuildBrowse

Filter

HistoryCollectionsAPIs

New CollectionTrash

AddProductToCart\_Tests

3 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

CreateAnOrder\_Tests

3 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

DeleteProduct(s)FromTheCart\_Te...

2 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

FetchAllCommentsOfAProduct\_T...

2 requests

POST

http://localhost/myweb/php\_projec...

POST

http://localhost/myweb/php\_projec...

POST htt... POST ht... POST ht... POST ht... POST ht... POST ht... POST ht... POST ht... POST ht... X + ...

No Environment

Comments 0Examples 0

http://localhost/myweb/php\_project/CreateOrder.php

SendSave

POST http://localhost/myweb/php\_project/CreateOrder.php

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookiesCode

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

1{"user\_id":"3"}

BodyCookiesHeaders (10)Test Results (1/1)Status: 200 OKTime: 6 msSize: 506 BSave Response

AllPassedSkippedFailed

PASSBody is correct

BootcampBuildBrowse

## Delete Products from Cart:

This screenshot shows a Postman interface with a collection named 'DeleteProduct(s)FromTheCart\_Te...'. The selected request is a POST to 'http://localhost/myweb/php\_project/deleteProductFromCart.php'. The body is a JSON object: `{ "user_id": "1", "product_id": "5", "quantity": "2" }`. The test results show a 'PASS' status with the message 'Status code is 200'.

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_project/deleteProductFromCart.php

Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 { "user_id": "1",  
2   "product_id": "5",  
3   "quantity": "2" }
```

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 18 ms Size: 541 B Save Response

All Passed Skipped Failed

PASS Status code is 200

Bootcamp Build Browse

This screenshot shows the same Postman interface as above, but with a different JSON body: `{ "user_id": "1", "product_id": "5", "quantity": "10" }`. The test results show a 'PASS' status with the message 'Body is correct'.

Filter

History Collections APIs

+ New Collection Trash

▼ AddProductToCart\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ CreateAnOrder\_Tests  
3 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ DeleteProduct(s)FromTheCart\_Te...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

▼ FetchAllCommentsOfAProduct\_T...  
2 requests

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_projec...

POST http://localhost/myweb/php\_project/deleteProductFromCart.php

Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 { "user_id": "1",  
2   "product_id": "5",  
3   "quantity": "10" }
```

Body Cookies Headers (10) Test Results (1/1) Status: 200 OK Time: 7 ms Size: 502 B Save Response

All Passed Skipped Failed

PASS Body is correct

Bootcamp Build Browse



## Get User Address:

Launchpad GET localhost/Shopo/Web...X POST localhost/Shopo/We... GET localhost/Shopo/Web... GET localhost/Shopo/Web... + ... No Environment

localhost/Shopo/Web Technologies (Project 2)/api/GetUserAddress.php Comments 0 Examples 0

GET localhost/Shopo/Web Technologies (Project 2)/api/GetUserAddress.php Send Save

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 { "user_id": "1" }
```

Body Cookies (1) Headers (8) Test Results (1/1) Status: 200 OK Time: 32 ms Size: 327 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "getAddress": true,
3   "message": "Get user's address"
4 }
```

Bootcamp Build Browse

Launchpad GET localhost/Shopo/Web... [CONFLICT] POST localhos... GET localhost/Shopo/Web...X GET localhost/Shopo/Web... + ... No Environment

localhost/Shopo/Web Technologies (Project 2)/api/GetUserAddress.php Comments 0 Examples 0

GET localhost/Shopo/Web Technologies (Project 2)/api/GetUserAddress.php Send Save

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies (1) Headers (8) Test Results (1/1) Status: 200 OK Time: 10 ms Size: 346 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "getAddress": false,
3   "message": "There is no address in user's account"
4 }
```

Bootcamp Build Browse

## Update User Address:

Launchpad GET localhost/Shopo/Web... [CONFLICT] POST localhost... X GET localhost/Shopo/Web... GET localhost/Shopo/Web... + ... No Environment

localhost/Shopo/Web Technologies (Project 2)/api/UpdateUserAddress.php Comments 0 Examples 0

POST localhost/Shopo/Web Technologies (Project 2)/api/UpdateUserAddress.php Send Save

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "user_id": "1",
3   "address_id": "1",
4   "last_name": "Tsai_2",
5   "first_name": "Hung-Chun_2",
6   "address1": "10 Valley Rd",
7   "postcode": "N2P1H3", "city":
8   "Brandford",
9   "phone": "226-500-6041"
10 }
```

Body Cookies (1) Headers (8) Test Results (1/1) Status: 200 OK Time: 9 ms Size: 325 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "isUpdated": true,
3   "message": "Address is updated"
4 }
```

Launchpad GET localhost/Shop... [CONFLICT] POST loc... GET localhost/Shop... GET localhost/Shop... GET localhost/Shop... X + ... No Environment

localhost/Shopo/Web Technologies (Project 2)/api/UpdateUserAddress.php Comments 0 Examples 0

GET localhost/Shopo/Web Technologies (Project 2)/api/UpdateUserAddress.php Send Save

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies Code

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body Cookies (1) Headers (8) Test Results (1/1) Status: 200 OK Time: 10 ms Size: 323 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "message": "Please select either POST method"
3 }
```