



Terminal SS



```
server.js >...
1  const express = require("express");
2  const dotenv = require("dotenv");
3
4  const connectDB = require("../config/db");
5
6  dotenv.config();
7
8  connectDB();
9
10 const app = express();
11
12 app.use(express.json());
13
14 const feedbackRoutes = require("../routes/feedbackRoutes");
15 const userRoutes = require("../routes/userRoutes");

PS C:\Users\mnudr\OneDrive\Documents\Desktop\Skills\ProductFeedback> npm run dev
◊ Injected env (2) from .env // tip: 📄 multiple files { path: ['.env.local', '.env'] }
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: * secrets for agents [www.dotenvx.com]
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: 📄 override existing { override: true }
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: 📄 custom filepath { path: '/custom/path/.env' }
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: * encrypted .env [www.dotenvx.com]
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: 📄 multiple files { path: ['.env.local', '.env'] }
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
◊ Injected env (2) from .env // tip: 📄 enable debugging { debug: true }
Server Running on Port 4000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting 'node server.js'
```



```
Project1  mongoah: Project2  +
> MONGODB
> use secondbrain
< switched to db secondbrain
> mongosh
◊ ReferenceError mongosh is not defined
> use secondbrain

db.notes.find().pretty()
< already on db secondbrain
> secondbrain> db.notes.find().pretty()
◊ ReferenceError secondbrain is not defined
> db.notes.find().pretty()
< [
  {
    _id: ObjectId('6a316eee7f8697a2bd8da652'),
    title: 'MongoDB Aggregation',
    content: 'Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.',
    category: ObjectId('6a316e5b81c1fac3341189aa'),
    tags: [
      ObjectId('6a316e5b81c1fac3341189b1'),
      ObjectId('6a316e5b81c1fac3341189bc')
    ],
    isFavorite: true,
    __v: 0,
    createdAt: 2026-06-16T15:42:38.374Z,
    updatedAt: 2026-06-16T15:42:38.374Z
  },
  {
    _id: ObjectId('6a316eee7f8697a2bd8da653'),
    title: 'NodeJS Event Loop',
    content: 'Detailed notes about NodeJS Event Loop. This knowledge is stored in the Second Brain system for future reference and retrieval.',
    category: ObjectId('6a316e5b81c1fac3341189aa'),
    tags: [
      ObjectId('6a316e5b81c1fac3341189b6'),
      ObjectId('6a316e5b81c1fac3341189ba')
    ],
    isFavorite: false,
    __v: 0,
    createdAt: 2026-06-16T15:42:38.375Z,
    updatedAt: 2026-06-16T15:42:38.375Z
  }
]
```

```

> db.notes.countDocuments()

db.categories.countDocuments()

db.tags.countDocuments()
< 15
> db.notes.countDocuments()
< 50
> db.categories.countDocuments()
< 15
> db.tags.countDocuments()
< 15

```

GET http://localhost:5000/api/notes/tag/6a316e5b01c1fac3341109be

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```

1  {
2    "name": "Security"
3  }

```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```

176     "createdAt": "2026-06-16T15:40:11.223Z",
177     "updatedAt": "2026-06-16T15:40:11.223Z"
178   },
179   "tags": [
180     {
181       "_id": "6a316e5b01c1fac3341109b4",
182       "name": "Backend",
183       "__v": 0,
184       "createdAt": "2026-06-16T15:40:11.227Z",
185       "updatedAt": "2026-06-16T15:40:11.227Z"
186     },
187     {
188       "_id": "6a316e5b01c1fac3341109be",
189       "name": "Research",
190       "__v": 0,
191       "createdAt": "2026-06-16T15:40:11.227Z",
192       "updatedAt": "2026-06-16T15:40:11.227Z"
193     }
194   ],
195   "isFavorite": false,
196   "__v": 0,
197   "createdAt": "2026-06-16T15:42:38.376Z",
198   "updatedAt": "2026-06-16T15:42:38.376Z"
199 }
200

```

Swagger SS

 Swagger
Powered by SMARTBEAR



Second Brain API

1.0.0 OAS 3.0

Personal Knowledge Base API Documentation

Servers

http://localhost:5000

default

^

GET /api/notes Get all notes

^

Parameters

No parameters

Responses

Code	Description	Links
200	List of notes	No links

Try it out

POST /api/notes Create a new note

GET /api/notes/{id} Get note by ID

PUT /api/notes/{id} Update note

DELETE /api/notes/{id} Delete note

GET /api/notes/search Search notes

GET /api/notes/favorites Get favorite notes

GET /api/notes/recent Get recent notes

GET /api/notes/category/{categoryId} Filter notes by category

GET /api/notes/tag/{tagId} Filter notes by tag

PATCH /api/notes/{id}/favorite Mark note as favorite

GET /api/categories Get all categories



POST /api/categories Create category

GET /api/tags Get all tags



POST /api/tags Create tag

GET /api/dashboard Dashboard analytics


PostMan SS



2)



3)



```
_id: ObjectId('6a338d4caafe0cf4024da5dc')
name : "Security"
createdAt : 2026-06-18T06:16:44.332+00:00
updatedAt : 2026-06-18T06:16:44.332+00:00
__v : 0
```


4)

The screenshot shows a REST client interface with a GET request to `http://localhost:5000/api/tags`. The request body is a JSON object: `{ "name": "Security" }`. The response is a JSON array of three objects, each containing `_id`, `name`, `_v`, `createdAt`, and `updatedAt` fields.

```
1 GET http://localhost:5000/api/tags
2
3 {
4   "name": "Security"
5 }

Body Cookies Headers (7) Test Results
Pretty Raw Preview Visualize JSON
1 {
2   {
3     "_id": "6a316e5b01cfac3341109b1",
4     "name": "MongoDB",
5     "_v": 0,
6     "createdAt": "2026-06-16T15:40:11.227Z",
7     "updatedAt": "2026-06-16T15:40:11.227Z"
8   },
9   {
10    "_id": "6a316e5b01cfac3341109b2",
11    "name": "NodeJS",
12    "_v": 0,
13    "createdAt": "2026-06-16T15:40:11.227Z",
14    "updatedAt": "2026-06-16T15:40:11.227Z"
15  },
16  {
17    "_id": "6a316e5b01cfac3341109b3",
18    "name": "Express",
19    "_v": 0,
20    "createdAt": "2026-06-16T15:40:11.227Z",
21    "updatedAt": "2026-06-16T15:40:11.227Z"
22  }
23 }
```

5)




```
GET http://localhost:5000/api/notes

Body
  none form-data x-www-form-urlencoded raw binary JSON
  1 2 3
  1 {
  2   "name": "Security"
  3 }

Body Cookies Headers (7) Test Results
  Pretty Raw Preview Visualize JSON
  1 {
  2   "_id": "6a316eee7f8697a2bd0da652",
  3   "title": "MongoDB Aggregation",
  4   "content": "Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.",
  5   "category": {
  6     "_id": "6a316e5b01c1fac3341109aa",
  7     "name": "DevOps",
  8     "description": "DevOps practices",
  9     "_v": 0,
 10    "createdAt": "2026-06-16T15:40:11.223Z",
 11    "updatedAt": "2026-06-16T15:40:11.223Z"
 12  },
 13   "tags": [
 14     {
 15       "_id": "6a316e5b01c1fac3341109b1",
 16       "name": "MongoDB",
 17       "_v": 0,
 18       "createdAt": "2026-06-16T15:40:11.227Z",
 19       "updatedAt": "2026-06-16T15:40:11.227Z"
 20     },
 21     {
 22       "_id": "6a316e5b01c1fac3341109bc",
 23       "name": "Kubernetes",
 24       "_v": 0,
 25       "createdAt": "2026-06-16T15:40:11.227Z",
 26       "updatedAt": "2026-06-16T15:40:11.227Z"
 27     }
 28   ]
 29 }
```

6) get notes by id



```
GET http://localhost:5000/api/notes/6a316eee7f8697a2bd0da652

Body
  none form-data x-www-form-urlencoded raw binary JSON
  1 2 3
  1 {
  2   "name": "Security"
  3 }

Body Cookies Headers (7) Test Results
  Pretty Raw Preview Visualize JSON
  1 {
  2   "_id": "6a316eee7f8697a2bd0da652",
  3   "title": "MongoDB Aggregation",
  4   "content": "Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.",
  5   "category": {
  6     "_id": "6a316e5b01c1fac3341109aa",
  7     "name": "DevOps",
  8     "description": "DevOps practices",
  9     "_v": 0,
 10    "createdAt": "2026-06-16T15:40:11.223Z",
 11    "updatedAt": "2026-06-16T15:40:11.223Z"
 12  },
 13   "tags": [
 14     {
 15       "_id": "6a316e5b01c1fac3341109b1",
 16       "name": "MongoDB",
 17       "_v": 0,
 18       "createdAt": "2026-06-16T15:40:11.227Z",
 19       "updatedAt": "2026-06-16T15:40:11.227Z"
 20     },
 21     {
 22       "_id": "6a316e5b01c1fac3341109bc",
 23       "name": "Kubernetes",
 24       "_v": 0,
 25       "createdAt": "2026-06-16T15:40:11.227Z",
 26       "updatedAt": "2026-06-16T15:40:11.227Z"
 27     }
 28   ]
 29 }
```


7) Put Update note

The screenshot shows a REST client interface with a PUT request to `http://localhost:5000/api/notes/6a316eee7f6697a2bd0da652`. The request body is a JSON object with the following structure:

```
{  "name": "Security"}
```

The response body is a JSON object with the following structure:

```
{  "_id": "6a316eee7f6697a2bd0da652",  "title": "MongoDB Aggregation",  "content": "Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.",  "category": {    "_id": "6a316e5b01c1fac3341109aa",    "name": "DevOps",    "description": "DevOps practices",    "_v": 0,    "createdAt": "2026-06-16T15:40:11.223Z",    "updatedAt": "2026-06-16T15:40:11.223Z"  },  "tags": [    {      "_id": "6a316e5b01c1fac3341109b1",      "name": "MongoDB",      "_v": 0,      "createdAt": "2026-06-16T15:40:11.227Z",      "updatedAt": "2026-06-16T15:40:11.227Z"    },    {      "_id": "6a316e5b01c1fac3341109bc",      "name": "Kubernetes",      "_v": 0,      "createdAt": "2026-06-16T15:40:11.227Z"    }  ]}
```

The response status is 200.

8) search feature

```
GET http://localhost:5000/api/notes/search?keyword=mongodb

{
  "name": "Security"
}

{
  "_id": "6a316eee7f8697a2bd0da652",
  "title": "MongoDB Aggregation",
  "content": "Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.",
  "category": {
    "_id": "6a316e5b01c1fac3341109aa",
    "name": "DevOps",
    "description": "DevOps practices",
    "_v": 0,
    "createdAt": "2026-06-16T15:40:11.223Z",
    "updatedAt": "2026-06-16T15:40:11.223Z"
  },
  "tags": [
    {
      "_id": "6a316e5b01c1fac3341109b1",
      "name": "MongoDB",
      "_v": 0,
      "createdAt": "2026-06-16T15:40:11.227Z",
      "updatedAt": "2026-06-16T15:40:11.227Z"
    }
  ]
}
```

```
GET http://localhost:5000/api/notes/search?keyword=javascript

{
  "name": "Security"
}

{
  "_id": "6a316eee7f8697a2bd0da672",
  "title": "JavaScript Closures",
  "content": "Detailed notes about JavaScript Closures. This knowledge is stored in the Second Brain system for future reference and retrieval.",
  "category": {
    "_id": "6a316e5b01c1fac3341109aa",
    "name": "DevOps",
    "description": "DevOps practices",
    "_v": 0,
    "createdAt": "2026-06-16T15:40:11.223Z",
    "updatedAt": "2026-06-16T15:40:11.223Z"
  },
  "tags": [
    {
      "_id": "6a316e5b01c1fac3341109b9",
      "name": "Machine Learning",
      "_v": 0,
      "createdAt": "2026-06-16T15:40:11.227Z",
      "updatedAt": "2026-06-16T15:40:11.227Z"
    }
  ]
}
```

GET http://localhost:5000/api/notes/search?keyword=backend

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 {
2   "name": "Security"
3 }
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "_id": "6a316eee7f8697a2bd0da662",
3   "title": "Backend Development",
4   "content": "Detailed notes about Backend Development. This knowledge is stored in the Second Brain system for future reference and retrieval.",
5   "category": {
6     "_id": "6a316e5b01c1fac3341109af",
7     "name": "Finance",
8     "description": "Personal finance notes",
9     "_v": 0,
10    "createdAt": "2026-06-16T15:40:11.223Z",
11    "updatedAt": "2026-06-16T15:40:11.223Z"
12  },
13  "tags": [
14    {
15      "_id": "6a316e5b01c1fac3341109bb",
16      "name": "Docker",
17      "_v": 0,
18      "createdAt": "2026-06-16T15:40:11.227Z",
19      "updatedAt": "2026-06-16T15:40:11.227Z"
20    }
21  ]
22 }
```

PATCH http://localhost:5000/api/notes/6a316eee7f8697a2bd0da662/favorite

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 {
2   "name": "Security"
3 }
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "_id": "6a316eee7f8697a2bd0da662",
3   "title": "Backend Development",
4   "content": "Detailed notes about Backend Development. This knowledge is stored in the Second Brain system for future reference and retrieval.",
5   "category": {
6     "_id": "6a316e5b01c1fac3341109af",
7     "name": "Finance",
8     "description": "Personal finance notes",
9     "_v": 0,
10    "createdAt": "2026-06-16T15:40:11.223Z",
11    "updatedAt": "2026-06-16T15:40:11.223Z"
12  },
13  "tags": [
14    {
15      "_id": "6a316e5b01c1fac3341109bb",
16      "name": "Docker",
17      "_v": 0,
18      "createdAt": "2026-06-16T15:40:11.227Z",
19      "updatedAt": "2026-06-16T15:40:11.227Z"
20    }
21  ]
22 }
```

```
    },
    "updatedAt": "2026-06-18T06:33:07.426Z"
  },
],
"isFavorite": true,
"__v": 0,
"createdAt": "2026-06-16T15:42:38.375Z",
"updatedAt": "2026-06-18T06:33:07.426Z"
}
```

GET http://localhost:5000/api/notes/favorites

Params Authorization Headers (0) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 [{"name": "Security"}]
```

body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 [{"_id": "6a316eee7f8697a2bd0da652",
2   "title": "MongoDB Aggregation",
3   "content": "Detailed notes about MongoDB Aggregation. This knowledge is stored in the Second Brain system for future reference and retrieval.",
4   "category": {
5     "_id": "6a316e5b01c1fac3341109aa",
6     "name": "DevOps",
7     "description": "DevOps practices",
8     "__v": 0,
9     "createdAt": "2026-06-16T15:40:11.223Z",
10    "updatedAt": "2026-06-16T15:40:11.223Z"
11  },
12  "tags": [
13    {
14      "_id": "6a316e5b01c1fac3341109b1",
15      "name": "MongoDB",
16      "__v": 0,
17      "createdAt": "2026-06-16T15:40:11.227Z",
18      "updatedAt": "2026-06-16T15:40:11.227Z"
19    },
20    {
21      "_id": "6a316e5b01c1fac3341109bc",
22      "name": "Kubernetes",
23      "updatedAt": "2026-06-16T15:40:11.227Z"
24    }
25  ]
26 }]
```

GET http://localhost:5000/api/notes/category/6a316eee7f8697a2bd0da652

Params Authorization Headers (0) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 [{"name": "Security"}]
```

body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 []
```

FirstCollection

learning MDB

Project1

Project2

- admin
 - ai_meeting_vault
 - meetings
 - tags
- college
- config
- eocommerce
- firstdb
- local
- secondbrain
 - categories
 - notes
 - tags
- test

ADD DATA

UPDATE

DELETE

EXPORT DATA

EXPORT CODE

__v : 0

createdAt : 2026-06-16T15:40:11.223+00:00

updatedAt : 2026-06-16T15:40:11.223+00:00

_id: ObjectId('6a316e5b01c1fac3341109ad')

name : "Productivity"

description : "Productivity techniques"

__v : 0

createdAt : 2026-06-16T15:40:11.223+00:00

updatedAt : 2026-06-16T15:40:11.223+00:00

_id: ObjectId('6a316e5b01c1fac3341109ae')

name : "Books"

description : "Book summaries"

__v : 0

createdAt : 2026-06-16T15:40:11.223+00:00

updatedAt : 2026-06-16T15:40:11.223+00:00

_id: ObjectId('6a316e5b01c1fac3341109af')

name : "Finance"

description : "Personal finance notes"

__v : 0

createdAt : 2026-06-16T15:40:11.223+00:00

updatedAt : 2026-06-16T15:40:11.223+00:00

_id: ObjectId('6a316e5b01c1fac3341109b0')

name : "Startups"

description : "Startup and business resources"

__v : 0

createdAt : 2026-06-16T15:40:11.223+00:00

updatedAt : 2026-06-16T15:40:11.223+00:00

_id: ObjectId('6a338b95aafe0cf4024da5db')

name : "Cyber Security"

description : "Security notes and resources"

createdAt : 2026-06-18T06:09:25.482+00:00

updatedAt : 2026-06-18T06:09:25.482+00:00

__v : 0

Compass

My Queries

Data Modeling

CONNECTIONS (4)

Search connections

FirstCollection

learning MDB

Project1

Project2

- admin
- ai_meeting_vault
 - meetings
 - tags
- college
- config
- ecommerce
- firstdb
- local
- secondbrain
 - categories
 - notes
 - tags
- test

Project2 > secondbrain > notes

Documents50

Aggregations

Schema

Indexes1

Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA

UPDATE

DELETE

EXPORT DATA

EXPORT CODE

```
_id: ObjectId('6a216eee7f9697a2bd0da667')
title: "Career Roadmap"
content: "Detailed notes about Career Roadmap. This knowledge is stored in the S..."
category: ObjectId('6a316e5b01c1fac3341189ab')
tags: Array (2)
isFavorite: true
__v: 0
createdAt: 2026-06-16T15:42:38.375+00:00
updatedAt: 2026-06-16T15:42:38.375+00:00
```

```
_id: ObjectId('6a216eee7f9697a2bd0da668')
title: "Interview Preparation"
content: "Detailed notes about Interview Preparation. This knowledge is stored i..."
category: ObjectId('6a316e5b01c1fac3341189ac')
tags: Array (2)
isFavorite: true
__v: 0
createdAt: 2026-06-16T15:42:38.375+00:00
updatedAt: 2026-06-16T15:42:38.375+00:00
```

```
_id: ObjectId('6a216eee7f9697a2bd0da669')
title: "DSA Revision"
content: "Detailed notes about DSA Revision. This knowledge is stored in the Sec..."
category: ObjectId('6a316e5b01c1fac3341189ae')
tags: Array (2)
isFavorite: false
__v: 0
createdAt: 2026-06-16T15:42:38.375+00:00
updatedAt: 2026-06-16T15:42:38.375+00:00
```

```
_id: ObjectId('6a216eee7f9697a2bd0da66a')
title: "Git Best Practices"
content: "Detailed notes about Git Best Practices. This knowledge is stored in t..."
category: ObjectId('6a316e5b01c1fac3341189a9')
tags: Array (2)
isFavorite: false
__v: 0
createdAt: 2026-06-16T15:42:38.376+00:00
updatedAt: 2026-06-16T15:42:38.376+00:00
```

Compass

My Queries

Data Modeling

CONNECTIONS (4)

Search connections

FirstCollection

learning MDB

Project1

Project2

admin

ai_meeting_vault

meetings

tags

college

config

ecommerce

firstdb

local

secondbrain

categories

notes

tags

test

Project1

mongosh: Project2

tags

+

Project2 > secondbrain > tags

Documents 16

Aggregations

Schema

Indexes 2

Valida

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA

UPDATE

DELETE

EXPORT DATA

EX

_id: ObjectId('6a316e5b01c1fac3341109bb')

name : "Docker"

__v : 0

createdAt : 2026-06-16T15:40:11.227+00:00

updatedAt : 2026-06-16T15:40:11.227+00:00

_id: ObjectId('6a316e5b01c1fac3341109bc')

name : "Kubernetes"

__v : 0

createdAt : 2026-06-16T15:40:11.227+00:00

updatedAt : 2026-06-16T15:40:11.227+00:00

_id: ObjectId('6a316e5b01c1fac3341109bd')

name : "Career"

__v : 0

createdAt : 2026-06-16T15:40:11.227+00:00

updatedAt : 2026-06-16T15:40:11.227+00:00

_id: ObjectId('6a316e5b01c1fac3341109be')

name : "Research"

__v : 0

createdAt : 2026-06-16T15:40:11.227+00:00

updatedAt : 2026-06-16T15:40:11.227+00:00

_id: ObjectId('6a316e5b01c1fac3341109bf')

name : "Productivity"

__v : 0

createdAt : 2026-06-16T15:40:11.227+00:00

updatedAt : 2026-06-16T15:40:11.227+00:00

_id: ObjectId('6a338d4caafe0cf4024da5dc')

name : "Security"

createdAt : 2026-06-18T06:16:44.332+00:00

updatedAt : 2026-06-18T06:16:44.332+00:00

__v : 0