

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems [New](#)

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization

[CloudShell](#) [Feedback](#)

Buckets

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (1) [Info](#)

Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

< 1 >



Name	AWS Region	Creation date
priyanshi-portfolio-2026	US East (N. Virginia) us-east-1	June 13, 2026, 13:01:53 (UTC+05:30)

Account snapshot [Info](#)

Updated daily

[View dashboard](#)

Storage Lens provides visibility into storage usage and activity trends.

External access summary [Info](#)

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Amazon S3 > Buckets > priyanshi-portfolio-2026

Amazon S3

- Buckets
 - General purpose buckets
 - Directory buckets
 - Table buckets
 - Vector buckets
- Files
 - File systems [New](#)
- Access management and security
 - Access Points
 - Access Points for FSx
 - Access Grants
 - IAM Access Analyzer
- Storage management and insights
 - Storage Lens
 - Batch Operations

priyanshi-portfolio-2026 [Info](#)

- Objects**
- Metadata
- Properties
- Permissions
- Metrics
- Management
- File systems - *new*
- Access Points

Objects (1) [Refresh](#) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

☐	Name	Type	Last modified	Size	Storage class
☐	 index.html	html	June 13, 2026, 13:21:44 (UTC+05:30)	186.0 B	Standard

Launch AWS Academy Learner

index.html - Object in S3 bucket

us-east-1.console.aws.amazon.com/s3/object/priyanshi-portfolio-2026?region=us-east-1&prefix=index.html

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8685-3916-2591

voclabs/user4742329=priyanshi24@s.amity.edu

Amazon S3

Buckets

priyanshi-portfolio-2026

index.html

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

index.html

Info

Copy S3 URI

Download

Open

Object actions

Properties

Permissions

Versions

Object overview

Owner

842ddd8556bc48d40613d2c6a44706c523d873bc51a5fccc0a436806bfa92916

AWS Region

US East (N. Virginia) us-east-1

Last modified

June 13, 2026, 13:21:44 (UTC+05:30)

Size

186.0 B

Type

html

Key

index.html

S3 URI

s3://priyanshi-portfolio-2026/index.html

Amazon Resource Name (ARN)

arn:aws:s3:::priyanshi-portfolio-2026/index.html

Entity tag (Etag)

860ddb5c8e4cb52f1a675f0b2e47150a

Object URL

https://priyanshi-portfolio-2026.s3.us-east-1.amazonaws.com/index.html

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems [New](#)

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Edit static website hosting [Info](#)

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website

Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object

Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document


Specify the home or default page of the website.

index.html

Error document - optional

This is returned when an error occurs.

error.html



403 Forbidden

- Code: AccessDenied
- Message: Access Denied
- RequestId: S4DYNMR32SP4TXP3
- HostId:

lSlQHXYOJyqr2tszqW4exyvrv5nAvLoK6brGf0NPjDFyWJn0n4bf8IqHeeIG787+IYsk3KXj/UKU9sWfkWpM

The item has been saved successfully.

Tables (1)

Filter by tag
Any tag key

Filter by tag value
Any tag value

Find tables

1

Users

Users

Autopreview View table details

▼ Scan or query items Info

☒ Scan ☐ Query

Select a table or index
Table - Users

Select attribute projection
All attributes

► Filters - optional

Run Reset

Completed · Items returned: 0 · Items scanned: 0 · Efficiency: 100% · RCUs consumed: 2

Table: Users - Items returned (1)

Scan started on June 14, 2025 17:50:10

Actions Create item

Networking [Info](#)

Function URL ☒

Assign HTTP(S) endpoints.

Tenant isolation mode - new ☒

Guarantee separate execution environments for each tenant invoking the function.

VPC ☒

Connect to a VPC to securely access private resources.

Security & governance [Info](#)

Code signing ☒

Ensure only trusted code is deployed.

Configure custom execution role ☒

Choose an existing execution role or create a new one.

Execution role

To access other AWS services and resources your function needs an IAM role. Choose a role with the right permissions for your function.

Choose an existing role



Create new role

Close

Save

Info [Tutorials](#)

Advanced Lambda features

Durable executions: Build resilient, stateful applications that automatically handle state tracking and failure recovery. Use for multi-step workflows, payment processing, and AI agent orchestration.

Managed instances: Run functions on your choice of Amazon EC2 instance types with higher memory and execution time limits. Use when you need specific compute configurations or exceed standard Lambda limits.

Was this content helpful?

☒ Yes

☐ No

Launch AWS Academy Learn...

saveUser | Functions | Lambda

Items | Amazon DynamoDB M

serverless-project-priyanshi

403 Forbidden

Ask Gemini

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/saveUser?newFunction=true&tab=code

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8685-3916-2591
voclabs/user4742329=priyanshi24@s.amity.edu

Lambda > Functions > saveUser

Successfully created the function "saveUser". You can now change its code and configuration. To invoke your function with a test event, choose "Test".

saveUser

Throttle

Copy ARN

Actions

Function overview

DiagramTemplate

saveUser

Layers (0)

+ Add trigger

+ Add destination

Export to Infrastructure Composer

Download

Function ARN
arn:aws:lambda:us-east-1:868539162591:function:saveUser

Description
-

Last modified
56 seconds ago

Code

Test

Monitor

Configuration

Aliases

Versions

Code source

Open in Visual Studio Code

Update

EXPLORER

SAVEUSER

...

lambda_function.py

lambda_function.py

Info

Tutorials

Function configuration

Use the function overview to see your function's configuration. You can choose to view this as a diagram or as an AWS Serverless Application Model (AWS SAM) template. AWS SAM is an open source framework for building serverless applications using infrastructure as code (IaC). You can see the following types of resources in the diagram or template:

Triggers are AWS services or resources that invoke the function.

Destinations are AWS resources that receive a record of an invocation after success or failure. You can configure Lambda to send invocation records when your function is invoked asynchronously, or if your function processes records from a stream.

Launch AWS Academy Learn

saveUser | Functions | Lambda

Items | Amazon DynamoDB

serverless-project-priyanshi

403 Forbidden

Ask Gemini

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/saveUser?newFunction=true&tab=code

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8685-3916-2591

voclabs/user4742329=priyanshi24@s.amity.edu

Lambda > Functions > saveUser

The test event "test" was successfully saved.

Notifications 0 0 2 0 0

DEPLOY Current

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS [SELECTED: TEST]

Create new test event

Private saved events

test

ENVIRONMENT VARIABLES

Lambda Deployed 0 0 Amazon Q

PROBLEMS

OUTPUT

CODE REFERENCE LOG

TERMINAL

Status: Succeeded

Test Event Name: test

Response:

```
{  "statusCode": 200,  "body": "Hello from AWS Lambda"}
```

Execution Results

Maximum of 25 characters consisting of letters, numbers, dots, hyphens and underscores.

Invocation type

- ☒ Synchronous
 - Executes the Lambda function and blocks until receiving the function's response, with a maximum timeout of 15 minutes. Returns function output or error details directly to the calling application.
- ☐ Asynchronous
 - Enqueues the Lambda function for execution and returns immediately with a request ID. Function processes independently, with results optionally sent to a configured destination like SQS, SNS, or EventBridge.

Code properties

Info

Function configuration

Use the function overview to see your function's configuration. You can choose to view this as a diagram or as an AWS Serverless Application Model (AWS SAM) template. AWS SAM is an open source framework for building serverless applications using infrastructure as code (IaC). You can see the following types of resources in the diagram or template:
Triggers are AWS services or resources that invoke the function.
Destinations are AWS resources that receive a record of an invocation after success or failure. You can configure Lambda to send invocation records when your function is invoked asynchronously, or if your function processes records from a stream.
The contents of the invocation

us-east-1.console.aws.amazon.com/apigateway/main/develop/routes?api=9tuvmox00j®ion=us-east-1&url=https%3A%2F%2Fus-east-1.console.aws.amazon.com%2Fapigateway%2Fhome%3Fregio...

WS

Search

[Alt+S]

United States (N. Virginia)

Account ID: 8685-3916-2591

voclabs/user4742329=priyanshi24@s.amity.edu

API Gateway

APIs

Routes - priyanshi (9tuvmox00j)

API Gateway

APIs

Custom domain names

Domain name access associations

VPC links

API: priyanshi...(9tuvmox00j)

Develop

Routes

Authorization

Integrations

CORS

Reimport

Export

Deploy

Stages

Monitor

Metrics

Successfully created API priyanshi (9tuvmox00j).

Routes

Routes for priyanshi

Create

Search

▼ /users

GET

Choose a route.

Stage: -

Deploy

CloudShell

Feedback

API Gateway

APIs

Custom domain names

Domain name access associations

VPC links

API: priyanshi...(9tuvmox00j)

Develop

Routes

Authorization

Integrations

CORS

Reimport

Export

Deploy

Stages

Monitor

Metrics

Successfully created API priyanshi (9tuvmox00j).

Stages

Stage: \$default Deploy

Stages for priyanshi

Create

Search

\$default

Stage details

Delete Edit

Details

Name	Created	Last updated
\$default	June 15, 2026 12:21 PM	June 15, 2026 12:21 PM

Invoke URL

https://9tuvmox00j.execute-api.us-east-1.amazonaws.com

Description

None

Attached deployment

Automatic Deployment

Enabled

Deployment ID	Deployment created
nis7mg	June 15, 2026 12:21 PM

Deployment description

Automatic deployment triggered by changes to the Api configuration