



- NOTES:**
- FOR GENERAL NOTES AND DRAWING LIST REFER TO JNE DRAWING 60107320-6001 AND 60107320-6002.
  - PROVIDE TOE PLATE AROUND ALL OPENING.
  - CHECKERED PLATE TO BE CUT TO SUIT EQUIPMENT BASE (TYP.)

**HOLD**  
FOR FINAL HEAT EXCHANGER DESIGN AND DRYER LOCATION

EXIST. CHECKERED PLATE AT THIS LOCATION (APPROX.) TO BE TEMPORARY REMOVED TO SUIT THE INSTALLATION OF NEW STEEL, COOLING BLOWER, DRYER FAN & DRYER BLOWER. REPLACE CHECKERED PLATE AS REQUIRED

OPENING FOR STRIP PASSING

W200x36 POST FROM ELEV. +11920 UP TO ELEV. +14794

W360 + W150x30 K.B.

- BEAM SIZE NOTES:**
- BEAM MARK AS \*C TO BE C200x17 (C8x11.5) TYPICAL FOR THIS DRAWING
  - W250 = W250x33 (W10x22) U.N.O.
  - W360 = W360x45 (W14x30) U.N.O.
  - W460 = W460x74 (W18x50) U.N.O.
  - W610 = W610x92 (W24x62) U.N.O.
  - W760 = W760x147 (W30x99) U.N.O.

**PLAN AT APC TOWER T/STEEL STRUCTURAL SUPPORT ELEV. +11920 (U.N.O.)**

1 : 50  
6mm (1/4") THICK CHECKERED PLATE (U.N.O.)  
(FLOOR LIVE LOAD 3.6 kpa U.N.O.)

**ISSUED FOR CONSTRUCTION**

AM/NS DWG. No. AL\_SHDGD\_HD2\_FC\_S22\_SSD\_+11\_CJNE\_60107320-6306\_6159\_01\_002\_C

REV	DESCRIPTION	REVISED BY	DATE	CHECKED BY
0	ISSUED FOR CONSTRUCTION	L.M.	FEB. 29, 2016	B.W.
1	OPENING FOR CABLE TRAYS PASSING	L.M.	MAR. 15, 2016	A.J.
2	STRIP OPENING REVISED	L.M.	JUNE 22, 2016	A.J.

**AM/NS CALVERT**  
1 AM/NS Way  
Calvert, AL 36513, USA

**JNE CONSULTING**  
Professional Engineers  
176 Shaw Street, Hamilton, Ontario, Canada L8L 3P7  
Tel: 905-529-5122, Fax: 905-529-1974, www.jne.ca

**NO. 2 HDGL (CAL)**  
STRUCTURAL STEEL SUPPORT  
PLAN AT APC TOWER ELEV. +11920

**FINISHING LINE UPGRADES**  
NO. 2 HDGL (CAL)

DRAWN BY: L. MAC  
CHECKED BY: B. WOJCIK  
DATE: OCT. 05, 2015  
APPROVED BY: A. JOVIC

CAD FILE: 1 : 50  
SCALE: 1 : 50  
PROJECT No: 03-60-1073-20  
DRAWING No: 60107320-6306  
REV No: 2