


- NOTES:**
- 1. FOR DRAWING LIST REFER TO JNE DWG. 60107320-6001.
 - 2. FOR GENERAL NOTES REFER TO JNE DWG. 60107320-6002.

BRACING FACTORED AXIAL LOAD (kN. + TENSION, -COMPRESSION)	
MEMBER	LOAD
WT155x19.5	+/- 250
WT180x45.5	+/- 750
2-L76x76x7.9	+/- 100
2-L152x102x13	+/- 400
2-L152x152x13	+/- 500
W200x36	+/- 400
W200x46	+/- 500

AM/NS DWG. No. AL_SHDG_HD2_FC_S22_SSD_XXX_CJNE_60107320-6340_6188_01_000_C

REV	DESCRIPTION	REVISED BY	DATE	CHECKED BY	REV	DESCRIPTION	REVISED BY	DATE	CHECKED BY	CLIENT
					0	ISSUED FOR CONSTRUCTION	AJ	MAR. 15, 2016	L.M.	

**AM/NS
CALVERT**
1 AM/NS Way
Calvert, AL 36513, USA



JNE CONSULTING
Professional Engineers
An ISO 9001:2008 Registered Company
176 Shaw Street, Hamilton, Ontario, Canada L8L 3P7
Tel: 905-529-5122, Fax: 905-529-1974, www.jne.ca

DRAWN BY	K. TRAN	DATE	JAN. 07, 2016
CHECKED BY	L. MAC	APPROVED BY	S.DUMVILLE

DRAWING TITLE

NO. 2 HDGL (CAL)
STRUCTURAL STEEL
TYPICAL DETAILS - SHEET No. 2

PROJECT TITLE

FINISHING LINE UPGRADES
NO. 2 HDGL (CAL)

CAD FILE	SCALE	PROJECT No.	DRAWING No.	REV No.
	AS NOTED	03-60-1073-20	60107320-6340	0

**ISSUED FOR
CONSTRUCTION**