

PharmaOne AI – Database Schema (Updated)

Core tables, roles, RAG storage, constraints, RLS and audit events.

1. Core Tables

Table	Key fields
profiles	id, full_name, employee_id, department, job_title, site_id, timestamps
companies	id, name, code, status, timestamps
sites	id, company_id, name, code, location, status, timestamps
company_memberships	id, user_id, company_id, role, status, timestamps
deviations	id, company_id, site_id, reported_by, deviation fields, final assessment, timestamps
audit_events	id, user_id, company_id, action, entity_type, entity_id, timestamp, metadata

2. Roles

One manually provisioned Admin. Normal roles: QA Manager, Production User, QC User. Normal users are provisioned by Admin. No public registration.

3. Knowledge Base

Table	Purpose
knowledge_documents	document metadata, filename, type, status, checksum, timestamps
knowledge_chunks	document_id, chunk_id, content, metadata, embedding/vector

4. Constraints

UUID primary keys; foreign keys; appropriate NOT NULL/unique constraints. Every deviation has company_id, site_id and reported_by. Users need an active membership to access the application.

5. RLS

Use RLS to prevent access outside the user's authorized company. Normal users cannot modify their own role or membership.

6. Audit

Record LOGIN, LOGOUT, ACCESS_DENIED, USER_CREATED, USER_ACTIVATED, USER_DEACTIVATED, DEVIATION_CREATED, DEVIATION_UPDATED, AI_RECOMMENDATION_ACCEPTED and AI_RECOMMENDATION_EDITED. Never store passwords or secrets.