



MySQL Online Editor
Sent Mail - priyanshusahoobca
onecompiler.com/mysql#draft-v4sq
School
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
(105, 'RAVI KISHAN', '10A', 65, 40000.00, '2009-01-30', '2023-06-13');
SELECT Student_Name, UPPER(Student_Name) AS Uppercase_Name
FROM STUDENT;
SELECT Student_Name, LOWER(Student_Name) AS Lowercase_Name
FROM STUDENT;
SELECT Student_Name, LENGTH(Student_Name) AS Name_Length
FROM STUDENT;
SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;
SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
I/O
AI Agent
84 ms
STDIN
Input for the program (Optional)
Output:
| NITHIN | 6 |
| RAVI KISHAN | 11 |
| Student_Details |
| MODI - Class 10A |
| AMIT SHAH - Class 10A |
| RAHUL GANDHI - Class 10B |
| NITHIN - Class 10B |
| RAVI KISHAN - Class 10A |
Student_Name	First_Five_Characters
MODI	MODI
AMIT SHAH	AMIT
RAHUL GANDHI	RAHUL
NITHIN	NITHI
RAVI KISHAN	RAVI
Student_Name	Marks	Bonus_Marks
MODI	85	89
Ready
Dark
Wiki
MySQL


MySQL Online Editor
Sent Mail - priyanshusahoobca
onecompiler.com/mysql#draft-v4sq
School
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
FROM STUDENT;
SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;
SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
I/O
AI Agent
84 ms
STDIN
Input for the program (Optional)
Output:
MODI	MODI
AMIT SHAH	AMIT
RAHUL GANDHI	RAHUL
NITHIN	NITHI
RAVI KISHAN	RAVI
Student_Name	Marks	Bonus_Marks
MODI	85	89
AMIT SHAH	92	97
RAHUL GANDHI	76	80
NITHIN	88	92
RAVI KISHAN	65	68
Student_Name	Marks_Value	Rounded_Up
MODI	8.5000	9
AMIT SHAH	9.2000	10
RAHUL GANDHI	7.6000	8
NITHIN	8.8000	9
RAVI KISHAN	6.5000	7
Ready
Dark
Wiki
MySQL




```
FROM STUDENT;

SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;

SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;

SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;

SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;

SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;

SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;

SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;


SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;

SELECT Student_Name, Date_of_Birth, MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;

SELECT Student_Name, Date_of_Birth, DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;

SELECT Student_Name, Date_of_Birth, TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
```

```
+--------------+-------------+-------------+
| Student_Name | Marks_Value | Rounded_Down |
+--------------+-------------+-------------+
| MODI         |      8.5000 |            8 |
| AMIT SHAH    |      9.2000 |            9 |
| RAHUL GANDHI |      7.6000 |            7 |
| NITHIN       |      8.8000 |            8 |
| RAVI KISHAN  |      6.5000 |            6 |
+--------------+-------------+-------------+
+--------------+-------+-----------+
| Student_Name | Marks | Remainder |
+--------------+-------+-----------+
| MODI         |    85 |         5 |
| AMIT SHAH    |    92 |         2 |
| RAHUL GANDHI |    76 |         6 |
| NITHIN       |    88 |         8 |
| RAVI KISHAN  |    65 |         5 |
+--------------+-------+-----------+
+--------------+-------+--------------------+
| Student_Name | Marks | Difference_From_80 |
+--------------+-------+--------------------+
| MODI         |    85 |                  5 |
| AMIT SHAH    |    92 |                 12 |
| RAHUL GANDHI |    76 |                  4 |
```




```
FROM STUDENT;

SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;

SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;

SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;

SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;

SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;

SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;

SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;


SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;


SELECT Student_Name, Date_of_Birth, MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;

SELECT Student_Name, Date_of_Birth, DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;

SELECT Student_Name, Date_of_Birth, TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
```

```
+--------------+-------+-----------+
| Student_Name | Marks | Remainder |
+--------------+-------+-----------+
| MODI         |    85 |         5 |
| AMIT SHAH    |    92 |         2 |
| RAHUL GANDHI |    76 |         6 |
| NITHIN       |    88 |         8 |
| RAVI KISHAN  |    65 |         5 |
+--------------+-------+-----------+
+--------------+-------+--------------------+
| Student_Name | Marks | Difference_From_80 |
+--------------+-------+--------------------+
| MODI         |    85 |                  5 |
| AMIT SHAH    |    92 |                 12 |
| RAHUL GANDHI |    76 |                  4 |
| NITHIN       |    88 |                  8 |
| RAVI KISHAN  |    65 |                 15 |
+--------------+-------+--------------------+
+--------------+---------------+------------+
| Student_Name | Date_of_Birth | Birth_Year |
+--------------+---------------+------------+
| MODI         | 2008-05-15    |       2008 |
| AMIT SHAH    | 2008-11-20    |       2008 |
| RAHUL GANDHI | 2009-02-10    |       2009 |
```


MySQL Online Editor
Sent Mail - priyanshusahoobca
onecompiler.com/mysql#draft-v4sq
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
84 ms
STDIN
Input for the program (Optional)
Output:
FROM STUDENT;
SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;
SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
Student_Name	Date_of_Birth	Birth_Year
MODI	2008-05-15	2008
AMIT SHAH	2008-11-20	2008
RAHUL GANDHI	2009-02-10	2009
NITHIN	2008-08-25	2008
RAVI KISHAN	2009-01-30	2009
Student_Name	Date_of_Birth	Birth_Month
MODI	2008-05-15	5
AMIT SHAH	2008-11-20	11
RAHUL GANDHI	2009-02-10	2
NITHIN	2008-08-25	8
RAVI KISHAN	2009-01-30	1
Student_Name	Date_of_Birth	Birth_Day
MODI	2008-05-15	15
AMIT SHAH	2008-11-20	20
RAHUL GANDHI	2009-02-10	10
NITHIN	2008-08-25	25
RAVI KISHAN	2009-01-30	30
Ready
Dark
Wiki
MySQL


MySQL Online Editor
Sent Mail - priyanshusahoobca
onecompiler.com/mysql#draft-v4sq
OneCompiler
Upgrade
AI
MySQL
Run
Save
Login
queries.sql
I/O
AI Agent
84 ms
STDIN
Input for the program (Optional)
Output:
FROM STUDENT;
SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
FROM STUDENT;
SELECT Student_Name, SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT Student_Name, Marks, ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
SELECT Student_Name, Marks / 10.0 AS Marks_Value, FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;
SELECT Student_Name, Marks, MOD(Marks, 10) AS Remainder
FROM STUDENT;
SELECT Student_Name, Marks, ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
SELECT Student_Name, Date_of_Birth, TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
MODI	2008-05-15	5
AMIT SHAH	2008-11-20	11
RAHUL GANDHI	2009-02-10	2
NITHIN	2008-08-25	8
RAVI KISHAN	2009-01-30	1
Student_Name	Date_of_Birth	Birth_Day
MODI	2008-05-15	15
AMIT SHAH	2008-11-20	20
RAHUL GANDHI	2009-02-10	10
NITHIN	2008-08-25	25
RAVI KISHAN	2009-01-30	30
Student_Name	Date_of_Birth	Age
MODI	2008-05-15	18
AMIT SHAH	2008-11-20	17
RAHUL GANDHI	2009-02-10	17
NITHIN	2008-08-25	18
RAVI KISHAN	2009-01-30	17
Ready
Dark
Wiki
MySQL