

Data Compression-Unit 1 (Information Theory) Practice Questions

Total points 12/25 ?

Your Year & Section *

☒ 3CSA

☒ 3CB

☒ 3CBC

☒ 4CSA

☒ 4CSB

☒ 4CSC

☒ Other: M.B.B.S. M.D.

Your Complete Roll No. *

101010101010

Your Complete Name (In Block Letters) *

SHAZAM!!!!



✗ 1) Data Compression is the function of which layer in OSI reference model ? *

0/1

- ☒ A) Application Layer
- ☐ B) Presentation Layer
- ☐ C) Transport Layer
- ☐ D) Data Link Layer
- ☐ Other:

✗

Correct answer

- ☒ B) Presentation Layer

✗ 2) Which of the following techniques is a lossless data compression technique ? *

0/1

- ☒ A) JPEG
- ☐ B) MP3
- ☐ C) Lempelziv
- ☐ D) MPEG

✗

Correct answer

- ☒ C) Lempelziv



✗ 3) What is the result of lossless compression on the string "25.88888888"? *

0/1

- ☒ A) 25
- ☐ B) 25. [9]8
- ☐ C) 26
- ☐ D) 26. [0]8

✗

Correct answer

- ☒ B) 25. [9]8

✗ 4) Under which category, TEXT COMPRESSION technique comes? *

0/1

- ☒ A) Data Quality scheme
- ☐ B) Coding scheme
- ☐ C) Data Type Scheme
- ☐ D) Application Scheme

✗

Correct answer

- ☒ C) Data Type Scheme

✓ 5) Compression ratio is the rate of compressed data? *

1/1

- ☒ A) True
- ☐ B) False

✓



✓ 6) Which term is used for describing the difference between original and reconstruction data? *



- ☒ A) Distortion
- ☐ B) Fidelity
- ☐ C) Quality
- ☐ D) None of the above

✗ 7) Data Compression is making file big by predicting the most frequent bytes and storing them in big space? *



- ☒ A) True
- ☐ B) False

Correct answer

- ☒ B) False

✓ 8) The self information "i" associated with an event A is? *



- ☒ A) $i(A) = -\log_b P(A)$
- ☐ B) $i(A) = \log_b P(A)$
- ☐ C) $i(A) = -\log_b 1/P(A)$
- ☐ D) None of the above



✓ 9) Composite source model is a composition of several sources with only 1/1 one source being active at a given time? *

☒ A) True



☐ B) False

✗ 10) can be defined as the measurement of average uncertainty of information? * 0/1

☒ A) Self Information



☐ B) Entropy

☐ C) Physical Model

☐ D) None of the above

Correct answer

☒ B) Entropy

✗ 11) What do you mean by a Prefix Code? * 0/1

☒ A) A code in which no codeword is a suffix to another code word



☐ B) A code in which no codeword is a prefix to another code word

☐ C) A code in which a codeword is a suffix to another code word

☐ D) A code in which a codeword is a prefix to another code word

Correct answer

☒ B) A code in which no codeword is a prefix to another code word



✓ 12) For an alphabet $A = \{a_1, a_2, a_3, a_4\}$, the first order entropy for $p(a_1) = p(a_2) = p(a_3) = p(a_4) = \frac{1}{4}$ is? * 1/1

- ☒ A) 2 bits
- ☐ B) 3 bits
- ☐ C) 4 bits
- ☐ D) 5 bits



✗ 13) For $a = 010$ and $b = 01011$, the dangling suffix is ? *

0/1

- ☒ A) 00
- ☐ B) 10
- ☐ C) 01
- ☐ D) 11



Correct answer

- ☒ D) 11

✓ 14) The entropy of the sequence 12323454567898910 is ? *

1/1

- ☒ A) 3.25 bits
- ☐ B) 1.25 bits
- ☐ C) 3.75 bits
- ☐ D) 2.25 bits



✗ 15) The code { $a_1 = 1$, $a_2 = 10$, $a_3 = 110$, $a_4 = 111$ } is *

0/1

- ☒ A) Uniquely decodable code
- ☐ B) Not Uniquely decodable code

✗

Correct answer

- ☒ B) Not Uniquely decodable code

✓ 16) Consider an alphabet A with source letters (a_1, a_2, a_3, a_4) with probabilities $P(a_1) = 0.5$, $P(a_2) = 0.25$, $P(a_3) = 0.125$, $P(a_4) = 0.125$, and the respective codes as $C(a_1) = 0$, $C(a_2) = 0$, $C(a_3) = 1$, $C(a_4) = 10$, the average length for the code is? *

1/1

- ☒ A) 1.125 bits/symbol
- ☐ B) 1.50 bits/symbol
- ☐ C) 2.00 bits/symbol
- ☐ D) 2.25 bits/ symbol

✓

✗ 17) Which of the following is a prefix code for a source with letters a_1, a_2, a_3, a_4 ? *

0/1

- ☒ A) { 0, 1, 00, 11 }
- ☐ B) { 0, 10, 110, 111 }
- ☐ C) { 0, 01, 011, 0111 }

✗

Correct answer

- ☒ B) { 0, 10, 110, 111 }



✓ 18) Which of the following code is not uniquely decodable? *

1/1

- ☒ A) {0, 01, 11, 111}
- ☐ B) {0, 01, 110, 111}
- ☐ C) {0, 10, 110, 111}
- ☐ D) None of the above



✓ 19) For models used in lossless compression, we use a specific type of Markov process called ? *

1/1

- ☒ A) Discrete time interval
- ☐ B) Time interval
- ☐ C) Two state process
- ☐ D) None of the above



✗ 20) DMC refers to? *

0/1

- ☒ A) Digital Markov Compression
- ☐ B) Digital Main Compression
- ☐ C) Dynamic Markov Compression
- ☐ D) Dynamic Main Compression



Correct answer

- ☒ C) Dynamic Markov Compression



✓ 21) ASCII pressures the prefix property because every code word has different length (7 bits in standard ASCII of bits in External ASCII). *

1/1

- ☒ A) True
- ☐ B) False



✓ 22) Which model is based on understanding of the process generating the data? *

1/1

- ☒ A) Markov Model
- ☐ B) Probability Model
- ☐ C) Physical Model
- ☐ D) Composite Source Model



✗ 23) Which Coding scheme is used for image or audio data compression where the loss of this precision can be tolerated? *

0/1

- ☒ A) Run Length
- ☐ B) Huffman
- ☐ C) JPEG
- ☐ D) Lempelziv



Correct answer

- ☒ C) JPEG



✓ 24) The number of bits/ symbol is called the ? *

1/1

- ☒ A) Rate of the code
- ☐ B) Length of the code
- ☐ C) Entropy of the code
- ☐ D) None of the above



✗ 25) Choose the correct answer from the following: For a Huffman tree with a root node, *

0/1

- ☒ A) Left branch corresponds to 1 and right branch corresponds to 0
- ☐ B) Left branch corresponds to 10 and right branch corresponds to 01
- ☐ C) Left branch corresponds to 0 and right branch corresponds to 1
- ☐ D) Left branch corresponds to 01 and right branch corresponds to 10



Correct answer

- ☒ C) Left branch corresponds to 0 and right branch corresponds to 1

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms

