

Multiple Choice

1. **Answer:** A

Options: A) More frequent for men than women; B) Illegal in most countries; C) Most common among those who have never been married before; D) Typically more successful; E) Always unsuccessful

Note: Remarriages are more frequent for men than women due to societal norms and expectations that often encourage men to remarry quickly after divorce or loss of a spouse, while women may face greater social and economic barriers that can delay or reduce the likelihood of remarriage.

2. **Answer:** D

Options: A) The point of clearest vision moving randomly from the eye; B) The decline in vision with advanced age; C) The loss of taste as one grows older; D) The point of clearest vision moving farther from the eye; E) The increase in hearing sensitivity as one grows older

Note: Presbyopia is a condition associated with aging where the lens of the eye loses its elasticity, leading to a decreased ability to focus on close objects and consequently causing the point of clearest vision to shift farther away.

3. **Answer:** A

Options: A) Sibling; B) Home; C) Personal possession; D) Spouse; E) Pet

Note: The loss of a sibling is often considered the most severe emotional loss in the U.S. because siblings share a unique bond and lifelong history, leading to profound feelings of guilt and grief when one passes away.

4. **Answer:** A

Options: A) If the incidence rate of the disease falls.; B) If effective treatment for the disease becomes widely available.; C) If vaccination against the disease becomes more common.; D) If the disease mutates to a less harmful form.; E) If the population's overall health improves.

Note: If the incidence rate of the disease falls while the number of existing cases remains the same, the prevalence will increase because prevalence is calculated as the total number of cases (existing plus new) in a population at a given time, and a lower incidence means fewer new cases are added to the population.

5. **Answer:** B

Options: A) structural and psychological; anatomical and social; B) structural and anatomical; psychological and social; C) social and structural; anatomical and psychological; D) psychological and social; structural and anatomical; E) psychological and anatomical; structural and social

Note: This answer is correct because structural and anatomical differences, such as

genetic and biological traits, are primarily determined by nature, while psychological and social differences, including behavior and personality, are largely shaped by environmental factors and individual experiences.

True / False

6. **Answer:** False

Options: A) True; B) False

Note: Research has not definitively established a causal link between excessive screen time in childhood and cognitive decline in later years, as various factors influencing cognitive development and decline are complex and multifaceted.

7. **Answer:** False

Options: A) True; B) False

Note: A₁₄-16 gauge needle is too large for subcutaneous insulin administration, as insulin is typically delivered using much finer needles, usually ranging from 28 to 31 gauge, to ensure precise dosage and minimize pain.

8. **Answer:** True

Options: A) True; B) False

Note: Carpal tunnel syndrome can develop in individuals with rheumatoid arthritis due to inflammation and swelling in the wrist that compresses the median nerve, a common complication associated with this autoimmune condition.

9. **Answer:** True

Options: A) True; B) False

Note: Using a syringe to remove a blood clot from a catheter can effectively restore its function because the suction created by the syringe can dislodge and extract the clot, allowing for the reestablishment of blood flow through the catheter.

10. **Answer:** False

Options: A) True; B) False

Note: Insulin is primarily a hormone that regulates blood sugar levels and is not commonly associated with dry mouth; instead, dry mouth in diabetic patients is more often related to dehydration or medication side effects rather than insulin itself.

Long Form Response

11. **Answer:** The energy expenditure of various organs in the human body varies significantly, with the brain and liver being among the highest consumers of energy relative to their mass. In contrast, skeletal muscle exhibits the lowest energy expenditure per unit of body mass, primarily due to its function and metabolic characteristics. While skeletal muscle is a metabolically active tissue, its energy demands are lower in a resting state compared to the brain, which is constantly engaged in neural processes, or the liver, which plays a critical role in metabolic regulation. Additionally, skeletal muscle's

reliance on anaerobic metabolism during short bursts of activity rather than continuous energy consumption further contributes to its lower overall energy expenditure. This dynamic allows skeletal muscle to efficiently conserve energy while still being able to perform during physical exertion.

Note: correct because it accurately contrasts the energy expenditure of skeletal muscle with that of higher-energy-consuming organs like the brain and liver, emphasizing that skeletal muscle's lower energy demands in a resting state contribute to its lower energy expenditure per unit of body mass.

12. **Answer:** The Stability model of social support emphasizes the importance of consistent, reliable social networks in fostering long-term relationships and promoting positive health outcomes. By maintaining stable support systems, individuals are better equipped to navigate stressors and emotional challenges, which can lead to improved mental health and resilience. This model suggests that the quality and predictability of support received are critical determinants of well-being, as they contribute to a sense of security and belonging. Consequently, stable social support not only strengthens interpersonal bonds but also enhances physical health by mitigating the adverse effects of stress, ultimately leading to better overall health outcomes in individuals.

Note: The answer correctly identifies that the Stability model of social support centers on the significance of consistent social networks, which enhance long-term relationships and foster better health outcomes by providing individuals with reliable emotional and practical resources to cope with stressors.