

Multiple Choice (10 marks)

1. Of the classes of dietary fatty acids which have the most beneficial effect on plasma LDL cholesterol levels?
 - (a) n-3 and n-6 polyunsaturated fatty acids
 - (b) Saturated and trans unsaturated fatty acids
 - (c) Monounsaturated fatty acids
 - (d) Both a and c
2. These factors increase risk of osteoporotic fracture:
 - (a) High bone mineral density
 - (b) High body weight
 - (c) High lean mass
 - (d) Poor muscle strength
3. In human DNA, which nucleotide base is methylated at the 5' position?
 - (a) Adenosine
 - (b) Thymine
 - (c) Cytosine
 - (d) Guanine
4. Which of the following factors inhibits non-haem iron bioavailability the most?
 - (a) Phytic acid
 - (b) Citric acid
 - (c) Vegetable protein
 - (d) Calcium
5. Which of the following cannot be a substrate for gluconeogenesis?
 - (a) Glutamic acid
 - (b) Aspartic acid
 - (c) Palmitic acid
 - (d) Galactose

True / False (10 marks)

Answer True or False

6. True or False: Natural unsweetened orange juice contains free sugars similar to honey and agave nectar.
7. True or False: Older adults should consume a high nutrient dense diet to achieve optimal nutritional status.
8. True or False: Niacin is the primary vitamin required for fatty acid beta-oxidation in the human body.
9. True or False: The population at risk includes individuals who may experience the health outcome being studied.
10. True or False: The digestibility of plant proteins is generally lower than that of animal proteins.

Long Form Response (20 marks)

Answer each question with a clear and complete explanation.

11. Discuss the importance of body weight as an anthropometric measure in health sciences and analyze how it can be used to estimate overall body mass and assess health status.
12. Discuss the diagnostic features of Anorexia Nervosa and explain why depressive symptoms are not considered a primary characteristic of this eating disorder.

End of Paper