

Multiple Choice

1. **Answer:** C

Options: A) penis; B) scrotum; C) urethra; D) bladder

Note: Gonorrhea and chlamydia are sexually transmitted infections that primarily target the urethra in men, leading to symptoms such as painful urination and discharge.

2. **Answer:** C

Options: A) More frequent for woman than men; B) Typically more successful; C) Typically less successful; D) Most common among those who have never been married before

Note: Remarriages are typically less successful due to factors such as unresolved emotional baggage from previous relationships and the complexities of blending families, which can lead to increased stress and conflict.

3. **Answer:** A

Options: A) Brother; B) Nephew; C) Grandchild; D) Aunt

Note: The recurrence risk for schizophrenia is greatest for a brother of an affected individual due to the shared genetic and environmental factors, as first-degree relatives have a higher probability of developing the disorder compared to more distant relatives.

4. **Answer:** D

Options: A) Breast lobule; B) Lactiferous duct; C) Lactiferous sinus; D) Dartos Muscle

Note: The dartos muscle is not part of the internal structure of a female's breast, as it is a layer of smooth muscle found in the scrotum, not in breast tissue.

5. **Answer:** C

Options: A) connects the inner ear and nasopharynx.; B) is derived from the second pharyngeal pouch.; C) is opened by the action of levator veli palatini.; D) is closed by the action of tensor veli palatini.

Note: The levator veli palatini muscle plays a crucial role in opening the auditory tube during swallowing or yawning, which equalizes pressure in the middle ear, making it the correct answer.

True / False

6. **Answer:** False

Options: A) True; B) False

Note: Lymphocytes, in their mature form, retain a nucleus, which is essential for their role in the immune response, including the production of antibodies and the regulation of immune functions.

7. **Answer:** False

Options: A) True; B) False

Note: Human Chorionic Gonadotropin (hCG) is a hormone produced during pregnancy, not a steroid or a pheromone, and it is not found in underarm sweat.

8. **Answer:** True

Options: A) True; B) False

Note: Papillomaviruses primarily enter the body through micro-abrasions or breaks in the skin, allowing them to infect epithelial cells and cause conditions such as warts.

9. **Answer:** True

Options: A) True; B) False

Note: The primary goal of public health is indeed to protect the uninfected population from diseases and health threats by implementing preventive measures, promoting health education, and ensuring access to healthcare resources.

10. **Answer:** True

Options: A) True; B) False

Note: Validation therapy is based on the principle of acknowledging and honoring the feelings and experiences of individuals with dementia, thus treating them with dignity and respect.

Long Form Response

11. **Answer:** The fibula is a slender bone located on the lateral side of the lower leg, running parallel to the tibia. Although it bears less weight than the tibia, the fibula plays a crucial role in providing stability to the ankle and supporting the muscles of the lower leg. Injuries to the fibula, such as fractures, can significantly impact mobility and may require careful assessment and management. X-ray imaging is essential in diagnosing fibular injuries, as it allows for clear visualization of bone integrity and alignment, helping clinicians determine the severity of the injury and appropriate treatment options. Understanding the anatomy and significance of the fibula is vital for addressing lower leg injuries effectively and ensuring optimal recovery.

Note: correct because it accurately describes the fibula's anatomical position, its functional significance in lower leg stability and muscle support, the impact of fibular injuries on mobility, and the critical role of X-ray imaging in diagnosing such conditions.

12. **Answer:** Behavior modification in psychotherapy is grounded in principles of operant conditioning, which emphasizes the role of reinforcement and punishment in shaping behavior. Techniques such as systematic desensitization, token economies, and contingency management are employed to address problem behaviors by reinforcing desirable actions while discouraging maladaptive ones. By implementing these strategies, therapists aim to modify negative behaviors, leading to improved emotional and psychological well-being. The implications for therapeutic outcomes are significant, as successful

behavior modification can result in increased adaptive functioning, enhanced coping skills, and overall improved quality of life for clients. Ultimately, the effectiveness of these techniques relies on consistent application and tailoring to individual needs, ensuring that the modification process is both ethical and client-centered.

Note: correct because it accurately identifies operant conditioning as the foundational principle of behavior modification, outlines specific techniques used to reinforce positive behaviors and discourage negative ones, and connects these strategies to the goal of improving therapeutic outcomes.