

## Multiple Choice

1. **Answer:** A

*Options:* A) hormone replacement therapy.; B) surgical intervention.; C) psychotherapy.; D) vitamin supplements.; E) blood transfusions.

*Note:* The correct answer is hormone replacement therapy because phenylketonuria (PKU) leads to a buildup of phenylalanine in the body, which can be managed through a strict diet and, in some cases, medical treatments that effectively reduce its harmful effects and prevent cognitive impairments.

2. **Answer:** B

*Options:* A) conformity need; B) affiliation need; C) appreciation need; D) assimilation need; E) acclimatization need

*Note:* Xavier's desire to find others to socialize with reflects the affiliation need, which is a psychological motivation driven by the human desire for social connections and belongingness.

3. **Answer:** B

*Options:* A) negative reinforcement; B) continuous; C) positive reinforcement; D) extinction; E) variable interval

*Note:* Soledad follows a continuous schedule of reinforcement because she responds to every email her friend sends, ensuring that each instance of behavior is consistently reinforced.

4. **Answer:** C

*Options:* A) a sequential research design has been used.; B) a factorial research design has been used.; C) a study's independent variable is quantitative.; D) a cross-sectional research design has been used.; E) a longitudinal research design has been used.

*Note:* Trend analysis is appropriate for analyzing variance when the independent variable is quantitative because it allows researchers to detect and interpret patterns or changes in the data over continuous values.

5. **Answer:** A

*Options:* A) latent learning; B) spontaneous recovery; C) conditioned response; D) reminiscence; E) retroactive inhibition

*Note:* Latent learning refers to a type of learning that occurs without immediate reinforcement or visible changes in behavior, and it can lead to difficulties in acquiring new adaptive responses when prior knowledge interferes with the learning of new information.

## True / False

6. **Answer:** True

*Options:* A) True; B) False

*Note:* Surprise is not classified as one of the six primary facial expressions-happiness, sadness, fear, disgust, anger, and contempt-identified by psychologist Paul Ekman, which is why the statement is true.

7. **Answer:** False

*Options:* A) True; B) False

*Note:* The 'in-basket' technique is primarily used to assess candidates for managerial or administrative roles by evaluating their decision-making and organizational skills, rather than specifically targeting interpersonal skills for customer service representatives.

8. **Answer:** False

*Options:* A) True; B) False

*Note:* The statement is false because the presence of solvable problems can significantly influence an individual's locus of control by fostering a sense of agency and confidence in their ability to effect change in their circumstances.

9. **Answer:** False

*Options:* A) True; B) False

*Note:* The statement is false because the mean weight is calculated by averaging all weights in the sample, and rounding does not accurately reflect the calculated mean.

10. **Answer:** True

*Options:* A) True; B) False

*Note:* The selection ratio is defined as the proportion of positions to applicants, specifically calculated as the number of job openings divided by the total number of candidates, making the statement true.

## Long Form Response

11. **Answer:** The parietal lobe plays a crucial role in integrating sensory information and is involved in aspects of perception, attention, and spatial awareness. In the case of Phineas Gage, who suffered a traumatic brain injury when a railroad spike penetrated his skull, it was primarily the damage to his frontal lobe that led to significant changes in his personality and behavior. However, the parietal lobe's functions are indirectly relevant, as the overall disruption of brain networks can influence emotional regulation and social cognition. Gage's transformation from a responsible, socially adept individual to someone impulsive and socially inappropriate highlights the interconnectedness of brain regions and suggests that personality is not localized to a single area but rather emerges from the complex interplay of various brain functions. This case informs our understanding of how specific brain injuries can lead to profound changes in behavior, emphasizing the significance of the frontal and parietal lobes in personality and social

interaction.

*Note:* correct because it accurately identifies the role of the parietal lobe in sensory integration and acknowledges that while the frontal lobe damage in Gage's case was primary, the interconnectedness of brain regions means that the parietal lobe's functions can still influence overall behavior and personality changes following such an injury.

12. **Answer:** Assessing suicide risk is crucial in psychology, as it enables mental health professionals to identify individuals who may be in immediate danger and to provide necessary interventions. Various tools, such as structured interviews, standardized questionnaires, and clinical assessments, each play a significant role in evaluating risk factors, including mental health history, sociocultural influences, and current stressors. However, the Suicide Risk Identification Tool is often deemed ineffective because it tends to oversimplify the complexities of suicide risk, failing to capture the nuanced factors that contribute to an individual's state of mind. Additionally, its reliance on binary outcomes can lead to misinterpretation, potentially neglecting individuals who may require urgent support. Therefore, while tools for assessing suicide risk are essential, the limitations of the Suicide Risk Identification Tool highlight the need for more comprehensive and individualized approaches in suicide risk assessment.

*Note:* correct because it highlights the critical role of diverse assessment tools in identifying suicide risk factors while also arguing that the Suicide Risk Identification Tool is ineffective due to its limitations in adequately addressing the complexities of individual risk profiles.