

Multiple Choice

1. **Answer:** D

Options: A) Alertness; B) Sensation of taste; C) Hunger and thirst regulation; D) Decussation of auditory stimuli; E) Pain

Note: The reticular formation and reticular activating system primarily regulate arousal, attention, and consciousness, but they do not play a role in the decussation of auditory stimuli, which involves the pathway of sound processing in the auditory system.

2. **Answer:** A

Options: A) Blood test showing elevated levels of certain proteins; B) Electroencephalogram (EEG) showing abnormal brain activity; C) ruling out other etiologies through a comprehensive psychodiagnostics workup; D) neuropsychological testing showing the expected profile of deficits and spared functions; E) Physical examination and patient history

Note: The diagnosis of Alzheimer's disease can be most accurately verified by a blood test showing elevated levels of certain proteins because recent research has identified specific biomarkers in the blood that correlate strongly with the presence of the disease, providing a more objective and reliable diagnostic tool compared to traditional methods.

3. **Answer:** A

Options: A) be temporarily suppressed but strengthen over time; B) be eliminated; C) be strengthened; D) remain unchanged; E) increase in frequency

Note: The correct answer reflects the concept of operant conditioning, where moderate punishment can inhibit a behavior temporarily, but over time, reinforcement can lead to a resurgence and strengthening of the instrumental response due to the natural tendency to revert to learned behaviors.

4. **Answer:** D

Options: A) hormonal changes; B) innate abilities; C) genetic traits; D) environments; E) educational backgrounds

Note: The correct answer is environments because the contrasting behaviors of identical twins raised apart highlight the significant role that environmental factors play in shaping individual differences, as their genetic makeup remains constant.

5. **Answer:** B

Options: A) Recognize faces; B) move his left hand; C) Hear sounds correctly; D) understand information he reads; E) speak intelligibly

Note: The correct answer is based on the fact that the right side of the brain controls motor functions on the left side of the body, so damage to the right frontal lobe would impair Mr. Gordon's ability to move his left hand.

True / False

6. **Answer:** False

Options: A) True; B) False

Note: Learned helplessness is primarily caused by negative reinforcement and the perception of a lack of control over adverse situations, rather than positive reinforcement, which typically motivates persistence and effort.

7. **Answer:** True

Options: A) True; B) False

Note: In classical conditioning, continuous presentation of the conditioned stimulus immediately followed by the unconditioned stimulus maximizes the association between the two stimuli, leading to stronger and more effective conditioning.

8. **Answer:** True

Options: A) True; B) False

Note: Object relations therapy posits that early childhood experiences with primary caregivers significantly influence an individual's ability to form and navigate relationships throughout their life.

9. **Answer:** True

Options: A) True; B) False

Note: Parkinson's disease is a neurodegenerative disorder that affects movement and can also lead to non-motor symptoms such as depression, bradykinesia (which may manifest as rhythmic hand movements), and a flattened affect due to the loss of dopamine-producing neurons.

10. **Answer:** True

Options: A) True; B) False

Note: Reporting an ethical violation to a state professional standards board is essential for maintaining the integrity of the psychology profession and ensuring that practitioners adhere to established ethical guidelines.

Long Form Response

11. **Answer:** Incremental Theory and One-trial Theory present contrasting views on learning processes in cognitive and motor tasks. Incremental Theory is predominantly supported in cognitive tasks, where knowledge and skills are acquired gradually through practice and experience, emphasizing that intelligence and abilities can develop over time. Conversely, One-trial Theory is more applicable to motor tasks, where learning can occur effectively after a single exposure or practice session, as seen in skills like riding a bike or throwing a ball. These theories have significant implications for educational practices; educators might focus on fostering continuous learning and resilience in cognitive areas, while emphasizing immediate practice and feedback in motor skill development. Understanding these distinctions can help tailor teaching strategies to optimize learning outcomes in different domains.

Note: The answer correctly identifies that Incremental Theory emphasizes gradual skill development in cognitive tasks, while One-trial Theory highlights the effectiveness of single-exposure learning in motor tasks, reflecting their distinct implications for educational practices.

12. **Answer:** Providing education and job training to adolescents and young adults post-drug treatment exemplifies secondary intervention in psychological support by addressing the needs of individuals who are at a heightened risk of relapse or social reintegration challenges. Secondary intervention focuses on early detection and preventive measures to reduce the severity of issues that may arise after treatment. By equipping these young individuals with skills and knowledge, we not only enhance their employability but also promote self-efficacy and social integration, which are crucial for maintaining recovery. This approach can significantly decrease the likelihood of returning to substance use, ultimately fostering a more supportive environment for sustained mental health and well-being. Therefore, education and job training serve as vital components of a comprehensive strategy to mitigate the risks associated with post-treatment vulnerabilities.

Note: correct because it highlights how providing education and job training serves as a proactive measure to support adolescents and young adults in overcoming potential relapse and reintegration challenges, thereby embodying the principles of secondary intervention in psychological support.