

Multiple Choice

1. **Answer:** B

Options: A) Stabilization of blood sugar levels; B) Increased alpha and theta brain waves, lowered metabolism and heart rate; C) Heightened cortisol levels and stress response; D) Enhanced sympathetic nervous system activity; E) Decrease in blood oxygen levels

Note: The correct answer highlights that meditation is associated with physiological changes such as increased alpha and theta brain waves, which are indicative of relaxation and mental clarity, alongside a reduction in metabolism and heart rate, reflecting the body's shift to a state of calm and reduced stress response.

2. **Answer:** B

Options: A) stakeholder analysis.; B) needs analysis.; C) market research.; D) budget analysis.; E) SWOT analysis.

Note: A needs analysis is essential as it identifies the specific skills, knowledge gaps, and training requirements of employees, ensuring that the developed program effectively addresses the organization's goals and employee development needs.

3. **Answer:** A

Options: A) Dependability; B) Authenticity; C) Generality; D) Reliability; E) Stability

Note: The correct answer is "dependability" because test validity refers to the extent to which a test accurately measures what it is intended to measure, which is closely associated with the reliability and consistency of the test results, hence its dependability.

4. **Answer:** A

Options: A) Stimulant medications are typically employed to reduce anxiety; B) Antibiotics are used in the treatment of anxiety; C) Antifungal drugs are used to treat anxiety disorders; D) Anti-inflammatory drugs are the primary treatment for anxiety; E) Hormone replacement therapy is utilized for managing anxiety

Note: Stimulant medications, while primarily used to treat attention-related disorders, can paradoxically reduce anxiety symptoms in some individuals by enhancing focus and decreasing distractibility, thereby improving their overall coping mechanisms in anxiety-provoking situations.

5. **Answer:** A

Options: A) Can be permanently damaged if a person experiences a traumatic event; B) Can mainly be regulated through prescribed selective serotonin reuptake inhibitors (SSRIs); C) Only impacts physical health, not mental or emotional health; D) Is not linked to mental health disorders; E) Is fully developed and functional at birth, with no changes occurring in later life

Note: The body's stress response system, particularly the hypothalamic-pituitary-adrenal (HPA) axis, can become dysregulated and lead to long-term psychological and physiological issues if a person experiences severe trauma, highlighting the potential for permanent damage.

True / False

6. **Answer:** True

Options: A) True; B) False

Note: Narrative therapy and systemic therapy are both recognized approaches within the field of psychotherapy that aim to address and treat neuroses by exploring personal narratives and the influence of relational dynamics, respectively.

7. **Answer:** True

Options: A) True; B) False

Note: The effects of LSD, a hallucinogenic drug that alters perception and mood, are distinct from the symptoms of schizophrenia, which is a chronic mental disorder characterized by delusions, disorganized thinking, and impaired functioning, indicating that the experiences and underlying mechanisms differ significantly.

8. **Answer:** False

Options: A) True; B) False

Note: The statement is false because psychology is fundamentally concerned with understanding human behavior, thoughts, emotions, and interactions, rather than the study of inanimate objects.

9. **Answer:** True

Options: A) True; B) False

Note: Valence in expectancy theory indeed refers to the subjective value an individual places on the rewards they expect to receive from their performance, influencing their motivation and effort levels.

10. **Answer:** True

Options: A) True; B) False

Note: A score of 50 on the Beck Depression Inventory-II falls within the range that indicates moderate depression according to the standardized scoring guidelines of the assessment.

Long Form Response

11. **Answer:** A Type I error occurs when a true null hypothesis is incorrectly rejected, leading researchers to conclude that there is a significant effect or relationship when, in reality, none exists. In psychological research, this can have serious implications, such as promoting ineffective interventions or therapies based on false positives. Additionally, it can mislead future research directions and waste resources, as subsequent

studies may build upon erroneous findings. Ultimately, Type I errors undermine the credibility of psychological science and can lead to a loss of public trust in research outcomes. Thus, the consequences of rejecting a true null hypothesis extend beyond individual studies, impacting the broader field and its applications.

Note: correct because it identifies the critical nature of a Type I error in psychological research, where rejecting a true null hypothesis can lead to false conclusions, ineffective interventions, and misdirection of future studies, ultimately undermining the integrity of the field.

12. **Answer:** Chemotherapy, primarily known for its role in treating cancer, has also been explored in the context of somatic therapy for psychological conditions, particularly in cases where severe mental health symptoms are present. The effectiveness of chemotherapy in this realm is still under investigation, with some studies suggesting that certain chemotherapeutic agents may alleviate symptoms of severe depression or anxiety by affecting neurotransmitter systems. However, its integration within a holistic treatment approach must be approached with caution, as it often lacks the comprehensive support offered by psychotherapy, lifestyle changes, and other therapeutic modalities. Ultimately, while chemotherapy may contribute to symptom relief for some individuals, it should be considered as part of a broader, multi-faceted treatment strategy that prioritizes the individual's overall well-being and mental health.

Note: correct because it highlights the potential of chemotherapy to influence neurotransmitter systems and alleviate severe psychological symptoms, while also acknowledging the ongoing investigation into its effectiveness and the importance of a holistic treatment approach.