

Database changed

```
mysql> CREATE TABLE Department (  
->     dept_id INT PRIMARY KEY,  
->     dept_name VARCHAR(100)  
-> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> desc department  
-> ;
```

Field	Type	Null	Key	Default	Extra
dept_id	int	NO	PRI	NULL	
dept_name	varchar(100)	YES		NULL	

2 rows in set (0.01 sec)

```
mysql> CREATE TABLE Employee (  
->     emp_id INT PRIMARY KEY,  
->     emp_name VARCHAR(20),  
->     dept_id INT,  
->     FOREIGN KEY (dept_id) REFERENCES Department(dept_id)  
-> );
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> desc employee;
```

Field	Type	Null	Key	Default	Extra
emp_id	int	NO	PRI	NULL	
emp_name	varchar(20)	YES		NULL	
dept_id	int	YES	MUL	NULL	

3 rows in set (0.00 sec)

```
mysql> INSERT INTO Department (dept_id, dept_name) VALUES
-> (1, 'HR'),
-> (2, 'Engineering'),
-> (3, 'Marketing');
```

Query OK, 3 rows affected (0.01 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Employee (emp_id, emp_name, dept_id) VALUES
-> (101, 'Alice', 1),
-> (102, 'Bob', 2),
-> (103, 'Charlie', 2);
```

Query OK, 3 rows affected (0.01 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
mysql> select * from department;
```

dept_id	dept_name
1	HR
2	Engineering
3	Marketing

3 rows in set (0.00 sec)

```
mysql> select * from employee;
```

emp_id	emp_name	dept_id
101	Alice	1
102	Bob	2
103	Charlie	2

3 rows in set (0.00 sec)

```
mysql> select * from department;
```

dept_id	dept_name
1	HR
2	Engineering
3	Marketing

3 rows in set (0.00 sec)

```
mysql> select * from employee;
```

emp_id	emp_name	dept_id
101	Alice	1
102	Bob	2
103	Charlie	2

3 rows in set (0.00 sec)

```
mysql> insert into employee values(104,'jaya',4);
```

ERROR 1452 (23000): Cannot add or update a child row: a foreign key constraint fails ('studentdb'. 'employee', CONSTRAINT 'employee_ibfk_1' FOREIGN KEY ('dept_id') REFERENCES 'department' ('dept_id'))

```
mysql> INSERT INTO department VALUES (4, 'Sales');  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO employee VALUES (104, 'Jaya', 4);  
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM department;
```

dept_id	dept_name
1	HR
2	Engineering
3	Marketing
4	Sales

```
4 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM employee;
```

emp_id	emp_name	dept_id
101	Alice	1
102	Bob	2
103	Charlie	2
104	Jaya	4

```
4 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE student5
-> (
-> ID int NOT NULL,
-> NAME varchar(10) NOT NULL,
-> AGE int NOT NULL , CHECK (AGE >= 18)
-> );
Query OK, 0 rows affected (0.02 sec)

mysql> insert into students5 values(10001,'Ramesh',20);
ERROR 1146 (42S02): Table 'studentdb.students5' doesn't exist
mysql> INSERT INTO student5 VALUES (10001, 'Ramesh', 20);
Query OK, 1 row affected (0.01 sec)

mysql> insert into student5 values(10002,'Prakash',35);
Query OK, 1 row affected (0.01 sec)

mysql> insert into student5 values(10003,'Guru',17);
ERROR 3819 (HY000): Check constraint 'student5_chk_1' is violated.
mysql> |
```

