

# **Output Screenshots**


\_\_\_\_\_



### Add user 1




Add user2




### Add user3

```
mysql> select * from users;
  id |
                email
                                                                user name
                                        I name
                priya@gmail.com
                                          Priya Sharma
                                                                priya
    2
          23
                riya@gmail.com
                                          Riya Verma
                                                                riya
   3 İ
                                          Santhosh Sharma
          45 | santhosh@gmail.com |
                                                                santhosh
3 rows in set (0.00 sec)
mysql> use walletDatabase;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> select * from wallets;
  id | balance | user_name
                   | priya
    2
            1000
            1000 | santhosh
   3
3 rows in set (0.00 sec)
mysql> use transactionsDatabase;
ERROR 1049 (42000): Unknown database 'transactionsdatabase'
mysql> use transactionDatabase;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> select * from transactions;
ERROR 1146 (42S02): Table 'transactiondatabase.transactions' doesn't exist
mysql> show tables;
| Tables_in_transactiondatabase |
  transaction
1 row in set (0.00 sec)
mysql> select * from transaction;
| id | amount | from_user | status | to_user | transaction_id
                                                                                                         | transaction_time
            200 | priya
                                         1 | santhosh | 4548f3d2-d4dc-469d-a480-86e3702678d5 | Fri Jan 13 15:12:09 IST 2023 |
1 row in set (0.00 sec)
```

Users added, wallets created



# Credit transaction



Debit transaction

```
Database changed
[mysql> select * from wallets;
| id | balance | user name
                | priya
           1000
   3 i
          1000 | santhosh
3 rows in set (0.00 sec)
[mysql> use transactionsDatabase;
ERROR 1049 (42000): Unknown database 'transactionsdatabase'
[mysql> use transactionDatabase;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
Imysql> select * from transactions;
ERROR 1146 (42S02): Table 'transactiondatabase.transactions' doesn't exist
[mysql> show tables;
  Tables_in_transactiondatabase |
| transaction
1 row in set (0.00 sec)
[mysql> select * from transaction;
| id | amount | from_user | status | to_user | transaction_id
                                                                                         | transaction_time
   1 |
          200 | priya
                                  1 | santhosh | 4548f3d2-d4dc-469d-a480-86e3702678d5 | Fri Jan 13 15:12:09 IST 2023 |
1 row in set (0.00 sec)
[mysql> select * from wallets;
ERROR 1146 (42S02): Table 'transactiondatabase.wallets' doesn't exist
[mysql> use walletDatabase;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
[mysql> select * from wallets;
| id | balance | user_name
   1
           800 I
                 priya
          1000 | riva
   3 |
          1200 | santhosh
3 rows in set (0.01 sec)
```

Debit transaction -> user doing transactions to other accounts

# Database changed

[mysql> select \* from wallets;

1   800   priya       2   1000   riya	id	balance	   user_name
3   1200   30111110311		1000	

3 rows in set (0.01 sec)

[mysql> use transactionDatabase;

Reading table information for completion of table and column names You can turn off this feature to get a quicker startup with -A

Database changed [mysql> select \* from transaction;

id	amount	from_user	status	to_user	transaction_id	transaction_time
1 2		priya riya			4548f3d2-d4dc-469d-a480-86e3702678d5   bfb683b6-b660-4492-881b-b70ea87a5558	

2 rows in set (0.01 sec)


[mysql> use walletDatabase; Reading table information for completion of table and column names  $\,$ You can turn off this feature to get a quicker startup with -A

Database changed [mysql> select \* from wallets;


id	balance	   user_name
1 1 2 1	1300	priya     riya     santhosh

3 rows in set (0.00 sec)

Credit transaction -> user adding in his/her account



# Get user details by username



Get user details by username