

EXPERIMENT – 12

Query with VIEW and INDEX

VIEW & INDEX:

```
mysql> CREATE VIEW StudentDept AS
-> SELECT s.roll_no, s.name, s.marks, d.dept_name
-> FROM Student s JOIN Department d ON s.dept_id = d.dept_id;
Query OK, 0 rows affected (0.01 sec)

mysql> SELECT * FROM StudentDept;
+-----+-----+-----+-----+
| roll_no | name  | marks | dept_name |
+-----+-----+-----+-----+
| 101     | Arun  | 90     | Computer Science |
| 102     | Bala  | 77     | Computer Science |
| 103     | Charu | 91     | Electronics      |
| 104     | Divya | 66     | Electronics      |
| 105     | Esther| 78     | Mechanical       |
| 106     | Farook| 55     | Mechanical       |
| 107     | Gowri | 88     | Civil            |
| 108     | Harish| 60     | Civil            |
+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> CREATE INDEX idx_marks ON Student(marks);
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> SHOW INDEX FROM Student;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| Table | Non_unique | Key_name | Seq_in_index | Column_name | Collation | Cardinality | Sub_part | Packed | Null | Index_type | Comment | Index_comment |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| student | YES | NULL | 0 | PRIMARY | 1 | roll_no | A | 8 | NULL | NULL | YES | BTREE |
| student | YES | NULL | 0 | email | 1 | email | A | 8 | NULL | NULL | YES | BTREE |
| student | YES | NULL | 1 | dept_id | 1 | dept_id | A | 4 | NULL | NULL | YES | BTREE |
| student | YES | NULL | 1 | idx_marks | 1 | marks | A | 8 | NULL | NULL | YES | BTREE |
```