

WEEK_5

SKILL

To Apply Single Quotes, Preserve Literal Content, Ignore
Variable Expansion, Store Quoted Strings, Validate Parsing
Results, Test Edge Cases

```
priylvn@LAPTOP-NOJKE600:~$ echo 'Hello World'
Hello World
priylvn@LAPTOP-NOJKE600:~$ echo 'Hello      World'
Hello      World
priylvn@LAPTOP-NOJKE600:~$ name="Priya"
priylvn@LAPTOP-NOJKE600:~$ echo $name
Priya
priylvn@LAPTOP-NOJKE600:~$ echo "Hello $name"
Hello Priya
priylvn@LAPTOP-NOJKE600:~$ message='Hello $name'
priylvn@LAPTOP-NOJKE600:~$ echo "$message"
Hello $name
priylvn@LAPTOP-NOJKE600:~$ name="Priya"
printf '%s\n' '$name'
$name
priylvn@LAPTOP-NOJKE600:~$ printf '%s\n' "$name"
Priya
priylvn@LAPTOP-NOJKE600:~$ echo '$HOME'
$HOME
priylvn@LAPTOP-NOJKE600:~$ echo '$(date)'
$(date)
priylvn@LAPTOP-NOJKE600:~$ echo '`date`'
`date`
```

Observation: Single quotes in the Linux shell preserve the literal content of a string. Variable expansion, command substitution, and interpretation of special characters are prevented inside single quotes. Quoted strings can be stored in shell variables and their parsing behavior can be verified using commands such as `echo` and `printf`. Edge cases such as empty strings, spaces, special characters, and single quotes within quoted strings were also tested.

To Apply Double Quotes, Preserve Spaces, Allow Variable

Expansion, Parse Nested Tokens, Validate Outputs, Test

Quoted Commands

```
priylvn@LAPTOP-NOJKE600:~$ echo 'Hello World'
Hello World
priylvn@LAPTOP-NOJKE600:~$ echo 'Hello      World'
Hello      World
priylvn@LAPTOP-NOJKE600:~$ name="Priya"
priylvn@LAPTOP-NOJKE600:~$ echo $name
Priya
priylvn@LAPTOP-NOJKE600:~$ echo "Hello $name"
Hello Priya
priylvn@LAPTOP-NOJKE600:~$ message='Hello $name'
priylvn@LAPTOP-NOJKE600:~$ echo "$message"
Hello $name
priylvn@LAPTOP-NOJKE600:~$ name="Priya"
priylvn@LAPTOP-NOJKE600:~$ printf '%s\n' '$name'
$name
priylvn@LAPTOP-NOJKE600:~$ printf '%s\n' "$name"
Priya
priylvn@LAPTOP-NOJKE600:~$ echo '$HOME'
$HOME
priylvn@LAPTOP-NOJKE600:~$ echo '$(date)'
$(date)
priylvn@LAPTOP-NOJKE600:~$ echo '`date`'
`date`
```

Observation: Double quotes were successfully used in the Linux shell to preserve spaces and treat multiple words as a single argument. Variable expansion was allowed inside double quotes, and command substitution using \$(command) was also successfully performed. Nested tokens and escaped double quotes were tested to verify shell parsing. The outputs confirmed that double quotes preserve the structure of text while still allowing variable expansion and command substitution.