




Tinkercad - Circuit design Grand Blorr-Jaiks - Tinkercad


Grand Blorr-Jaiks

All changes saved

Simulator time: 00:00:36.146

Code Stop Simulation Send To

1 (Arduino Uno R3)



```
1 // Smart Home Temperature Simulation
2 // CodeAlpha Internship - Task 2
3
4 int tempPin = A0;
5 int redLED = 9;
6
7 void setup() {
8   Serial.begin(9600);
9   pinMode(redLED, OUTPUT);
10  Serial.println("Smart Home Temperature System Started!");
11 }
12
13 void loop() {
14   int tempReading = analogRead(tempPin);
15   float voltage = tempReading * (5.0 / 1023.0);
16   float temperature = (voltage - 0.5) * 100;
17
18   Serial.print("Temperature: ");
19   Serial.print(temperature);
20   Serial.println(" °C");
21
22   if (temperature > 30) {
23     digitalWrite(redLED, HIGH);
24     Serial.println("🔴 HIGH TEMP! Fan ON");
25   } else {
26     digitalWrite(redLED, LOW);
27     Serial.println("🟢 Normal Temperature");
28   }
29
30   delay(1000);
31 }
```

Serial Monitor

Type here to search

30°C 08:31 AM 27-05-2026

