



X12 834 Benefit Enrollment and Maintenance (X220A1)

X12 Release 5010 Revised May 3, 2024, 7:18 PM

This X12 Transaction Set contains the format and establishes the data contents of the Benefit Enrollment and Maintenance Transaction Set (834) for use within the context of an Electronic Data Interchange (EDI) environment.

This transaction set can be used to establish communication between the sponsor of the insurance product and the payer. Such transaction(s) may or may not take place through a third party administrator (TPA).

For the purpose of this standard, the sponsor is the party or entity that ultimately pays for the coverage, benefit or product. A sponsor can be an employer, union, government agency, association, or insurance agency.

The payer refers to an entity that pays claims, administers the insurance product or benefit, or both. A payer can be an insurance company, health maintenance organization (HMO), preferred provider organization (PPO), government agency (Medicare, Medicaid, Champus, etc.), or an entity that may be contracted by one of these former groups.

For the purpose of the 834 transaction set, a third party administrator (TPA) can be contracted by a sponsor to handle data gathering from those covered by the sponsor if the sponsor does not elect to perform this function itself.

Delimiters ~ Segment * Element > Component ^ Repetition

View the latest version of this implementation guide as an interactive webpage

👉 <https://portal.stedi.com/app/guides/view/hipaa/benefit-enrollment-and-maintenance-x220a1/01GRYB6D6RAWSG8ATBD6GXM13C>

POWERED BY **stedī**

Build EDI implementation guides at [stedī.com](https://portal.stedi.com)

Overview

ISA	-	Interchange Control Header	Max use 1	Required
GS	-	Functional Group Header	Max use 1	Required

Heading

ST	0100	Transaction Set Header	Max use 1	Required
BGN	0200	Beginning Segment	Max use 1	Required
REF	0300	Transaction Set Policy Number	Max use 1	Optional
DTP	0400	File Effective Date	Max use 1	Optional
QTY	0600	Transaction Set Control Totals	Max use 3	Optional

Sponsor Name Loop				
N1	0700	Sponsor Name	Max use 1	Required

Payer Loop				
N1	0700	Payer	Max use 1	Required

TPA/Broker Name Loop				
N1	0700	TPA/Broker Name	Max use 1	Required

TPA/Broker Account Information Loop				
ACT	1200	TPA/Broker Account Information	Max use 1	Required

Detail

Member Level Detail Loop				
INS	0100	Member Level Detail	Max use 1	Required
REF	0200	Subscriber Identifier	Max use 1	Required
REF	0200	Member Policy Number	Max use 1	Optional
REF	0200	Member Supplemental Identifier	Max use 13	Optional
DTP	0250	Member Level Dates	Max use 24	Optional
Member Name Loop				
NM1	0300	Member Name	Max use 1	Required
PER	0400	Member Communications Numbers	Max use 1	Optional

N3	0500	Member Residence Street Address	Max use 1	Optional
N4	0600	Member City, State, ZIP Code	Max use 1	Optional
DMG	0800	Member Demographics	Max use 1	Optional
EC	1000	Employment Class	Max use 1	Optional
ICM	1100	Member Income	Max use 1	Optional
AMT	1200	Member Policy Amounts	Max use 7	Optional
HLH	1300	Member Health Information	Max use 1	Optional
LUI	1500	Member Language	Max use 1	Optional
Incorrect Member Name Loop				
NM1	0300	Incorrect Member Name	Max use 1	Required
DMG	0800	Incorrect Member Demographics	Max use 1	Optional
Member Mailing Address Loop				
NM1	0300	Member Mailing Address	Max use 1	Required
N3	0500	Member Mail Street Address	Max use 1	Required
N4	0600	Member Mail City, State, ZIP Code	Max use 1	Required
Member Employer Loop				
NM1	0300	Member Employer	Max use 1	Required
PER	0400	Member Employer Communications Numbers	Max use 1	Optional
N3	0500	Member Employer Street Address	Max use 1	Optional
N4	0600	Member Employer City, State, ZIP Code	Max use 1	Optional
Member School Loop				
NM1	0300	Member School	Max use 1	Required
PER	0400	Member School Communications Numbers	Max use 1	Optional
N3	0500	Member School Street Address	Max use 1	Optional
N4	0600	Member School City, State, ZIP Code	Max use 1	Optional
Custodial Parent Loop				
NM1	0300	Custodial Parent	Max use 1	Required
PER	0400	Custodial Parent Communications Numbers	Max use 1	Optional

N3	0500	Custodial Parent Street Address	Max use 1	Optional
N4	0600	Custodial Parent City, State, ZIP Code	Max use 1	Optional
Responsible Person Loop				
NM1	0300	Responsible Person	Max use 1	Required
PER	0400	Responsible Person Communications Numbers	Max use 1	Optional
N3	0500	Responsible Person Street Address	Max use 1	Optional
N4	0600	Responsible Person City, State, ZIP Code	Max use 1	Optional
Drop Off Location Loop				
NM1	0300	Drop Off Location	Max use 1	Required
N3	0500	Drop Off Location Street Address	Max use 1	Optional
N4	0600	Drop Off Location City, State, ZIP Code	Max use 1	Optional
Disability Information Loop				
DSB	2000	Disability Information	Max use 1	Required
DTP	2100	Disability Eligibility Dates	Max use 2	Optional
Health Coverage Loop				
HD	2600	Health Coverage	Max use 1	Required
DTP	2700	Health Coverage Dates	Max use 6	Required
AMT	2800	Health Coverage Policy	Max use 9	Optional
REF	2900	Health Coverage Policy Number	Max use 14	Optional
REF	2900	Prior Coverage Months	Max use 1	Optional
IDC	3000	Identification Card	Max use 3	Optional
Provider Information Loop				
LX	3100	Provider Information	Max use 1	Required
NM1	3200	Provider Name	Max use 1	Required
N3	3500	Provider Address	Max use 2	Optional
N4	3600	Provider City, State, ZIP Code	Max use 1	Optional
PER	3700	Provider Communications Numbers	Max use 2	Optional
PLA	3950	Provider Change Reason	Max use 1	Optional

Coordination of Benefits Loop				
COB	4000	Coordination of Benefits	Max use 1	Required
REF	4050	Additional Coordination of Benefits Identifiers	Max use 4	Optional
DTP	4070	Coordination of Benefits Eligibility Dates	Max use 2	Optional
Coordination of Benefits Related Entity Loop				
NM1	4100	Coordination of Benefits Related Entity	Max use 1	Required
N3	4300	Coordination of Benefits Related Entity Address	Max use 1	Optional
N4	4400	Coordination of Benefits Other Insurance Company City, State, ZIP Code	Max use 1	Optional
PER	4500	Administrative Communications Contact	Max use 1	Optional
LS	6880	Loop Header	Max use 1	Optional
Member Reporting Categories Loop				
LX	6881	Member Reporting Categories	Max use 1	Required
Reporting Category Loop				
N1	6882	Reporting Category	Max use 1	Required
REF	6883	Reporting Category Reference	Max use 1	Optional
DTP	6884	Reporting Category Date	Max use 1	Optional
LE	6885	Loop Trailer	Max use 1	Optional
SE	6900	Transaction Set Trailer	Max use 1	Required
GE	-	Functional Group Trailer	Max use 1	Required
IEA	-	Interchange Control Trailer	Max use 1	Required

ISA

Max use 1Required

Interchange Control Header

To start and identify an interchange of zero or more functional groups and interchange-related control segments

Example

ISA*00*
X*XX*XXXXXXXXXXXXXXXXX*260701*1414*^*00501*00000000
0*X*X*>~

ISA-01

I01 Authorization Information Qualifier

Identifier (ID)

Required

Code identifying the type of information in the Authorization Information

00 No Authorization Information Present (No Meaningful Information in I02)

ISA-02

I02 Authorization Information

Min 10Max 10

String (AN)

Required

Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)

ISA-03

I03 Security Information Qualifier

Identifier (ID)

Required

Code identifying the type of information in the Security Information

00 No Security Information Present (No Meaningful Information in I04)

ISA-04

I04 Security Information

Min 10Max 10

String (AN)

Required

This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)

ISA-05

I05 Interchange ID Qualifier

Min 2Max 2

Identifier (ID)

Required

Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified

> Codes

ISA-06

I06 Interchange Sender ID

Min 15Max 15

String (AN)

Required

Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element

<u>ISA-07</u>	I05 Interchange ID Qualifier	Min 2	Max 2	Identifier (ID)	Required
Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified					
> Codes					
<u>ISA-08</u>	I07 Interchange Receiver ID	Min 15	Max 15	String (AN)	Required
Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them					
<u>ISA-09</u>	I08 Interchange Date	YYMMDD format		Date (DT)	Required
Date of the interchange					
<u>ISA-10</u>	I09 Interchange Time	HHMM format		Time (TM)	Required
Time of the interchange					
<u>ISA-11</u>	I65 Repetition Separator	Min 1	Max 1	String (AN)	Required
Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator					
^ Repetition Separator					
<u>ISA-12</u>	I11 Interchange Control Version Number			Identifier (ID)	Required
Code specifying the version number of the interchange control segments					
00501 Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003					
<u>ISA-13</u>	I12 Interchange Control Number	Min 9	Max 9	Numeric (NO)	Required
A control number assigned by the interchange sender					
<u>ISA-14</u>	I13 Acknowledgment Requested	Min 1	Max 1	Identifier (ID)	Required

Code indicating sender's request for an interchange acknowledgment

- 0 No Interchange Acknowledgment Requested
- 1 Interchange Acknowledgment Requested (TA1)

ISA-15

I14 Interchange Usage Indicator

Min 1Max 1

Identifier (ID)

Required

Code indicating whether data enclosed by this interchange envelope is test, production or information

- I Information
- P Production Data
- T Test Data

ISA-16

I15 Component Element Separator

Min 1Max 1

String (AN)

Required

Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator

- > Component Element Separator

GS

Max use 1

Required

Functional Group Header

To indicate the beginning of a functional group and to provide control information

Example

GS*BE*XXX*XXXXX*20260701*0841*000*X*005010X220A1~

<u>GS-01</u>	479 Functional Identifier Code				Identifier (ID)	Required
	Code identifying a group of application related transaction sets					
	BE Benefit Enrollment and Maintenance (834)					
<u>GS-02</u>	142 Application Sender's Code	Min 2	Max 15		T String (AN)	Required
	Code identifying party sending transmission; codes agreed to by trading partners					
<u>GS-03</u>	124 Application Receiver's Code	Min 2	Max 15		T String (AN)	Required
	Code identifying party receiving transmission; codes agreed to by trading partners					
<u>GS-04</u>	373 Date	CCYYMMDD format			Calendar Date (DT)	Required
	Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year					
<u>GS-05</u>	337 Time	HHMM, HHMMSS, HHMMSSD, or HHMMSSDD format			Time (TM)	Required
	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
<u>GS-06</u>	28 Group Control Number	Min 1	Max 9	#	Numeric (N0)	Required
	Assigned number originated and maintained by the sender					
<u>GS-07</u>	455 Responsible Agency Code	Min 1	Max 2		Identifier (ID)	Required
	Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480					
	T Transportation Data Coordinating Committee (TDCC)					

X Accredited Standards Committee X12

GS-08

480 Version / Release / Industry Identifier Code

T String (AN)

Required

Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

005010X220A1

Heading

ST

0100 Heading > ST

Max use 1

Required

Transaction Set Header

To indicate the start of a transaction set and to assign a control number

Example

ST*834*0001*005010X220A1~

ST-01

143 Transaction Set Identifier Code

Identifier (ID)

Required

Code uniquely identifying a Transaction Set

- The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

834 Benefit Enrollment and Maintenance

ST-02

329 Transaction Set Control Number

Min 4 Max 9 # Numeric (N)

Required

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Usage notes

- The Transaction Set Control Number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA), but can repeat in other interchanges.

ST-03

1705 Implementation Convention Reference

String (AN)

Required

Reference assigned to identify Implementation Convention

- The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

Usage notes

- This element must be populated with the guide identifier named in Section 1.2.
- This field contains the same value as GS08. Some translator products strip off the ISA and GS segments prior to application (STSE) processing. Providing the information from the GS08 at this level will ensure that the appropriate application mapping is utilized at translation time.

005010X220A1

Beginning Segment

To indicate the beginning of a transaction set

Example

BGN*15*XXXXXX*20260701*1809*03*XX**RX~

BGN-01

353 Transaction Set Purpose Code

Identifier (ID)

Required

Code identifying purpose of transaction set

- 00 Original
- If the original transaction has already been processed, an incoming transaction using this code may be rejected by the receiver. The rejection will be identified to the sender by telephone or other direct contact.

The "00" indicates the first time the transaction is sent.
- 15 Re-Submission
- Send the "15" when the original transmission was incorrect, has yet to be processed by the receiver, and a new corrected transmission is being sent. This transmission can then be pended by the receiver's translator for further review.
- 22 Information Copy
- Send the "22" when the original transmission was lost or not processed, and the sender is passing another transmission that is the same as the original.

BGN-02

127 Transaction Set Reference Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- BGN02 is the transaction set reference number.

Usage notes

- This element is the transaction set reference number assigned by the sender's application. It uniquely identifies this occurrence of the transaction for future reference.

BGN-03

373 Transaction Set Creation Date

CCYYMMDD format

Date (DT)

Required

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

- BGN03 is the transaction set date.

Usage notes

- This element identifies the date that the submitter created the file.

BGN-04**337 Transaction Set
Creation Time**

🕒 Time (TM)

Required

HHMM, HHMMSS, HHMMSSD, or HHMMSSDD format

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

- BGN04 is the transaction set time.

Usage notes

- This element is used as a time stamp to uniquely identify the transmission.

BGN-05**623 Time Zone Code**

🏠 Identifier (ID)

Optional

Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

- BGN05 is the transaction set time qualifier.

01 Equivalent to ISO P01**02** Equivalent to ISO P02**03** Equivalent to ISO P03**04** Equivalent to ISO P04**05** Equivalent to ISO P05**06** Equivalent to ISO P06**07** Equivalent to ISO P07**08** Equivalent to ISO P08**09** Equivalent to ISO P09**10** Equivalent to ISO P10**11** Equivalent to ISO P11**12** Equivalent to ISO P12**13** Equivalent to ISO M12**14** Equivalent to ISO M11**15** Equivalent to ISO M10**16** Equivalent to ISO M09**17** Equivalent to ISO M08**18** Equivalent to ISO M07**19** Equivalent to ISO M06**20** Equivalent to ISO M05**21** Equivalent to ISO M04**22** Equivalent to ISO M03**23** Equivalent to ISO M02**24** Equivalent to ISO M01**AD** Alaska Daylight Time**AS** Alaska Standard Time**AT** Alaska Time**CD** Central Daylight Time**CS** Central Standard Time**CT** Central Time**ED** Eastern Daylight Time

ES Eastern Standard Time
ET Eastern Time
GM Greenwich Mean Time
HD Hawaii-Aleutian Daylight Time
HS Hawaii-Aleutian Standard Time
HT Hawaii-Aleutian Time
LT Local Time
MD Mountain Daylight Time
MS Mountain Standard Time
MT Mountain Time
ND Newfoundland Daylight Time
NS Newfoundland Standard Time
NT Newfoundland Time
PD Pacific Daylight Time
PS Pacific Standard Time
PT Pacific Time
TD Atlantic Daylight Time
TS Atlantic Standard Time
TT Atlantic Time
UT Universal Time Coordinate

BGN-06 **127 Original Transaction Set Reference Number** Min 1 Max 50 String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

BGN-08 **306 Action Code** Identifier (ID) Required

Code indicating type of action

2 Change (Update)

- ☐ Used to identify a transaction of additions, terminations and changes to the current enrollment.

4 Verify

- ☐ Used to identify a full enrollment transaction to verify that the sponsor's and payer's systems are synchronized.

RX Replace

- ☐ Used to identify a full enrollment transmission to be used to identify additions, terminations and changes that need to be applied to the payer's enrollment system.

Transaction Set Policy Number

To specify identifying information

Usage notes

- The definition of the Master Policy Number is determined by the issuer of the policy, the Payer/Plan Administrator. The Master Policy Number may be used to meet various business needs such as indicating the line of business under which the policy is defined.
- Required when the insurance contract or trading partner agreement identifies a Master Policy Number for use with electronic enrollment. If not required may be provided at the sender's discretion if a unique ID Number for a group applies to the entire transaction set.

Example

REF*38*XX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	38 Master Policy Number		
REF-02	127 Master Policy Number	Min 1Max 50String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

File Effective Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when specified in the contract. If not required by this implementation guide, do not send.

Example

DTP*303*D8*XXXXXX~

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

- 007 Effective
- 090 Report Start
- 091 Report End
- 303 Maintenance Effective
- 382 Enrollment
- 388 Payment Commencement

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Date Time Period

Min 1 Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

Transaction Set Control Totals

To specify quantity information

Usage notes

- Required when the contract or trading partner agreement specifies that this information be included in the transaction set. If not required by this implementation guide, do not send.

Example

QTY*DT*0~

QTY-01	673 Quantity Qualifier	Identifier (ID)	Required
	Code specifying the type of quantity		
	DT Dependent Total		
	ET Employee Total		
	TO Total		

QTY-02	380 Record Totals	Min 1 Max 15 # Decimal number (R)	Required
	Numeric value of quantity		

1000A Sponsor Name Loop

Max 1 Required

- Variants (all may be used)
- Payer Loop
 - TPA/Broker Name Loop

N1

0700 Heading > Sponsor Name Loop > N1

Max use 1

Required

Sponsor Name

To identify a party by type of organization, name, and code

Usage notes

- This loop identifies the sponsor. See section 1.5 for the definition of Sponsor.

Example

N1 * P5 * XXX * 24 * XXXXXX ~

N1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

P5 Plan Sponsor

N1-02

93 Plan Sponsor Name

Min 1 Max 60 String (AN)

Optional

Free-form name

N1-03

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

- 24 Employer's Identification Number
- The identifier is the Employer Identification Number (EIN) issued by the IRS. The EIN has been adopted as the HIPAA Standard Unique Employer Identifier.
- 94 Code assigned by the organization that is the ultimate destination of the transaction set
- FI Federal Taxpayer's Identification Number

N1-04

67 Sponsor Identifier

Min 2 Max 80 String (AN)

Required

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

1000A Sponsor Name Loop end

1000B Payer Loop

Max 1

Required

Variants (all may be used)

Sponsor Name Loop

TPA/Broker Name Loop

N1

0700 Heading > Payer Loop > N1

Max use 1

Required

Payer

To identify a party by type of organization, name, and code

Usage notes

- This loop identifies the payer. See section 1.5 for the definition of payer.

Example

N1*IN*XXXXX*94*XXXX~

N1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

IN Insurer

N1-02

93 Insurer Name

Min 1 Max 60

String (AN)

Optional

Free-form name

N1-03

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

94 Code assigned by the organization that is the ultimate destination of the transaction set

FI Federal Taxpayer's Identification Number

XV Centers for Medicare and Medicaid Services PlanID

☐ Use when reporting Health Plan ID (HPID) or Other Entity Identifier (OEID).

N1-04

67 Insurer Identification Code

Min 2 Max 80

String (AN)

Required

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

1000B Payer Loop end

1000C TPA/Broker Name Loop

Max 2Optional

Variants (all may be used)

Sponsor Name Loop

Payer Loop

N10700Heading > TPA/Broker Name Loop > N1

Max use 1Required

TPA/Broker Name

To identify a party by type of organization, name, and code

Usage notes

- Required when a TPA or a Broker is involved in this enrollment. See section 1.5 for definitions. If not required by this implementation guide, do not send.

Example

N1*TV*XXXXXX*FI*XXXXXX~

N1-0198Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

- BOBroker or Sales Office
- TVThird Party Administrator (TPA)

N1-0293TPA or Broker Name

Min 1Max 60String (AN)Required

Free-form name

N1-0366Identification Code Qualifier

Identifier (ID)Required

Code designating the system/method of code structure used for Identification Code (67)

- 94Code assigned by the organization that is the ultimate destination of the transaction set
- FIFederal Taxpayer's Identification Number
- XVCenters for Medicare and Medicaid Services PlanID
- ☐ Use when reporting Health Plan ID (HPID) or Other Entity Identifier (OEID).

N1-0467TPA or Broker Identification Code

Min 2Max 80String (AN)Required

Code identifying a party or other code

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

1100C TPA/Broker Account Information Loop

Max 1 Optional

ACT

1200

Heading > TPA/Broker Name Loop > TPA/Broker Account Information Loop > ACT

Max use 1

Required

TPA/Broker Account Information

To specify account information

Usage notes

- Required when the account number of the TPA or Broker is different than the account number for the sponsor. If not required by this implementation guide, do not send.

Example

ACT*XX*****XXXXX~

ACT-01

508 TPA or Broker Account Number

Min 1

Max 35

T String (AN)

Required

Account number assigned

ACT-06

508 TPA or Broker Account Number

Min 1

Max 35

T String (AN)

Optional

Account number assigned

- ACT06 is an account associated with the account in ACT01.

1100C TPA/Broker Account Information Loop end

1000C TPA/Broker Name Loop end

Heading end

Detail

2000 Member Level Detail Loop

Max >1 Required

INS

0100 Detail > Member Level Detail Loop > INS

Max use 1 Required

Member Level Detail

To provide benefit information on insured entities

Usage notes

- Subscriber information must precede dependent information in a transmission, or the subscriber information must have been submitted to the receiver in a previous transmission.

Example

INS*Y*01*021*31*C*C>0*2*PT*N*Y*D8*X*U*****000000~

-
- If either Date Time Period Format Qualifier (INS-11) or Member Individual Death Date (INS-12) is present, then the other is required

INS-01

1073 Member Indicator

Identifier (ID)

Required

Code indicating a Yes or No condition or response

- INS01 indicates status of the insured. A "Y" value indicates the insured is a subscriber:
an "N" value indicates the insured is a dependent.

N No
Y Yes

INS-02

1069 Individual Relationship Code

Identifier (ID)

Required

Code indicating the relationship between two individuals or entities

Usage notes

- The value 18 must be used for the subscriber,;
- For dependents, this value identifies their relationship to the subscriber. For example, a daughter would be value 19.

- 01 Spouse
- 03 Father or Mother
- 04 Grandfather or Grandmother
- 05 Grandson or Granddaughter
- 06 Uncle or Aunt
- 07 Nephew or Niece
- 08 Cousin
- 09 Adopted Child
- 10 Foster Child
- 11 Son-in-law or Daughter-in-law
- 12 Brother-in-law or Sister-in-law

- 13 Mother-in-law or Father-in-law
- 14 Brother or Sister
- 15 Ward
- 16 Stepparent
- 17 Stepson or Stepdaughter
- 18 Self
- 19 Child
- 23 Sponsored Dependent
 - ☐ Dependents between the ages of 19 and 25 not attending school; age qualifications may vary depending on policy.
- 24 Dependent of a Minor Dependent
- 25 Ex-spouse
- 26 Guardian
- 31 Court Appointed Guardian
- 38 Collateral Dependent
 - ☐ Relative related by blood or marriage who resides in the home and is dependent on the insured for a major portion of their support.
- 53 Life Partner
 - ☐ This is a partner that acts like a spouse without a legal marriage commitment.
- 60 Annuitant
- D2 Trustee
- G8 Other Relationship
- G9 Other Relative

INS-03 875 Maintenance Type Code

■ Identifier (ID) Required

Code identifying the specific type of item maintenance

- 001 Change
 - ☐ Use this code to indicate a change to an existing subscriber/dependent record.
- 021 Addition
 - ☐ Use this code to add a subscriber or dependent.
- 024 Cancellation or Termination
 - ☐ Use this code for cancellation, termination, or deletion of a subscriber or dependent.
- 025 Reinstatement
 - ☐ Use this code for reinstatement of a cancelled subscriber/dependent record.
- 030 Audit or Compare
 - ☐ Use this code when sending a full file (BGN08 = 4 ' or RX') to verify that the sponsor and payer databases are synchronized. See section 1.4.5, Update, Versus Full File Audits, Versus Full File Replacements, for additional information.

INS-04 1203 Maintenance Reason Code

■ Identifier (ID) Optional

Code identifying the reason for the maintenance change

- 01 Divorce
- 02 Birth
- 03 Death
- 04 Retirement

- 05** Adoption
- 06** Strike
- 07** Termination of Benefits
- 08** Termination of Employment
- 09** Consolidation Omnibus Budget Reconciliation Act (COBRA)
- 10** Consolidation Omnibus Budget Reconciliation Act (COBRA) Premium Paid
- 11** Surviving Spouse
- 14** Voluntary Withdrawal
- 15** Primary Care Provider (PCP) Change
- 16** Quit
- 17** Fired
- 18** Suspended
- 20** Active
- 21** Disability
- 22** Plan Change
 - ☐ Use this code when a member changes from one Plan to a different Plan. This is not intended to identify changes to a Plan.
- 25** Change in Identifying Data Elements
 - ☐ Use this code when a change has been made to the primary elements that identify a member. Such primary elements include the following: first name, last name, Social Security Number, date of birth, and employee identification number.
- 26** Declined Coverage
 - ☐ Use this code when a member declined a previously active coverage.
- 27** Pre-Enrollment
 - ☐ Use this code to enroll newborns prior to receiving the newborn's application.
- 28** Initial Enrollment
 - ☐ Use this code the first time the member selected coverage with the Plan Sponsor.
- 29** Benefit Selection
 - ☐ Use this code when a member changes benefits within a Plan.
- 31** Legal Separation
- 32** Marriage
- 33** Personnel Data
 - ☐ Use this code for any data change that is not included in any of the other allowed codes. An example would be change in Coordination of Benefits information.
- 37** Leave of Absence with Benefits
- 38** Leave of Absence without Benefits
- 39** Lay Off with Benefits
- 40** Lay Off without Benefits
- 41** Re-enrollment
- 43** Change of Location
 - ☐ Use this code to indicate a change of address.
- 59** Non Payment
- AA** Dissatisfaction with Office Staff
- AB** Dissatisfaction with Medical Care/Services Rendered
- AC** Inconvenient Office Location
- AD** Dissatisfaction with Office Hours
- AE** Unable to Schedule Appointments in a Timely Manner
- AF** Dissatisfaction with Physician's Referral Policy
- AG** Less Respect and Attention Time Given than to Other Patients
- AH** Patient Moved to a New Location

AI No Reason Given**AJ** Appointment Times not Met in a Timely Manner**AL** Algorithm Assigned Benefit Selection**EC** Member Benefit Selection

- ☐ Use this code for initial and subsequent enrollment when an insurance carrier needs to recognize that a member made an explicit plan choice.

XN Notification Only

- ☐ Use this code in complete enrollment transmissions. This is used when INS03 is equal to 030 (Audit/Compare).

XT Transfer

- ☐ Use this code when a member has an organizational change (i.e. a location change within the organization) with no change in benefits or plan.

INS-05**1216 Benefit Status Code**

■ Identifier (ID)

Required

The type of coverage under which benefits are paid

A Active**C** Consolidated Omnibus Budget Reconciliation Act (COBRA)**S** Surviving Insured**T** Tax Equity and Fiscal Responsibility Act (TEFRA)INS-06**C052 Medicare Status Code**

To provide Medicare coverage and associated reason for Medicare eligibility

Max use 1

Optional

Usage notes

Required if a member is being enrolled or disenrolled in Medicare, is currently in Medicare or has terminated or changed their Medicare enrollment. If not required by this implementation guide, do not send.

C052-01**1218 Medicare Plan Code**

■ Identifier (ID)

Required

Code identifying the Medicare Plan

A Medicare Part A**B** Medicare Part B**C** Medicare Part A and B**D** Medicare**E** No MedicareC052-02**1701 Medicare Eligibility Reason Code**

■ Identifier (ID)

Optional

Code specifying reason for eligibility

0 Age**1** Disability**2** End Stage Renal Disease (ESRD)

INS-07

1219 Consolidated Omnibus Budget Reconciliation Act (COBRA) Qualifying Event Code

Optional

■ Identifier (ID)

A Qualifying Event is any of the following which results in loss of coverage for a Qualified Beneficiary

- 1 Termination of Employment
- 2 Reduction of work hours
- 3 Medicare
- 4 Death
- 5 Divorce
- 6 Separation
- 7 Ineligible Child
- 8 Bankruptcy of Retiree's Former Employer (26 U.S.C. 4980B(f)(3)(F))
- 9 Layoff
- 10 Leave of Absence
- ZZ Mutually Defined

INS-08

584 Employment Status Code

■ Identifier (ID)

Optional

Code showing the general employment status of an employee/claimant

Usage notes

- If this insurance enrollment is through a non-employment based program such as Medicare or Medicaid then this data element will contain the status of the subscriber in that program, rather than their employment status. Codes for non-employment based programs will be limited to "AC", Active and "TE", Terminated.

- AC Active
- AO Active Military - Overseas
- AU Active Military - USA
- FT Full-time
 - ☐ Full time active employee
- L1 Leave of Absence
- PT Part-time
 - ☐ Part time Active Employee
- RT Retired
- TE Terminated

INS-09

1220 Student Status Code

■ Identifier (ID)

Optional

Code indicating the student status of the patient if 19 years of age or older, not handicapped and not the insured

- F Full-time
- N Not a Student
- P Part-time

INS-10

1073 Handicap Indicator

■ Identifier (ID)

Optional

Code indicating a Yes or No condition or response

- INS10 is the handicapped status indicator. A "Y" value indicates an individual is handicapped; an "N" value indicates an individual is not handicapped.

N No

Y Yes

INS-11

1250 Date Time Period Format Qualifier

Identifier (ID)

Optional

Code indicating the date format, time format, or date and time format

D8 Date Expressed in Format CCYYMMDD

INS-12

1251 Member Individual Death Date

Min 1Max 35String (AN)

Optional

Expression of a date, a time, or range of dates, times or dates and times

- INS12 is the date of death.

INS-13

1165 Confidentiality Code

Identifier (ID)

Optional

Code indicating the access to insured information

R Restricted Access

U Unrestricted Access

INS-17

1470 Birth Sequence Number

Min 1Max 9# Numeric (N0)

Optional

A generic number

- INS17 is the number assigned to each family member born with the same birth date. This number identifies birth sequence for multiple births allowing proper tracking and response of benefits for each dependent (i.e., twins, triplets, etc.).

Subscriber Identifier

To specify identifying information

Usage notes

- This segment must contain a unique SUBSCRIBER identification number (SSN or other). This occurrence is identified by the OF qualifier (REF01). This identifier is used for linking the subscriber with dependents as required under many policies.
- The developers recommend using the identifier developed under the HIPAA legislation, when that becomes available.

Example

REF*0F*XXXX~

Variants (all may be used)

REF Member Policy Number

REF Member Supplemental Identifier

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0F Subscriber Number

- ☐
- The assignment of the Subscriber Number is designated within the Insurance Contract.

REF-02

127 Subscriber Identifier

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Member Policy Number

To specify identifying information

Usage notes

- The policy number passed in this segment is an attribute of the contract relationship between the plan sponsor (sender) and the payer (receiver) and not an attribute of an individual's participation in any coverage passed in an HD loop.
- Required when the policy or group number applies to all coverage data (all 2300 loops for this member). If not required by this implementation guide, do not send.

Example

REF*1L*XXXX~

Variants (all may be used)

REF Subscriber Identifier

REF Member Supplemental Identifier

REF-01128Reference Identification QualifierIdentifier (ID)Required

Code qualifying the Reference Identification

1L Group or Policy Number

- ☒ The submitter sends the payer's pre-assigned Group or Policy Number.

REF-02127Member Group or Policy NumberMin 1Max 50String (AN)Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Member Supplemental Identifier

To specify identifying information

Usage notes

- Required when sending additional identifying information on the member. If not required by this implementation guide, do not send.

Example

REF*P5*XXXXX~

Variants (all may be used)

REF Subscriber Identifier

REF Member Policy Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 3H Case Number
- 4A Personal Identification Number (PIN)
☐ Use this code to transmit a password that is associated with the member's record.
- 60 Cross Reference Number
☐ Used when further identification of a member is required for reporting, indexing, or other purpose as mutually agreed upon between the sender and receiver of the transaction set.
- 17 Client Reporting Category
☐ Used when further identification of a member is required under the insurance contract between the sponsor and the payer and allowed by federal and state regulations.
- 23 Client Number
☐ To be used to pass a payer specific identifier for a member. Not to be used after the HIPAA standard National Identifier for Individuals is implemented.
- ABB Personal ID Number
- D3 National Council for Prescription Drug Programs Pharmacy Number
- DX Department/Agency Number
☐ Use when members in a coverage group are set up as different departments or divisions under the terms of the insurance policy.
- F6 Health Insurance Claim (HIC) Number
☐ Use when reporting Medicare eligibility for a member until the National Identifier is mandated for use.
- P5 Position Code
☐ Use this code to transmit the title of the member's employment position.
- Q4 Prior Identifier Number
☐ Use to pass the Identifier Number under which the member had previous coverage with the payer. This could be the result of a change in employment or coverage that resulted in a new ID number being assigned but left the member covered by the same payer.
- QQ Unit Number

- ❑ Use when members in a coverage group are set up as different units under the terms of the insurance policy. Units may exist within another grouping such as division or department.

ZZ Mutually Defined

REF-02

127 Member Supplemental Identifier

Min 1 Max 50 **T** String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

DTP

0250 Detail > Member Level Detail Loop > DTP

Max use 24

Optional

Member Level Dates

To specify any or all of a date, a time, or a time period

Usage notes

- Required when enrolling a member or when the sponsor is informed of a change to any applicable date listed in DTP01. Only those dates that apply to the particular insurance contract need to be sent. If not required by this implementation guide, do not send.
- While many of the dates listed for DTP01 are related to termination, the only code that is used to actually terminate a Member is 357 (Eligibility End). Similarly, the Eligibility Begin Date (code 356) is the date the individual is eligible for coverage, not the date coverage is effective.

Example

DTP*337*D8*XXXXX~

DTP-01 374 Date Time Qualifier

 Identifier (ID)

Required

Code specifying type of date or time, or both date and time

050 Received

- ☐ Used to identify the date an enrollment application is received.

286 Retirement

296 Initial Disability Period Return To Work

297 Initial Disability Period Last Day Worked

300 Enrollment Signature Date

301 Consolidated Omnibus Budget Reconciliation Act (COBRA) Qualifying Event

303 Maintenance Effective

- ☐ This code is used to send the effective date of a change to an existing member's information, excluding changes made in Loop 2300.

336 Employment Begin

337 Employment End

338 Medicare Begin

339 Medicare End

340 Consolidated Omnibus Budget Reconciliation Act (COBRA) Begin

341 Consolidated Omnibus Budget Reconciliation Act (COBRA) End

350 Education Begin

- ☐ This is the start date for the student at the current educational institution.

351 Education End

- ☐ This is the expected graduation date the student at the current educational institution.

356 Eligibility Begin

- ☐ The date when a member could elect to enroll or begin benefits in any health care plan through the employer. This is not the actual begin date of coverage, which is conveyed in the DTP segment at position 2700.

357 Eligibility End

- ☐ The eligibility end date represents the last date of coverage for which claims will be paid for the individual being terminated. For example, if a date of 02/28/2001 is passed then claims for this individual will be paid through 11:59 p.m. on 02/28/2001.

- 383 Adjusted Hire
- 385 Credited Service Begin

☐ The start date from which an employee's length of service, as defined in the plan document, will be calculated.
- 386 Credited Service End

☐ The end date to be used in the calculation of an employee's length of service, as defined in the plan document.
- 393 Plan Participation Suspension
- 394 Rehire
- 473 Medicaid Begin
- 474 Medicaid End

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Status Information Effective Date

Min 1Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

2100A Member Name Loop

Max 1 Required

- Variants (all may be used)
- Incorrect Member Name Loop
 - Member Mailing Address Loop
 - Member Employer Loop
 - Member School Loop
 - Custodial Parent Loop
 - Responsible Person Loop
 - Drop Off Location Loop

NM1

0300 Detail > Member Level Detail Loop > Member Name Loop > NM1

Max use 1

Required

Member Name

To supply the full name of an individual or organizational entity

Example

NM1*74*1*XX*XX*XXX*XXX*XXXXX*34*XXX~

■ If either Identification Code Qualifier (NM1-08) or Member Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

Usage notes

- This code identifies if this is a correction to a previous enrollment or if it is a new, or update, enrollment transaction.

74 Corrected Insured

- ☐ Use this code if this transmission is correcting the identifier information on a member already enrolled. Usage of this code requires the sending of an NM1 with code '70' in loop 2100B.

IL Insured or Subscriber

- ☐ Use this code for enrolling a new member or updating a member with no change in identifying information. The identifying information for a member is specified under the insurance contract between the sponsor and payer.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Member Last Name

Min 1 Max 60 String (AN)

Required

Individual last name or organizational name

NM1-04 **1036 Member First Name** Min 1 Max 35  String (AN) **Optional**

Individual first name

NM1-05 **1037 Member Middle Name** Min 1 Max 25  String (AN) **Optional**

Individual middle name or initial

NM1-06 **1038 Member Name Prefix** Min 1 Max 10  String (AN) **Optional**

Prefix to individual name

NM1-07 **1039 Member Name Suffix** Min 1 Max 10  String (AN) **Optional**

Suffix to individual name

NM1-08 **66 Identification Code Qualifier**  Identifier (ID) **Optional**

Code designating the system/method of code structure used for Identification Code (67)

34 Social Security Number

- ☐ The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.

ZZ Mutually Defined

- ☐ Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.

NM1-09 **67 Member Identifier** Min 2 Max 80  String (AN) **Optional**

Code identifying a party or other code

Member Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when enrolling subscribers, dependents with different contact information, or when changing a member's contact information and the information is provided to the sponsor for the member. If not required by this implementation guide, do not send.

Example

PER*IP**CP*XXXXXX*EX*XXXX*BN*XXXXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01

366 Contact Function Code

■ Identifier (ID)

Required

Code identifying the major duty or responsibility of the person or group named

IP Insured Party

PER-03

365 Communication Number Qualifier

■ Identifier (ID)

Required

Code identifying the type of communication number

AP Alternate Telephone

BN Beeper Number

CP Cellular Phone

EM Electronic Mail

EX Telephone Extension

FX Facsimile

HP Home Phone Number

TE Telephone

WP Work Phone Number

PER-04

364 Communication Number

Min 1 Max 256

■ String (AN)

Required

Complete communications number including country or area code when applicable

PER-05

365 Communication Number Qualifier

■ Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-06

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365 Communication Number Qualifier

 Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-08

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

Member Residence Street Address

To specify the location of the named party

Usage notes

- Required when enrolling subscribers, dependents with different address information, or when changing a member's address. If not required by this implementation guide, do not send.

Example

N3*XXXXXX*XXX~

N3-01	166 Member Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Member Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Member City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when enrolling subscribers, dependents with different address information, or when changing a member's address. If not required by this implementation guide, do not send.

Example

N4*XXXXXXXX*XX*XXXXXXXX*XX*CY*XX~

- Only one of Member State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Location Identifier (N4-06) is present, then Location Qualifier (N4-05) is required
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Member City Name

Min 2 Max 30

T String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Member State Code

Min 2 Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Member Postal Zone or Zip Code

Min 3 Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2 Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-05

309 Location Qualifier

Identifier (ID)

Optional

Code identifying type of location

60 Area
CY County/Parish

N4-06

310 Location Identifier

Min 1Max 30

 String (AN)

Optional

Code which identifies a specific location

N4-07

1715 Country Subdivision Code

Min 1Max 3

 Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

Member Demographics

To supply demographic information

Usage notes

- Required when enrolling a new member, changing a member's demographic information, or terminating a member. If not required by this implementation guide, do not send.

Example

DMG*D8*XX*F*R*J>RET>X*7****REC*XX~

- If either Code List Qualifier Code (DMG-10) or Race or Ethnicity Collection Code (DMG-11) is present, then the other is required
- If Race or Ethnicity Collection Code (DMG-11) is present, then Composite Race or Ethnicity Information (DMG-05) is required

DMG-01

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

D8 Date Expressed in Format CCYYMMDD

DMG-02

1251 Member Birth Date

Min 1 Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

- DMG02 is the date of birth.

DMG-03

1068 Gender Code

Identifier (ID)

Required

Code indicating the sex of the individual

F Female

M Male

U Unknown

- ☐ This code is to be used only when the gender is unknown or when it can not be sent due to reporting restrictions.

DMG-04

1067 Marital Status Code

Identifier (ID)

Optional

Code defining the marital status of a person

B Registered Domestic Partner

D Divorced

I Single

M Married

R Unreported

- S Separated
- U Unmarried (Single or Divorced or Widowed)

☐ This code should be used if the previous status is unknown.
- W Widowed
- X Legally Separated

DMG-05

C056 Composite Race or Ethnicity Information

To send general and detailed information on race or ethnicity

Max use 10

Optional

Usage notes

Required when such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. If not required by this implementation guide, do not send.

- ☒ If either Code List Qualifier Code (C056-02) or Race or Ethnicity Code (C056-03) is present, then the other is required

C056-01

1109 Race or Ethnicity Code

Identifier (ID)

Optional

Code indicating the racial or ethnic background of a person; it is normally self-reported; Under certain circumstances this information is collected for United States Government statistical purposes

- 7 Not Provided
- 8 Not Applicable
- A Asian or Pacific Islander
- B Black
- C Caucasian
- D Subcontinent Asian American
- E Other Race or Ethnicity
- F Asian Pacific American
- G Native American
- H Hispanic
- I American Indian or Alaskan Native
- J Native Hawaiian
- N Black (Non-Hispanic)
- O White (Non-Hispanic)
- P Pacific Islander
- Z Mutually Defined

C056-02

1270 Code List Qualifier Code

Identifier (ID)

Optional

Code identifying a specific industry code list

- C056-02 and C056-03 are used to specify detailed information about race or ethnicity.

RET Classification of Race or Ethnicity

C056-03

1271 Race or Ethnicity Code

Min 1Max 30

String (AN)

Optional

Code indicating a code from a specific industry code list

Usage notes

- CODE SOURCE 859: Classification of Race or Ethnicity

DMG-06

1066 Citizenship Status Code

Identifier (ID)

Optional

Code indicating citizenship status

- 1 U.S. Citizen
- 2 Non-Resident Alien
- 3 Resident Alien
- 4 Illegal Alien
- 5 Alien
- 6 U.S. Citizen - Non-Resident
- 7 U.S. Citizen - Resident

DMG-10

1270 Code List Qualifier Code

Identifier (ID)

Optional

Code identifying a specific industry code list

REC Race or Ethnicity Collection Code

DMG-11

1271 Race or Ethnicity Collection Code

Min 1Max 30

String (AN)

Optional

Code indicating a code from a specific industry code list

- DMG11 is used to specify how the information in DMG05, including repeats of C056, was collected.

Employment Class

To provide class of employment information

Usage notes

- Required when sending additional employment class information on the member. If not required by this implementation guide, do not send.

Example

EC*07*19*09~

EC-01	1176 Employment Class Code	Identifier (ID)	Required
-------	----------------------------	-----------------	----------

Code indicating category of employee

- 01 Union
- 02 Non-Union
- 03 Executive
- 04 Non-Executive
- 05 Management
- 06 Non-Management
- 07 Hourly
- 08 Salaried
- 09 Administrative
- 10 Non-Administrative
- 11 Exempt
- 12 Non-Exempt
- 17 Highly Compensated
- 18 Key-Employee
- 19 Bargaining
- 20 Non-Bargaining
- 21 Owner
- 22 President
- 23 Vice President

EC-02	1176 Employment Class Code	Identifier (ID)	Optional
-------	----------------------------	-----------------	----------

Code indicating category of employee

- 01 Union
- 02 Non-Union
- 03 Executive
- 04 Non-Executive
- 05 Management
- 06 Non-Management
- 07 Hourly
- 08 Salaried
- 09 Administrative
- 10 Non-Administrative

- 11 Exempt
- 12 Non-Exempt
- 17 Highly Compensated
- 18 Key-Employee
- 19 Bargaining
- 20 Non-Bargaining
- 21 Owner
- 22 President
- 23 Vice President

EC-03**1176 Employment Class Code**

■ Identifier (ID)

Optional

Code indicating category of employee

- 01 Union
- 02 Non-Union
- 03 Executive
- 04 Non-Executive
- 05 Management
- 06 Non-Management
- 07 Hourly
- 08 Salaried
- 09 Administrative
- 10 Non-Administrative
- 11 Exempt
- 12 Non-Exempt
- 17 Highly Compensated
- 18 Key-Employee
- 19 Bargaining
- 20 Non-Bargaining
- 21 Owner
- 22 President
- 23 Vice President

Member Income

To supply information to determine benefit eligibility, deductibles, and retirement and investment contributions

Usage notes

- Required when such transmission is required under the insurance contract between the sponsor and payer. If not required by this implementation guide, do not send.

Example

ICM*H*00000000000000*000000000000*XXX*XXXXX~

ICM-01

594 Frequency Code

Identifier (ID)

Required

Code indicating frequency or type of activities or actions being reported

- ICM01 is the frequency at which an individual's wages are paid.

- 1 Weekly
- 2 Biweekly
- 3 Semimonthly
- 4 Monthly
- 6 Daily
- 7 Annual
- 8 Two Calendar Months
- 9 Lump-Sum Separation Allowance
- B Year-to-Date
- C Single
- H Hourly
- Q Quarterly
- S Semiannual
- U Unknown

ICM-02

782 Wage Amount

Min 1 Max 15 # Decimal number (R)

Required

Monetary amount

- ICM02 is the yearly wages amount.

ICM-03

380 Work Hours Count

Min 1 Max 15 # Decimal number (R)

Optional

Numeric value of quantity

- ICM03 is the weekly hours.

ICM-04

310 Location Identification Code

Min 1 Max 30 String (AN)

Optional

Code which identifies a specific location

- ICM04 is the employer location qualifier such as a department number.

ICM-05

1214 Salary Grade Code

Min 1 Max 5 **T** String (AN) **Optional**

The salary grade code assigned by the employer

Member Policy Amounts

To indicate the total monetary amount

Usage notes

- Required when such transmission is required under the insurance contract between the sponsor and payer. If not required by this implementation guide, do not send.

Example

AMT*FK*000000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	B9 Co-insurance - Actual		
	☐ This will contain any co-insurance selection amount. The option of adjusting this amount to produce the actual co-insurance can be defined in the insurance contract.		
	C1 Co-Payment Amount		
	D2 Deductible Amount		
	EBA Expected Expenditure Amount		
	FK Other Unlisted Amount		
	P3 Premium Amount		
	R Spend Down		

AMT-02	782 Contract Amount	Min 1	Max 15	# Decimal number (R)	Required
	Monetary amount				

Member Health Information

To provide health information

Usage notes

- Required on initial enrollment of a member when appropriate medical information about the member is available. If not required by this implementation guide, do not send.

Example

HLH*X*000000*0000~

HLH-01	1212 Health Related Code	Identifier (ID)	Required
--------	--------------------------	-----------------	----------

Code indicating a specific health situation

- N None
- S Substance Abuse
- T Tobacco Use
- U Unknown
- X Tobacco Use and Substance Abuse

HLH-02	65 Member Height	Min 1 Max 8 # Decimal number (R)	Optional
--------	------------------	--	----------

Vertical dimension of an object measured when the object is in the upright position

Usage notes

- The height must be reported in inches.

HLH-03	81 Member Weight	Min 1 Max 10 # Decimal number (R)	Optional
--------	------------------	---	----------

Numeric value of weight

- HLH03 is the current weight in pounds.

Member Language

To specify language, type of usage, and proficiency or fluency

Usage notes

Required when a value is being reported in the LUI02 element. If not required by this implementation guide, do not send.

- Required if the sponsor knows that the member's primary language is not English, and such transmission is required under the insurance contract between the sponsor and payer and allowed by federal and state regulations. If not required by this implementation guide do not send.
- Any need to send/collect this information will need to be contained in the trading partner agreement.

Example

LUI*LD*XX*XX*6~

- If either Identification Code Qualifier (LUI-01) or Language Code (LUI-02) is present, then the other is required
- If Language Use Indicator (LUI-04) is present, then at least one of Language Code (LUI-02) or Language Description (LUI-03) is required

LUI-01

66 Identification Code Qualifier

■ Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

- LD NISO Z39.53 Language Codes
- LE ISO 639 Language Codes

LUI-02

67 Language Code

Min 2 Max 80 T String (AN)

Optional

Code identifying a party or other code

- LUI02 is the language code.

LUI-03

352 Language Description

Min 1 Max 80 T String (AN)

Optional

A free-form description to clarify the related data elements and their content

- LUI03 is the name of the language.

LUI-04

1303 Language Use Indicator

■ Identifier (ID)

Optional

Code indicating the use of a language

- 5 Language Reading
- 6 Language Writing
- 7 Language Speaking
- 8 Native Language

2100A Member Name Loop end

2100B Incorrect Member Name Loop

Max 1Optional

- Variants (all may be used)
- Member Name Loop
 - Member Mailing Address Loop
 - Member Employer Loop
 - Member School Loop
 - Custodial Parent Loop
 - Responsible Person Loop
 - Drop Off Location Loop

NM10300Detail > Member Level Detail Loop > Incorrect Member Name Loop > NM1Max use 1Required

Incorrect Member Name

To supply the full name of an individual or organizational entity

Usage notes

- Required if a corrected name is being sent in loop 2100A or if previously supplied demographics are being changed. If only the demographics are being changed, the code in NM101 in loop 2100A will be IL, and the code in NM101 in this loop will be 70. If not required by this implementation guide, do not send.
- If only the demographics are being changed, the code in NM101 in loop 2100A will be IL, and the code in NM101 in this loop will be 70.

Example

NM1*70*1*XXXXXX*XX*XXXX*XXXX*XX*34*XXXX~

- If either Identification Code Qualifier (NM1-08) or Prior Incorrect Insured Identifier (NM1-09) is present, then the other is required

NM1-0198 Entity Identifier CodeIdentifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

Usage notes

- This code identifies that the information that follows is previously reported enrollment information that is being corrected.

70 Prior Incorrect Insured

NM1-021065 Entity Type QualifierIdentifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-031035 Prior Incorrect Member Last NameMin 1Max 60String (AN)Required

Individual last name or organizational name

NM1-04 **1036 Prior Incorrect Member First Name** Min 1 Max 35  String (AN) Optional

Individual first name

NM1-05 **1037 Prior Incorrect Member Middle Name** Min 1 Max 25  String (AN) Optional

Individual middle name or initial

NM1-06 **1038 Prior Incorrect Member Name Prefix** Min 1 Max 10  String (AN) Optional

Prefix to individual name

NM1-07 **1039 Prior Incorrect Member Name Suffix** Min 1 Max 10  String (AN) Optional

Suffix to individual name

NM1-08 **66 Identification Code Qualifier**  Identifier (ID) Optional

Code designating the system/method of code structure used for Identification Code (67)

34 Social Security Number

- ☐ The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.

ZZ Mutually Defined

- ☐ Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.

NM1-09 **67 Prior Incorrect Insured Identifier** Min 2 Max 80  String (AN) Optional

Code identifying a party or other code

Usage notes

- NM109 is the identifier that was previously sent in error. This allows matching with data on receiver's system.

Incorrect Member Demographics

To supply demographic information

Usage notes

Required when the members birth date is being corrected. If not required by this implementation guide, do not send.

- Required when there is a change to the previously supplied demographic information.
If not required by this implementation guide, do not send.

Example

DMG*D8*XXXXX*M*I*J>RET>XXX*1****REC*XXXXX~

- If either Date Time Period Format Qualifier (DMG-01) or Prior Incorrect Insured Birth Date (DMG-02) is present, then the other is required
- If either Code List Qualifier Code (DMG-10) or Race or Ethnicity Collection Code (DMG-11) is present, then the other is required
- If Race or Ethnicity Collection Code (DMG-11) is present, then Composite Race or Ethnicity Information (DMG-05) is required

DMG-01

1250 Date Time Period Format Qualifier

Identifier (ID)

Optional

Code indicating the date format, time format, or date and time format

D8 Date Expressed in Format CCYYMMDD

DMG-02

1251 Prior Incorrect Insured Birth Date

Min 1Max 35

String (AN)

Optional

Expression of a date, a time, or range of dates, times or dates and times

- DMG02 is the date of birth.

DMG-03

1068 Prior Incorrect Insured Gender Code

Identifier (ID)

Optional

Code indicating the sex of the individual

- F Female
- M Male
- U Unknown

DMG-04

1067 Marital Status Code

Identifier (ID)

Optional

Code defining the marital status of a person

- B Registered Domestic Partner
- D Divorced
- I Single
- M Married

- R Unreported
- S Separated
- U Unmarried (Single or Divorced or Widowed)
 - ☐ This code should be used if the previous status is unknown.
- W Widowed
- X Legally Separated

DMG-05

C056 Composite Race or Ethnicity Information

To send general and detailed information on race or ethnicity

Max use 10

Optional

Usage notes
Required when the members Race or Ethnicity is being corrected. If not required this implementation guide, do not send.

- If either Code List Qualifier Code (C056-02) or Race or Ethnicity Code (C056-03) is present, then the other is required

C056-01

1109 Race or Ethnicity Code

■ Identifier (ID)

Optional

Code indicating the racial or ethnic background of a person; it is normally self-reported; Under certain circumstances this information is collected for United States Government statistical purposes

- 7 Not Provided
- 8 Not Applicable
- A Asian or Pacific Islander
- B Black
- C Caucasian
- D Subcontinent Asian American
- E Other Race or Ethnicity
- F Asian Pacific American
- G Native American
- H Hispanic
- I American Indian or Alaskan Native
- J Native Hawaiian
- N Black (Non-Hispanic)
- O White (Non-Hispanic)
- P Pacific Islander
- Z Mutually Defined

C056-02

1270 Code List Qualifier Code

■ Identifier (ID)

Optional

Code identifying a specific industry code list

- C056-02 and C056-03 are used to specify detailed information about race or ethnicity.

RET Classification of Race or Ethnicity

C056-03

1271 Race or Ethnicity Code

Min 1 Max 30 ■ String (AN)

Optional

Code indicating a code from a specific industry code list

DMG-06

1066 Citizenship Status Code

Identifier (ID)

Optional

Code indicating citizenship status

- 1 U.S. Citizen
- 2 Non-Resident Alien
- 3 Resident Alien
- 4 Illegal Alien
- 5 Alien
- 6 U.S. Citizen - Non-Resident
- 7 U.S. Citizen - Resident

DMG-10

1270 Code List Qualifier Code

Identifier (ID)

Optional

Code identifying a specific industry code list

REC Race or Ethnicity Collection Code

DMG-11

1271 Race or Ethnicity Collection Code

Min 1Max 30

String (AN)

Optional

Code indicating a code from a specific industry code list

- DMG11 is used to specify how the information in DMG05, including repeats of C056, was collected.

2100B Incorrect Member Name Loop end

2100C Member Mailing Address Loop

Max 1 Optional

Variants (all may be used)

- Member Name Loop
- Incorrect Member Name Loop
- Member Employer Loop
- Member School Loop
- Custodial Parent Loop
- Responsible Person Loop
- Drop Off Location Loop

NM1

0300

Detail > Member Level Detail Loop > Member Mailing Address Loop > NM1

Max use 1

Required

Member Mailing Address

To supply the full name of an individual or organizational entity

Usage notes

- Required when the member mailing address is different from the residence address sent in loop 2100A or when the dependent's address is different from the subscriber. If not required by this implementation guide, do not send.

Example

NM1*31*1~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

31 Postal Mailing Address

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

Member Mail Street Address

To specify the location of the named party

Example

N3 * X * XXXXX ~

<u>N3-01</u>	166 Member Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Member Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Member Mail City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXX*XX*XXXXXXXX*XXX~

- Only one of Member Mail State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Member Mail City Name	Min 2	Max 30	String (AN)	Required
-------	--------------------------	-------	--------	-------------	----------

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02	156 Member Mail State Code	Min 2	Max 2	Identifier (ID)	Optional
-------	----------------------------	-------	-------	-----------------	----------

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03	116 Member Mail Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
-------	---	-------	--------	-----------------	----------

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
-------	-----------------	-------	-------	-----------------	----------

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
-------	-------------------------------	-------	-------	-----------------	----------

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100C Member Mailing Address Loop end

2100D Member Employer Loop

Max 3 Optional

Variants (all may be used)

- Member Name Loop
- Incorrect Member Name Loop
- Member Mailing Address Loop
- Member School Loop
- Custodial Parent Loop
- Responsible Person Loop
- Drop Off Location Loop

NM1

0300 Detail > Member Level Detail Loop > Member Employer Loop > NM1

Max use 1

Required

Member Employer

To supply the full name of an individual or organizational entity

Usage notes

- Required when the member is employed by someone other than the sponsor and the insurance contract requires the payer to be notified of such employment. If not required by this implementation guide, do not send.
- This segment is not used to collect Coordination of Benefits (COB) information. COB information must be passed in the 2320 loop.

Example

NM1*36*1*XXXXX*X*XX*XXXXX*XXXXX*34*XXXXXXXX~

- If either Identification Code Qualifier (NM1-08) or Member Employer Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

36 Employer

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- Person
 - Non-Person Entity

NM1-03

1035 Member Employer Name

Min 1 Max 60 String (AN)

Optional

Individual last name or organizational name

NM1-04

1036 Member Employer First Name

Min 1

Max 35

 String (AN)

Optional

Individual first name

NM1-05

1037 Member Employer Middle Name

Min 1

Max 25

 String (AN)

Optional

Individual middle name or initial

NM1-06

1038 Member Employer Name Prefix

Min 1

Max 10

 String (AN)

Optional

Prefix to individual name

NM1-07

1039 Member Employer Name Suffix

Min 1

Max 10

 String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

 Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

- 24 Employer's Identification Number
- ☐ This is the "HIPAA Employer Identifier".
- 34 Social Security Number

NM1-09

67 Member Employer Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

Member Employer Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when the Member Employers contact information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

PER*EP*X*TE*XXXX*EM*XXX*AP*XXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01366Contact Function CodeIdentifier (ID)Required

Code identifying the major duty or responsibility of the person or group named

EPEmployer Contact

PER-0293Member Employer Communications Contact NameString (AN)OptionalMin 1Max 60

Free-form name

PER-03365Communication Number QualifierIdentifier (ID)Required

Code identifying the type of communication number

APAlternate Telephone

BNBeeper Number

CPCellular Phone

EMElectronic Mail

EXTelephone Extension

FXFacsimile

TETelephone

PER-04364Communication NumberMin 1Max 256String (AN)Required

Complete communications number including country or area code when applicable

PER-05

365 Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

- AP Alternate Telephone
- BN Beeper Number
- CP Cellular Phone
- EM Electronic Mail
- EX Telephone Extension
- FX Facsimile
- TE Telephone

PER-06

364 Communication Number

Min 1Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365 Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

- AP Alternate Telephone
- BN Beeper Number
- CP Cellular Phone
- EM Electronic Mail
- EX Telephone Extension
- FX Facsimile
- TE Telephone

PER-08

364 Communication Number

Min 1Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

Member Employer Street Address

To specify the location of the named party

Usage notes

- Required when the member's employer is not the sponsor and the employer address is provided to the sponsor by the member. If not required by this implementation guide, do not send.

Example

N3*XX*XXXXX~

N3-01	166 Member Employer Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Member Employer Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Member Employer City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the member's employer is not the sponsor and the employer address is provided to the sponsor by the member. If not required by this implementation guide, do not send.

Example

N4*XXXXXXXX*XX*XXX*XX~

- Only one of Member Employer State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Member Employer City Name	Min 2	Max 30	String (AN)	Required
-------	------------------------------	-------	--------	-------------	----------

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02	156 Member Employer State Code	Min 2	Max 2	Identifier (ID)	Optional
-------	--------------------------------	-------	-------	-----------------	----------

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03	116 Member Employer Postal Zone or ZIP Code			Identifier (ID)	Optional
		Min 3	Max 15		

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
-------	-----------------	-------	-------	-----------------	----------

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
-------	-------------------------------	-------	-------	-----------------	----------

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100D Member Employer Loop end

2100E Member School Loop

Max 3Optional

- Variants (all may be used)
- Member Name Loop
 - Incorrect Member Name Loop
 - Member Mailing Address Loop
 - Member Employer Loop
 - Custodial Parent Loop
 - Responsible Person Loop
 - Drop Off Location Loop

NM10300Detail > Member Level Detail Loop > Member School Loop > NM1

Max use 1Required

Member School

To supply the full name of an individual or organizational entity

Usage notes

- Required when the member is enrolled in school and the payer is required to be notified under the insurance contract between the sponsor and the payer. If not required by this implementation guide, do not send.

Example

NM1*M8*2*XXXXX~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

M8 Educational Institution

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-031035 School Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

Member School Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when the Member School contact information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

PER*SK*XXXX*FX*XXX*TE*XXX*FX*XXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01

366

Contact Function Code

Identifier (ID)

Required

Code identifying the major duty or responsibility of the person or group named

SK School Clerk

PER-02

93

Member School Communications Contact Name

String (AN)

Optional

Min 1

Max 60

Free-form name

PER-03

365

Communication Number Qualifier

Identifier (ID)

Required

Code identifying the type of communication number

EM Electronic Mail

EX Telephone Extension

FX Facsimile

TE Telephone

PER-04

364

Communication Number

Min 1

Max 256

String (AN)

Required

Complete communications number including country or area code when applicable

PER-05

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-06

364

Communication Number

Min 1 Max 256 String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-08

364

Communication Number

Min 1 Max 256 String (AN)

Optional

Complete communications number including country or area code when applicable

Member School Street Address

To specify the location of the named party

Usage notes

- Required when the member is enrolled in school and the school address is provided to the sponsor by the member. If not required by this implementation guide, do not send.

Example

N3*XX*XXXXXX~

N3-01	166 School Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 School Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Member School City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the member is enrolled in school and the school address is provided to the sponsor by the member. If not required by this implementation guide, do not send.

Example

N4*XXXXXX*XX*XXXXXXXX*XXX~

- Only one of Member School State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Member School City Name	Min 2	Max 30	String (AN)	Required
-------	----------------------------	-------	--------	-------------	----------

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02	156 Member School State Code	Min 2	Max 2	Identifier (ID)	Optional
-------	------------------------------	-------	-------	-----------------	----------

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03	116 Member School Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
-------	---	-------	--------	-----------------	----------

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
-------	-----------------	-------	-------	-----------------	----------

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
-------	-------------------------------	-------	-------	-----------------	----------

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100E Member School Loop end

2100F Custodial Parent Loop

Max 1Optional

Variants (all may be used)

- Member Name Loop
- Incorrect Member Name Loop
- Member Mailing Address Loop
- Member Employer Loop
- Member School Loop
- Responsible Person Loop
- Drop Off Location Loop

NM10300Detail > Member Level Detail Loop > Custodial Parent Loop > NM1

Max use 1Required

Custodial Parent

To supply the full name of an individual or organizational entity

Usage notes

- Required when the custodial parent of a minor dependent is someone other than the subscriber. If not required by this implementation guide, do not send.
- Any other situation, (examples: Guardianship, Legal Indemnity, Power of Attorney, and/or Separation Agreements) would be handled under the Responsible Party NM1 segment.

Example

NM1*S3*1*XXXXXX*XXXXX*XXXXXX*XX*X*34*XXX~

■ If either Identification Code Qualifier (NM1-08) or Custodial Parent Identifier (NM1-09) is present, then the other is required

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

S3 Custodial Parent

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-031035 Custodial Parent Last Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

<u>NM1-04</u>	1036 Custodial Parent First Name	Min 1	Max 35	 String (AN)	Required
	Individual first name				
<u>NM1-05</u>	1037 Custodial Parent Middle Name	Min 1	Max 25	 String (AN)	Optional
	Individual middle name or initial				
<u>NM1-06</u>	1038 Custodial Parent Name Prefix	Min 1	Max 10	 String (AN)	Optional
	Prefix to individual name				
<u>NM1-07</u>	1039 Custodial Parent Name Suffix	Min 1	Max 10	 String (AN)	Optional
	Suffix to individual name				
<u>NM1-08</u>	66 Identification Code Qualifier			 Identifier (ID)	Optional
	Code designating the system/method of code structure used for Identification Code (67)				
	34 Social Security Number				
	☐ The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.				
	ZZ Mutually Defined				
	☐ Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.				
<u>NM1-09</u>	67 Custodial Parent Identifier	Min 2	Max 80	 String (AN)	Optional
	Code identifying a party or other code				

Custodial Parent Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when the Custodial Parent contact information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

PER*PQ**HP*XXXXX*CP*XXXX*AP*XXXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01366Contact Function CodeIdentifier (ID)Required

Code identifying the major duty or responsibility of the person or group named

PQ Parent or Guardian

PER-03365Communication Number QualifierIdentifier (ID)Required

Code identifying the type of communication number

AP Alternate Telephone

BN Beeper Number

CP Cellular Phone

EM Electronic Mail

EX Telephone Extension

FX Facsimile

HP Home Phone Number

TE Telephone

WP Work Phone Number

PER-04364Communication NumberMin 1Max 256String (AN)Required

Complete communications number including country or area code when applicable

PER-05365Communication Number QualifierIdentifier (ID)Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-06

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365 Communication Number Qualifier

 Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-08

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

Custodial Parent Street Address

To specify the location of the named party

Usage notes

- Required when the custodial parent of a minor dependent is someone other than the subscriber and the information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

N3*XXXXXX*XXXX~

<u>N3-01</u>	166 Custodial Parent Address Line	Min 1	Max 55	 String (AN)	Required
Address information					
<u>N3-02</u>	166 Custodial Parent Address Line	Min 1	Max 55	 String (AN)	Optional
Address information					

Custodial Parent City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the custodial parent of a minor dependent is someone other than the subscriber and the information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

N4*XXXX*XX*XXX*XX~

- Only one of Custodial Parent State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Custodial Parent City Name	Min 2	Max 30	String (AN)	Required
-------	-------------------------------	-------	--------	-------------	----------

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02	156 Custodial Parent State Code	Min 2	Max 2	Identifier (ID)	Optional
-------	---------------------------------	-------	-------	-----------------	----------

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03	116 Custodial Parent Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
-------	--	-------	--------	-----------------	----------

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
-------	-----------------	-------	-------	-----------------	----------

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
-------	-------------------------------	-------	-------	-----------------	----------

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100F Custodial Parent Loop end

2100G Responsible Person Loop

Max 13 Optional

Variants (all may be used)

- Member Name Loop
- Incorrect Member Name Loop
- Member Mailing Address Loop
- Member Employer Loop
- Member School Loop
- Custodial Parent Loop
- Drop Off Location Loop

NM1

0300 Detail > Member Level Detail Loop > Responsible Person Loop > NM1

Max use 1

Required

Responsible Person

To supply the full name of an individual or organizational entity

Usage notes

- Required to identify the person(s), other than the subscriber, who are responsible for the member. If not required by this implementation guide, do not send.

Example

NM1*9K*1*XXX*XXXX*XXX*XXXXXX*X*34*XXXX~

- If either Identification Code Qualifier (NM1-08) or Responsible Party Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

- 6Y Case Manager
- 9K Key Person
- E1 Person or Other Entity Legally Responsible for a Child
 - ☐ Used to identify a legal indemnity situation.

This code is used when a Qualified Medical Child Support Order (QMSCO) is present.
- EI Executor of Estate
 - ☐ This is used when the subscriber is deceased and the executor/responsible party is other than a surviving spouse.
- EXS Ex-spouse
 - ☐ This is used to identify a separated spouse under a separation agreement, or that the member is the divorced spouse and self responsible. This is NOT USED to identify the custodial parent for dependent children after a divorce.
- GB Other Insured
- GD Guardian
- J6 Power of Attorney
- LR Legal Representative
- QD Responsible Party
- S1 Parent

- TZ Significant Other
- X4 Spouse

NM1-02	1065 Entity Type Qualifier	Identifier (ID)	Required
Code qualifying the type of entity			
NM102 qualifies NM103.			
1 Person			
NM1-03	1035 Responsible Party Last or Organization Name	String (AN)	Required
		Min 1	Max 60
Individual last name or organizational name			
NM1-04	1036 Responsible Party First Name	Min 1	Max 35
		String (AN)	Optional
Individual first name			
NM1-05	1037 Responsible Party Middle Name	Min 1	Max 25
		String (AN)	Optional
Individual middle name or initial			
NM1-06	1038 Responsible Party Name Prefix	Min 1	Max 10
		String (AN)	Optional
Prefix to individual name			
NM1-07	1039 Responsible Party Suffix Name	Min 1	Max 10
		String (AN)	Optional
Suffix to individual name			
NM1-08	66 Identification Code Qualifier	Identifier (ID)	Optional
Code designating the system/method of code structure used for Identification Code (67)			
34 Social Security Number			
☐ The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.			
ZZ Mutually Defined			
☐ Value is required if National Individual Identifier is mandated for use. Otherwise, one of the other listed codes may be used.			
NM1-09	67 Responsible Party Identifier	Min 2	Max 80
		String (AN)	Optional

Code identifying a party or other code

Responsible Person Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when the Responsible Person contact information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

PER*RP**BN*XXXXX*EX*XXX*AP*XXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01

366 Contact Function Code

■ Identifier (ID)

Required

Code identifying the major duty or responsibility of the person or group named

RP Responsible Person

PER-03

365 Communication Number Qualifier

■ Identifier (ID)

Required

Code identifying the type of communication number

AP Alternate Telephone

BN Beeper Number

CP Cellular Phone

EM Electronic Mail

EX Telephone Extension

FX Facsimile

HP Home Phone Number

TE Telephone

WP Work Phone Number

PER-04

364 Communication Number

Min 1 Max 256

■ String (AN)

Required

Complete communications number including country or area code when applicable

PER-05

365 Communication Number Qualifier

■ Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-06

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365 Communication Number Qualifier

 Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-08

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

Responsible Person Street Address

To specify the location of the named party

Usage notes

- Required when there is a person other than the subscriber who is responsible for the member and the responsible person's address is provided to the sponsor. If not required by this implementation guide, do not send.

Example

N3*XXX*XXXXX~

N3-01	166 Responsible Party Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Responsible Party Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Responsible Person City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when there is a person other than the subscriber who is responsible for the member and the responsible person's address is provided to the sponsor. If not required by this implementation guide, do not send.

Example

N4*XX*XX*XXXX*XX~

- Only one of Responsible Person State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Responsible Person City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Responsible Person State Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Responsible Person Postal Zone or ZIP Code

Identifier (ID)

Optional

Min 3

Max 15

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100G Responsible Person Loop end

2100H Drop Off Location Loop

Max 1Optional

Variants (all may be used)

- Member Name Loop
- Incorrect Member Name Loop
- Member Mailing Address Loop
- Member Employer Loop
- Member School Loop
- Custodial Parent Loop
- Responsible Person Loop

NM10300Detail > Member Level Detail Loop > Drop Off Location Loop > NM1

Max use 1Required

Drop Off Location

To supply the full name of an individual or organizational entity

Usage notes

- Required when member has requested shipments to be sent to an address other then their residence or mailing. If not required by this implementation guide, do not send.

Example

NM1*45*1*XX*XXXX*XXXXXX*XXXXXX*XXX~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

45 Drop-off Location

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-031035 Name Last or Organization Name

Min 1Max 60String (AN)Optional

Individual last name or organizational name

NM1-041036 Name First

Min 1Max 35String (AN)Optional

Individual first name

<u>NM1-05</u>	1037 Name Middle	Min 1	Max 25	 String (AN)	Optional
Individual middle name or initial					
<u>NM1-06</u>	1038 Name Prefix	Min 1	Max 10	 String (AN)	Optional
Prefix to individual name					
<u>NM1-07</u>	1039 Name Suffix	Min 1	Max 10	 String (AN)	Optional
Suffix to individual name					

Drop Off Location Street Address

To specify the location of the named party

Usage notes

- Required when member has requested shipments to be sent to an address other than their residence or mailing. If not required by this implementation guide, do not send.

Example

N3*XXXX*XXX~

N3-01	166 Drop Off Location Address Line	Min 1	Max 55	String (AN)	Required
Address information					

N3-02	166 Drop Off Location Address Line	Min 1	Max 55	String (AN)	Optional
Address information					

N4

0600 Detail > Member Level Detail Loop > Drop Off Location Loop > N4

Max use 1

Optional

Drop Off Location City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when member has requested shipments to be sent to an address other than their residence or mailing. If not required by this implementation guide, do not send.

Example

N4*XXXXX*XX*XXXXXX*XX~

- Only one of Drop Off Location State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01 **19 Drop Off Location City Name** Min 2 Max 30  String (AN) Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02 **156 Drop Off Location State Code** Min 2 Max 2  Identifier (ID) Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03 **116 Drop Off Location Postal Zone or ZIP Code** Min 3 Max 15  Identifier (ID) Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04 **26 Country Code** Min 2 Max 3  Identifier (ID) Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07 **1715 Country Subdivision Code** Min 1 Max 3  Identifier (ID) Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2100H Drop Off Location Loop end

2200 Disability Information Loop

Max >1

Optional

DSB

2000

Detail > Member Level Detail Loop > Disability Information Loop > DSB

Max use 1

Required

Disability Information

To supply disability information

Usage notes

- Required when enrolling a disabled member or when disability information about an existing member is added or changed. If not required by this implementation guide, do not send.

Example

DSB*1*****ZZ*X~

■ If either Product or Service ID Qualifier (DSB-07) or Diagnosis Code (DSB-08) is present, then the other is required

DSB-01

1146 Disability Type Code

■ Identifier (ID)

Required

Code identifying the disability status of the individual

- 1 Short Term Disability
- 2 Long Term Disability
- 3 Permanent or Total Disability
- 4 No Disability

DSB-07

235 Product or Service ID Qualifier

■ Identifier (ID)

Optional

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

- DX International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) - Diagnosis
- ZZ Mutually Defined

☐ To be used for the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM) - Diagnosis.

CODE SOURCE: 897 International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM)

DSB-08

1137 Diagnosis Code

Min 1

Max 15

■ String (AN)

Optional

Code value for describing a medical condition or procedure

- DSB08 is the functional status code for the disability.

Disability Eligibility Dates

To specify any or all of a date, a time, or a time period

Usage notes

- This segment is used to send the first and last date of disability.
- Required when enrolling a disabled member or when disability dates change for an existing member, and the disability dates are known by the sponsor. If not required by this implementation guide, do not send.

Example

DTP*361*D8*XXX~

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
360 Initial Disability Period Start			
361 Initial Disability Period End			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Disability Eligibility Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

2200 Disability Information Loop end

2300 Health Coverage Loop

Max 99 Optional

HD

2600 Detail > Member Level Detail Loop > Health Coverage Loop > HD

Max use 1

Required

Health Coverage

To provide information on health coverage

Usage notes

- Required when enrolling a new member or when adding, updating, removing coverage or auditing an existing member. If not required by this implementation guide, do not send.
- Refer to section 1.4.4 "Termination" for additional information relative to removing a member's coverage.

Example

HD*001**DEN*XXXXX*E7D*****N~

HD-01

875 Maintenance Type Code

Identifier (ID)

Required

Code identifying the specific type of item maintenance

Usage notes

- Required to identify the specific type of item maintenance.

- 001 Change
- 002 Delete
 - ☐ Use this code for deleting an incorrect coverage record.
- 021 Addition
- 024 Cancellation or Termination
 - ☐ Use this code for cancelling/terminating a coverage.
- 025 Reinstatement
- 026 Correction
 - ☐ This code is used to correct an incorrect record.
- 030 Audit or Compare
- 032 Employee Information Not Applicable
 - ☐ Certain situations, such as military duty and CHAMPUS/TRICARE, classify the subscriber as ineligible for coverage or benefits. However, dependents of the subscribers are still eligible for coverage or benefits under the subscriber. Subscriber identifying elements are needed to accurately identify dependents.

HD-03

1205 Insurance Line Code

Identifier (ID)

Required

Code identifying a group of insurance products

- AG Preventative Care/Wellness
- AH 24 Hour Care
- AJ Medicare Risk
- AK Mental Health

DCP	Dental Capitation
	☐ This identifies a dental managed care organization (DMO).
DEN	Dental
EPO	Exclusive Provider Organization
FAC	Facility
HE	Hearing
HLT	Health
	☐ Includes both hospital and professional coverage.
HMO	Health Maintenance Organization
LTC	Long-Term Care
LTD	Long-Term Disability
MM	Major Medical
MOD	Mail Order Drug
PDG	Prescription Drug
POS	Point of Service
PPO	Preferred Provider Organization
PRA	Practitioners
STD	Short-Term Disability
UR	Utilization Review
VIS	Vision

HD-04 **1204 Plan Coverage Description** Min 1 Max 50  String (AN) Optional

A description or number that identifies the plan or coverage

HD-05 **1207 Coverage Level Code**  Identifier (ID) Optional

Code indicating the level of coverage being provided for this insured

Usage notes

- See section 1.4.6, Coverage Levels and Dependents, for additional information.

CHD	Children Only
DEP	Dependents Only
E1D	Employee and One Dependent
	☐ For this code, the dependent is a non-spouse dependent. This code is not used for identification of Employee and Spouse. See code ESP.
E2D	Employee and Two Dependents
E3D	Employee and Three Dependents
E5D	Employee and One or More Dependents
E6D	Employee and Two or More Dependents
E7D	Employee and Three or More Dependents
E8D	Employee and Four or More Dependents
E9D	Employee and Five or More Dependents
ECH	Employee and Children
EMP	Employee Only
ESP	Employee and Spouse
FAM	Family
IND	Individual
SPC	Spouse and Children

SPO Spouse Only
TWO Two Party

HD-09

1073 Late Enrollment Indicator

Identifier (ID) Optional

Code indicating a Yes or No condition or response

- HD09 is a late enrollee indicator. A "Y" value indicates the insured is a late enrollee, which can result in a reduction of benefits; an "N" value indicates the insured is a regular enrollee.

N No
Y Yes



Health Coverage Dates

To specify any or all of a date, a time, or a time period

Example

DTP*695*D8*XX~

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

- 300 Enrollment Signature Date
- 303 Maintenance Effective
- ☐ This is the effective date of a change where a member's coverage is not being added or removed.
- 343 Premium Paid to Date End
- 348 Benefit Begin
- ☐ This is the effective date of coverage. This code must always be sent when adding or reinstating coverage.
- 349 Benefit End
- ☐ The termination date represents the last date of coverage in which claims will be paid for the individual being terminated. For example, if a date of 02/28/2001 is passed then claims for this individual will be paid through 11:59 p.m. on 2/28/01.
- 543 Last Premium Paid Date
- 695 Previous Period
- ☐ This value is only to be used when reporting Previous Coverage Months.

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.
- D8 Date Expressed in Format CCYYMMDD
- RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD
- ☐ This value is only to be used when reporting Previous Coverage Months.

DTP-03

1251 Coverage Period

Min 1 Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

Health Coverage Policy

To indicate the total monetary amount

Usage notes

- Required when such transmission is required under the insurance contract between the sponsor and the payer. If not required by this implementation guide, do not send.

Example

AMT*R*00000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
Code to qualify amount			
B9	Co-insurance - Actual	☐ This will contain any co-insurance selection amount. The option of adjusting this amount to produce the actual co-insurance can be defined in the insurance contract.	
C1	Co-Payment Amount		
D2	Deductible Amount		
EBA	Expected Expenditure Amount		
FK	Other Unlisted Amount		
P3	Premium Amount		
R	Spend Down		

AMT-02	782 Contract Amount	Min 1	Max 15	# Decimal number (R)	Required
Monetary amount					

Health Coverage Policy Number

To specify identifying information

Usage notes

- Required when such transmission is required under the Trading Partner Agreement between the sponsor and the payer. If not required by this implementation guide, do not send.

Example

REF*ZX*XX~

Variants (all may be used)

REF Prior Coverage Months

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 1L Group or Policy Number
- ☐ Required when a group number that applies to this individual's participation in the coverage passed in this HD loop is required by the terms of the contract between the sponsor (sender) and payer (receiver); if not required may be sent at the sender's discretion.
- 9V Payment Category
- 17 Client Reporting Category
- CE Class of Contract Code
- E8 Service Contract (Coverage) Number
- M7 Medical Assistance Category
- PID Program Identification Number
- RB Rate code number
- X9 Internal Control Number
- XM Issuer Number
- XX1 Special Program Code
- XX2 Service Area Code
- ZX County Code
- ZZ Mutually Defined
- ☐ Use this code for the Payment Plan Type Code (Annual or Quarterly) until a standard code is assigned.

REF-02

127 Member Group or Policy Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Prior Coverage Months

To specify identifying information

Usage notes

- Required when the portability provisions of the Health Insurance Portability and Accountability Act require reporting of the number of months of prior health coverage that meet the certification requirements of the Act.

Example

REF*QQ*X~

Variants (all may be used)

REF Health Coverage Policy Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

QQ Unit Number

- ☐ This code is used in this implementation guide to indicate that the value in REF02 is the response required under the portability provisions of HIPAA.

REF-02

127 Prior Coverage Month Count

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- Indicator identifying the number of prior months insurance coverage that may apply under the portability provisions of the Health Insurance Portability and Accountability Act.
- This field will contain the number of months of prior health insurance coverage that meets the portability requirements of the HIPAA certification requirements. To be sent on new enrollments when available.

Identification Card

To provide notification to produce replacement identification card(s)

Usage notes

- Required when requesting the production of an identification card as the result of an enrollment add, change, or statement. If not required by this implementation guide, do not send.
- An enrollment statement refers to a situation where no change is being made to the enrollment except to request a replacement ID card.

Example

IDC*XXXXXX*P*000000000*2~

IDC-01	1204 Plan Coverage Description	Min 1	Max 50	String (AN)	Required
--------	--------------------------------	-------	--------	-------------	----------

A description or number that identifies the plan or coverage

Usage notes

- If no additional information is needed, this element will be sent as a single zero.

IDC-02	1215 Identification Card Type Code	Identifier (ID)	Required
--------	------------------------------------	-----------------	----------

Code identifying the type of identification card

Usage notes

- This code is used to identify that the card issued will be specific to the coverage identified in the related HD segment.

- D Dental Insurance
- H Health Insurance
- P Prescription Drug Service Drug Insurance

IDC-03	380 Identification Card Count	Min 1	Max 15	Decimal number (R)	Optional
--------	-------------------------------	-------	--------	--------------------	----------

Numeric value of quantity

- IDC03 is the number of cards being requested.

Usage notes

- Only non-negative integer values are to be sent.

IDC-04	306 Action Code	Identifier (ID)	Optional
--------	-----------------	-----------------	----------

Code indicating type of action

- IDC04 is the reason for the card being requested, i.e., add or a change.

- 1 Add

2 Change (Update)

RX Replace

☐ Use when requesting replacement cards with no change to data.

2310 Provider Information Loop

Max 30 Optional

LX

3100

Detail > Member Level Detail Loop > Health Coverage Loop > Provider Information Loop > LX

Max use 1

Required

Provider Information

To reference a line number in a transaction set

Usage notes

- Required to provide information about the primary care or capitated physicians and pharmacies chosen by the enrollee in a managed care plan when that selection is made through the sponsor. If not required by this implementation guide, do not send.
- Use one iteration of the loop to identify each applicable health care service provider.
- The primary care provider effective date is defaulted to the effective date of the product identified in the DTP segment of the 2300 loop. When an enrollee switches from one primary care provider to another through the sponsor, the new provider must be listed with the effective date of change.

Example

LX*000~

LX-01

554 Assigned Number

Min 1

Max 6

Numeric (N0)

Required

Number assigned for differentiation within a transaction set

Usage notes

- This is a sequential number representing the number of loops for this insured person. Begin with 1 for each insured person.

Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- The National Provider ID must be passed in NM109. Until that ID is available, the Federal Taxpayer's Identification Number or another identification number that is necessary to identify the entity must be sent if available. If the identification number is not available then the Provider's Name must be passed using elements NM103 through NM107 as outlined in segment note 2.

Example

NM1*1X*2*XXXX*XX*XXXX*X*XXXX*34*XXXX*26~

■ If either Identification Code Qualifier (NM1-08) or Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

■ Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

- 1X Laboratory
- 3D Obstetrics and Gynecology Facility
- 80 Hospital
- FA Facility
- OD Doctor of Optometry
- P3 Primary Care Provider
- QA Pharmacy
- QN Dentist
- Y2 Managed Care Organization

NM1-02

1065 Entity Type Qualifier

■ Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1 Person
- 2 Non-Person Entity

NM1-03

1035 Provider Last or Organization Name

Min 1

Max 60

T String (AN)

Optional

Individual last name or organizational name

NM1-04

1036 Provider First Name

Min 1

Max 35

T String (AN)

Optional

Individual first name

<u>NM1-05</u>	1037 Provider Middle Name	Min 1	Max 25	 String (AN)	Optional
	Individual middle name or initial				
<u>NM1-06</u>	1038 Provider Name Prefix	Min 1	Max 10	 String (AN)	Optional
	Prefix to individual name				
<u>NM1-07</u>	1039 Provider Name Suffix	Min 1	Max 10	 String (AN)	Optional
	Suffix to individual name				
<u>NM1-08</u>	66 Identification Code Qualifier			 Identifier (ID)	Optional
	Code designating the system/method of code structure used for Identification Code (67)				
	34 Social Security Number ☐ The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.				
	FI Federal Taxpayer's Identification Number				
	SV Service Provider Number ☐ This is a number assigned by the payer used to identify a provider.				
	XX Centers for Medicare and Medicaid Services National Provider Identifier				
<u>NM1-09</u>	67 Provider Identifier	Min 2	Max 80	 String (AN)	Optional
	Code identifying a party or other code				
<u>NM1-10</u>	706 Entity Relationship Code			 Identifier (ID)	Required
	Code describing entity relationship				
	NM110 and NM111 further define the type of entity in NM101.				
	Usage notes				
	This element indicates whether or not the member is an existing patient of the provider.				
	25 Established Patient				
	26 Not Established Patient				
	72 Unknown				

Provider Address

To specify the location of the named party

Usage notes

- Required when the location of the named provider needs to be reported. If not required by this implementation guide, do not send.

Example

N3 *XXXXX*XXXXX~

<u>N3-01</u>	166 Provider Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Provider Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Provider City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the location of the named provider needs to be reported. If not required by this implementation guide, do not send.

Example

N4*XXX*XX*XXXXXX*XXX~

- Only one of Provider State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Provider City Name	Min 2	Max 30	String (AN)	Required
-------	-----------------------	-------	--------	-------------	----------

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02	156 Provider State Code	Min 2	Max 2	Identifier (ID)	Optional
-------	-------------------------	-------	-------	-----------------	----------

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03	116 Provider Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
-------	--------------------------------------	-------	--------	-----------------	----------

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
-------	-----------------	-------	-------	-----------------	----------

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
-------	-------------------------------	-------	-------	-----------------	----------

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

Provider Communications Numbers

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number always includes the area code and phone number using the format AAABBBCCCC, where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number (e.g. (534)224-2525 would be represented as 5342242525).
- Required when the Provider contact information is provided to the sponsor. If not required by this implementation guide, do not send.

Example

PER*IC**WP*XXX*WP*X*TE*XXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01

366 Contact Function Code

Identifier (ID)

Required

Code identifying the major duty or responsibility of the person or group named

IC Information Contact

PER-03

365 Communication Number Qualifier

Identifier (ID)

Required

Code identifying the type of communication number

AP Alternate Telephone

BN Beeper Number

CP Cellular Phone

EM Electronic Mail

EX Telephone Extension

FX Facsimile

HP Home Phone Number

TE Telephone

WP Work Phone Number

PER-04

364 Communication Number

Min 1

Max 256

String (AN)

Required

Complete communications number including country or area code when applicable

PER-05

365 Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-06

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365 Communication Number Qualifier

 Identifier (ID)

Optional

Code identifying the type of communication number

- AP** Alternate Telephone
- BN** Beeper Number
- CP** Cellular Phone
- EM** Electronic Mail
- EX** Telephone Extension
- FX** Facsimile
- HP** Home Phone Number
- TE** Telephone
- WP** Work Phone Number

PER-08

364 Communication Number

Min 1 Max 256  String (AN)

Optional

Complete communications number including country or area code when applicable

Provider Change Reason

To indicate action to be taken for the location specified and to qualify the location specified

Usage notes

- Required to report the reason and the effective date that a member changes providers as described by the NM1 segment in Loop 2310. If not required by this implementation guide, do not send.

Example

PLA*2*1P*20260701**AH~

PLA-01	306 Action Code	Identifier (ID)	Required
Code indicating type of action			
2 Change (Update)			
PLA-02	98 Entity Identifier Code	Identifier (ID)	Required
Code identifying an organizational entity, a physical location, property or an individual			
1P Provider			
PLA-03	373 Provider Effective Date	CCYYMMDD format Date (DT)	Required
Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year			
PLA03 is the effective date for the action identified in PLA01.			
Usage notes			
This is the effective date of the change of PCP.			
PLA-05	1203 Maintenance Reason Code	Identifier (ID)	Required
Code identifying the reason for the maintenance change			
Usage notes			
If none of the specific Maintenance Reasons apply, send 'AI', No Reason Given.			
14 Voluntary Withdrawal			
22 Plan Change			
46 Current Customer Information File in Error			
AA Dissatisfaction with Office Staff			
AB Dissatisfaction with Medical Care/Services Rendered			
AC Inconvenient Office Location			
AD Dissatisfaction with Office Hours			

- AE** Unable to Schedule Appointments in a Timely Manner
- AF** Dissatisfaction with Physician's Referral Policy
- AG** Less Respect and Attention Time Given than to Other Patients
- AH** Patient Moved to a New Location
- AI** No Reason Given
- AJ** Appointment Times not Met in a Timely Manner

2310 Provider Information Loop end

2320 Coordination of Benefits Loop

Max 5 Optional

COB

4000 Detail > Member Level Detail Loop > Health Coverage Loop > Coordination of Benefits Loop

Max use 1 Required

Coordination of Benefits

To supply information on coordination of benefits

Usage notes

- Required whenever an individual has another insurance plan with benefits similar to those covered by the insurance product specified in the HD segment for this occurrence of Loop ID-2300. If not required by this implementation guide, do not send.

Example

COB*U*XXXX*1*89~

COB-01 1138 Payer Responsibility Sequence Number Code Identifier (ID) Required

Code identifying the insurance carrier's level of responsibility for a payment of a claim

P Primary

S Secondary

T Tertiary

U Unknown

COB-02 127 Member Group or Policy Number Min 1 Max 50 String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- COB02 is the policy number.

COB-03 1143 Coordination of Benefits Code Identifier (ID) Required

Code identifying whether there is a coordination of benefits

1 Coordination of Benefits

5 Unknown

6 No Coordination of Benefits

☐ This code is sent when it has been determined that there is no COB.

COB-04 1365 Service Type Code Max use 9 Identifier (ID) Optional

Code identifying the classification of service

1 Medical Care

35 Dental Care

48 Hospital - Inpatient

- 50** Hospital - Outpatient
- 54** Long Term Care
- 89** Free Standing Prescription Drug
- 90** Mail Order Prescription Drug
- A4** Psychiatric
- AG** Skilled Nursing Care
- AL** Vision (Optometry)
- BB** Partial Hospitalization (Psychiatric)

Additional Coordination of Benefits Identifiers

To specify identifying information

Usage notes

- Required if additional COB identifiers are supplied by the subscriber. If not required by this implementation guide, do not send.
- Use the Social Security Number until the National ID Number for individuals is available.

Example

REF*6P*XXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

6P Group Number

60 Account Suffix Code

SY Social Security Number

- ☐
- The social security number may not be used for any Federally administered programs such as Medicare or CHAMPUS/TRICARE.

ZZ Mutually Defined

- ☐
- Mutually Defined, will be used in this REF01 for National Individual Identifier until a standard code is defined.

REF-02

127 Member Group or Policy Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Coordination of Benefits Eligibility Dates

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the submitter needs to send effective dates for coordination of benefits.
If not required by this implementation guide, do not send.

Example

DTP*345*D8*XXXXX~

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
344 Coordination of Benefits Begin			
345 Coordination of Benefits End			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Coordination of Benefits Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

2330 Coordination of Benefits Related Entity Loop

Max 3 Optional

NM1

4100

Detail > Member Level Detail Loop > Health Coverage Loop > Coordination of Benefits Loop > Coordination of Benefits Related Entity Loop > NM1

Max use 1

Required

Coordination of Benefits Related Entity

To supply the full name of an individual or organizational entity

Usage notes

- Required to send the name of the insurance company when provided to the sponsor. If not required by this implementation guide, do not send.

Example

NM1*IN*2*XXXXXX*****FI*XXXXX~

- If either Identification Code Qualifier (NM1-08) or Coordination of Benefits Insurer Identification Code (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

36

Employer

GW

Group

IN

Insurer

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2

Non-Person Entity

NM1-03

1035 Coordination of Benefits Insurer Name

Min 1

Max 60

String (AN)

Optional

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

FI

Federal Taxpayer's Identification Number

NI

National Association of Insurance Commissioners (NAIC) Identification

XV

Centers for Medicare and Medicaid Services PlanID

☐

Use when reporting Health Plan ID (HPID) or Other Entity Identifier (OEID).

NM1-09

67 Coordination of Benefits Insurer Identification Code

 String (AN) Optional

Min 2 Max 80

Code identifying a party or other code

Coordination of Benefits Related Entity Address

To specify the location of the named party

Usage notes

- Required when detailed COB coverage information is agreed to be exchanged. If not required by this implementation guide, do not send.

Example

N3*XXXXX*XXXX~

N3-01	166 Address Information	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Address Information	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

4400

Detail > Member Level Detail Loop > Health Coverage Loop > Coordination of Benefits Loop > Coordination of Benefits Related Entity Loop > N4

Max use 1

Optional

Coordination of Benefits Other Insurance Company City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when detailed COB coverage information is agreed to be exchanged. If not required by this implementation guide, do not send.

Example

N4*XXXXX*XX*XXXXXXXX*XXX~

- Only one of Coordination of Benefits Other Insurance Company State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Coordination of Benefits Other Insurance Company City Name

String (AN)

Required

Min 2

Max 30

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Coordination of Benefits Other Insurance Company State Code

Identifier (ID)

Optional

Min 2

Max 2

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Coordination of Benefits Other Insurance Company Postal Zone or ZIP Code

Identifier (ID)

Optional

Min 3

Max 15

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

PER

4500

Detail > Member Level Detail Loop > Health Coverage Loop > Coordination of Benefits Loop > Coordination of Benefits Related Entity Loop > PER

Max use 1

Optional

Administrative Communications Contact

To identify a person or office to whom administrative communications should be directed

Usage notes

- Required when detailed COB coverage information is agreed to be exchanged. If not required by this implementation guide, do not send.

Example

PER*CN**TE*XXXXX~

PER-01	366 Contact Function Code	Identifier (ID)	Required
Code identifying the major duty or responsibility of the person or group named			
CN General Contact			
PER-03	365 Communication Number Qualifier	Identifier (ID)	Required
Code identifying the type of communication number			
TE Telephone			
PER-04	364 Communication Number	Min 1 Max 256 String (AN)	Required
Complete communications number including country or area code when applicable			

2330 Coordination of Benefits Related Entity Loop end

2320 Coordination of Benefits Loop end

2300 Health Coverage Loop end

LS

6880 Detail > Member Level Detail Loop > LS

Max use 1 **Optional**

Loop Header

To indicate that the next segment begins a loop

Example

LS*2700~

LS-01

447 Loop Identifier Code

Min 1 Max 6 **String (AN)** **Required**

The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

2700 Member Reporting Categories Loop

Max >1 Optional

LX

6881 Detail > Member Level Detail Loop > Member Reporting Categories Loop > LX

Max use 1 Required

Member Reporting Categories

To reference a line number in a transaction set

Usage notes

- Required when needed to provide additional reporting categories about the member. If not required by this implementation guide, do not send.

Example

LX*0~

LX-01

554 Assigned Number

Min 1 Max 6 # Numeric (N0)

Required

Number assigned for differentiation within a transaction set

Usage notes

- Use this sequential non-negative integer for LX loops for this member's additional reporting categories.

2750 Reporting Category Loop

Max 1 Optional

N1 6882 Detail > Member Level Detail Loop > Member Reporting Categories Loop > Reporting Category Loop **Required**

Reporting Category

To identify a party by type of organization, name, and code

Usage notes

- Required to specify the name of the reporting category of the member's participating entity.

Example

N1*75*XXXX~

N1-01 **98 Entity Identifier Code** Identifier (ID) Required

Code identifying an organizational entity, a physical location, property or an individual

75 Participant

N1-02 **93 Member Reporting Category Name** Min 1 Max 60 String (AN) Required

Free-form name

Reporting Category Reference

To specify identifying information

Usage notes

- Required to specify the reference identifier associated with the reporting category of the member's participating entity.

Example

REF*GE*XX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 00 Contracting District Number
- 3L Branch Identifier
- 6M Application Number
- 9V Payment Category
- 9X Account Category
- 17 Client Reporting Category
- 18 Plan Number
- 19 Division Identifier
- 26 Union Number
- GE Geographic Number
- LU Location Number
- PID Program Identification Number
- XX1 Special Program Code
- XX2 Service Area Code
- YY Geographic Key
- ZZ Mutually Defined

REF-02

127 Member Reporting Category Reference ID

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Reporting Category Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when called for in the insurance contract between the sponsor and payer. If not required by this implementation guide, do not send.
- Use this segment to associate a date or date range with a reporting category.

Example

DTP*007*D8*XXXXX~

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
007 Effective			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD			
A range of dates expressed in the format CCYYMMDD-CCYYMMDD where CCYY is the numerical expression of the century CC and year YY. MM is the numerical expression of the month within the year, and DD is the numerical expression of the day within the year; the first occurrence of CCYYMMDD is the beginning date and the second occurrence is the ending date.			
DTP-03	1251 Member Reporting Category Effective Date(s)	String (AN)	Required
		Min 1	Max 35
Expression of a date, a time, or range of dates, times or dates and times			

2750 Reporting Category Loop end

2700 Member Reporting Categories Loop end

LE

6885 Detail > Member Level Detail Loop > LE

Max use 1

Optional

Loop Trailer

To indicate that the loop immediately preceding this segment is complete

Example

LE*2700~

LE-01

447 Loop Identifier Code

Min 1 Max 6  String (AN)

Required

The loop ID number given on the transaction set diagram is the value for this data element in segments LS and LE

2000 Member Level Detail Loop end

SE

6900 Detail > SE

Max use 1

Required

Transaction Set Trailer

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Example

SE*0000000*0001~

SE-01

96 Transaction Segment Count

Min 1 Max 10 # Numeric (N0)

Required

Total number of segments included in a transaction set including ST and SE segments

SE-02

329 Transaction Set Control Number

Min 4 Max 9 # Numeric (N)

Required

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Usage notes

- The transaction set control numbers in ST02 and SE02 must be identical. This unique number also aids in error resolution research. For example, start with the number 0001 and increment from there. This number must be unique within a specific group and interchange, but the number can repeat in other groups and interchanges.

Detail end



Max use 1 **Required**

Functional Group Trailer

To indicate the end of a functional group and to provide control information

Example

GE*0*000~

<u>GE-01</u>	97	Number of Transaction Sets Included	Min 1	Max 6	#	Numeric (N0)	Required
--------------	-----------	--	-------	-------	---	--------------	-----------------

Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element

<u>GE-02</u>	28	Group Control Number	Min 1	Max 9	#	Numeric (N0)	Required
--------------	-----------	-----------------------------	-------	-------	---	--------------	-----------------

Assigned number originated and maintained by the sender

Interchange Control Trailer

To define the end of an interchange of zero or more functional groups and interchange-related control segments

Example

IEA*0000*0000000000~

IEA-01

I16 Number of Included Functional Groups

Min 1

Max 5

Numeric (N0)

Required

A count of the number of functional groups included in an interchange

IEA-02

I12 Interchange Control Number

Min 9

Max 9

Numeric (N0)

Required

A control number assigned by the interchange sender

EDI Samples

834 Inbound Envelope

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME
*041227*1324*^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*123456789~
REF*1L *123456001~
DTP*356*D8*19960523~
NM1*IL *1*DOE*JOHN*P***34*123456789~
PER*IP**HP*7172343334*WP*7172341240~
N3*100 MARKET ST*APT 3G~
N4*CAMP HILL*PA*17011**CY*CUMBERLAND~
DMG*D8*19400816*M~
HD*021**HLT~
DTP*348*D8*19960601~
COB*P*890111*5~
HD*021**DEN~
DTP*348*D8*19960601~
HD*021**VIS~
DTP*348*D8*19960601~
SE*21*12345~
GE*1*000000103~
IEA*1*000000103~
```

834 Outbound Envelope

ISA*00* *00* *ZZ*SENDERNAME *ZZ*RECEIVERNAME
*041227*1324*^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*123456789~
REF*1L*123456001~
DTP*356*D8*19960523~
NM1*IL*1*DOE*JOHN*P***34*123456789~
PER*IP**HP*7172343334*WP*7172341240~
N3*100 MARKET ST*APT 3G~
N4*CAMP HILL*PA*17011**CY*CUMBERLAND~
DMG*D8*19400816*M~
HD*021**HLT~
DTP*348*D8*19960601~
COB*P*890111*5~
HD*021**DEN~
DTP*348*D8*19960601~
HD*021**VIS~
DTP*348*D8*19960601~
SE*21*12345~
GE*1*000000103~
IEA*1*000000103~

Example 1: Enroll an Employee in Multiple Health Care Insurance Products

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME
*041227*1324*^^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*123456789~
REF*1L *123456001~
DTP*356*D8*19960523~
NM1*IL *1*DOE*JOHN*P***34*123456789~
PER*IP**HP*7172343334*WP*7172341240~
N3*100 MARKET ST*APT 3G~
N4*CAMP HILL*PA*17011**CY*CUMBERLAND~
DMG*D8*19400816*M~
HD*021**HLT~
DTP*348*D8*19960601~
COB*P*890111*5~
HD*021**DEN~
DTP*348*D8*19960601~
HD*021**VIS~
DTP*348*D8*19960601~
SE*21*12345~
GE*1*000000103~
IEA*1*000000103~
```

Example 10: Reinstate member eligibility (INS)

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*20020601*1200*****2~  
REF*38*ABCD012354~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*Y*18*025**A***FT~  
REF*0F*202443307~  
REF*1L*123456001~  
NM1*IL*1*SMITH*WILLIAM*****ZZ*202443307~  
SE*10*12345~  
GE*1*000000103~  
IEA*1*000000103~
```

Example 2: Add a Dependent (Full-time Student) to an Existing Enrollment

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*19980520*1200****2~  
REF*38*ABCD012354~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*N*19*021*28*A****F~  
REF*0F*123456789~  
REF*1L*123456001~  
DTP*351*D8*19980515~  
NM1*IL*1*DOE*JAMES*E***34*103229876~  
DMG*D8*19770816*M~  
NM1*M8*2*PENN STATE UNIVERSITY~  
HD*021**HLT~  
DTP*348*D8*19960601~  
SE*15*12345~  
GE*1*000000103~  
IEA*1*000000103~
```

Example 3: Enroll an Employee in a Managed Care Product

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME
*041227*1324*^^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*19980520*1200****2~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*021*20*A***FT~
REF*0F*202443307~
REF*1L *123456001~
DTP*356*D8*19960112~
NM1*IL*1*SMITH*WILLIAM*****34*202443307~
PER*IP**HP*7172343334*WP*7172341240~
N3*1715 SOUTHWIND AVENUE~
N4*ANYTOWN*PA*171110000~
DMG*D8*19700614*M~
HD*021**HMO~
DTP*348*D8*19960601~
LX*01~
NM1*P3*1*BROWN*BERNARD**DR**SV*143766*25~
SE*18*12345~
GE*1*000000103~
IEA*1*000000103~
```

Example 4: Add Subscriber Coverage

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*20020601*1200*****2~  
REF*38*ABCD012354~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*Y*18*001*22*A***FT~  
REF*0F*202443307~  
REF*1L*123456001~  
NM1*IL*1*SMITH*WILLIAM*****ZZ*2024433307~  
HD*021**DEN~  
DTP*348*D8*20020701~  
SE*12*12345~  
GE*1*000000103~  
IEA*1*000000103~
```

Example 5: Change subscriber information

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*19980520*1200****2~  
N1*P5*GENERIC  INC*FI*000111000~  
N1*IN*ABC  INSURANCE*FI*654456654~  
INS*Y*18*001*25*A***FT~  
REF*0F*123456789~  
REF*1L*123456001~  
NM1*IL*1*DOE*JAMES*E***34*103229876~  
DMG*D8*19500415*M~  
NM1*70*1*DOE*JAMES*E~  
DMG*D8*19500416*M~  
SE*12*12345~  
GE*1*000000103~  
IEA*1*000000103~
```


Example 6: Cancel a dependent

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME
*041227*1324*^^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*19980520*1200*****2~
REF*38*ABCD012354~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*N*19*024*07*A~
REF*0F*123456789~
REF*1L*123456001~
DTP*357*D8*19960801~
NM1*IL*1*DOE*JAMES*E***34*103229876~
DMG*D8*19770816*M~
SE*12*12345~
GE*1*000000103~
IEA*1*000000103~
```

Example 7: Terminate Eligibility for a Subscriber

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*19980520*1200*****2~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*Y*18*024*08*A***TE~  
REF*0F*123456789~  
REF*1L*123456001~  
DTP*357*D8*19961001~  
NM1*IL*1*DOE*JOHN*E***34*103229876~  
SE*10*12345~  
GE*1*000000103~  
IEA*1*000000103~
```

Example 8: Reinstate an Employee

```
ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME  
*041227*1324*^^*00501*000000103*0*P*>~  
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~  
ST*834*12345*005010X220A1~  
BGN*00*12456*19980520*1200****2~  
REF*38*ABCD012354~  
N1*P5**FI*999888777~  
N1*IN**FI*654456654~  
INS*Y*18*025*20*A***FT~  
REF*0F*123456789~  
REF*1L*123456001~  
DTP*303*D8*19961001~  
NM1*IL*1*DOE*JOHN*E***34*103229876~  
SE*11*12345~  
GE*1*000000103~  
IEA*1*000000103~
```

Example 9: Reinstate the Employee at the Coverage (HD) Level

```

ISA*00*  *00*  *ZZ*SENDERNAME  *ZZ*RECEIVERNAME
*041227*1324*^^*00501*000000103*0*P*>~
GS*BE*SENDERNAME*RECEIVERNAME*20041227*1324*000000103*X*005010X220A1~
ST*834*12345*005010X220A1~
BGN*00*12456*20020601*1200****2~
REF*38*ABCD012354~
N1*P5**FI*999888777~
N1*IN**FI*654456654~
INS*Y*18*025**A***FT~
REF*0F*202443307~
REF*1L*123456001~
NM1*IL*1*SMITH*WILLIAM****ZZ*202443307~
HD*025**DEN~
DTP*348*D8*20020701~
SE*12*12345~
GE*1*000000103~
IEA*1*000000103~

```

Stedi and the S design mark are registered trademarks of Stedi, Inc. All names, logos, and brands of third parties listed on this page are trademarks of their respective owners (including "X12", which is a trademark of X12 Incorporated). Stedi, Inc. and its products and services are not endorsed by, sponsored by, or affiliated with these third parties. Use of these names, logos, and brands is for identification purposes only, and does not imply any such endorsement, sponsorship, or affiliation.