



X12 837 Health Care Claim: Dental (X224A2)

X12 Release 5010 Revised Nov 13, 2024, 8:06 PM

This X12 Transaction Set contains the format and establishes the data contents of the Health Care Claim Transaction Set (837) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to submit health care claim billing information, encounter information, or both, from providers of health care services to payers, either directly or via intermediary billers and claims clearinghouses. It can also be used to transmit health care claims and billing payment information between payers with different payment responsibilities where coordination of benefits is required or between payers and regulatory agencies to monitor the rendering, billing, and/or payment of health care services within a specific health care/insurance industry segment.

For purposes of this standard, providers of health care products or services may include entities such as physicians, hospitals and other medical facilities or suppliers, dentists, and pharmacies, and entities providing medical information to meet regulatory requirements. The payer refers to a third party entity that pays claims or administers the insurance product or benefit or both. For example, a payer may be an insurance company, health maintenance organization (HMO), preferred provider organization (PPO), government agency (Medicare, Medicaid, Civilian Health and Medical Program of the Uniformed Services (CHAMPUS), etc.) or an entity such as a third party administrator (TPA) or third party organization (TPO) that may be contracted by one of those groups. A regulatory agency is an entity responsible, by law or rule, for administering and monitoring a statutory benefits program or a specific health care/insurance industry segment.

Delimiters ~ Segment * Element > Component ^ Repetition

[View the latest version of this implementation guide as an interactive webpage](https://portal.stedi.com/app/guides/view/hipaa/health-care-claim-dental-x224a2/01JCJZ46AEK835RYV1BXQNBPK8)

<https://portal.stedi.com/app/guides/view/hipaa/health-care-claim-dental-x224a2/01JCJZ46AEK835RYV1BXQNBPK8>

Build EDI implementation guides at [stedi.com](https://portal.stedi.com)

Overview

ISA	-	Interchange Control Header	Max use 1	Required
GS	-	Functional Group Header	Max use 1	Required

Heading

ST	0050	Transaction Set Header	Max use 1	Required
BHT	0100	Beginning of Hierarchical Transaction	Max use 1	Required

Submitter Name Loop

NM1	0200	Submitter Name	Max use 1	Required
PER	0450	Submitter EDI Contact Information	Max use 2	Required

Receiver Name Loop

NM1	0200	Receiver Name	Max use 1	Required
------------	------	---------------	-----------	----------

Detail

Billing Provider Hierarchical Level Loop

HL	0010	Hierarchical Level	Max use 1	Required
PRV	0030	Billing Provider Specialty Information	Max use 1	Optional
CUR	0100	Foreign Currency Information	Max use 1	Optional

Billing Provider Name Loop

NM1	0150	Billing Provider Name	Max use 1	Required
N3	0250	Billing Provider Address	Max use 1	Required
N4	0300	Billing Provider City, State, ZIP Code	Max use 1	Required
REF	0350	Billing Provider Tax Identification	Max use 1	Required
REF	0350	Billing Provider UPIN/License Information	Max use 2	Optional
PER	0400	Billing Provider Contact Information	Max use 2	Optional

Pay-to Address Name Loop

NM1	0150	Pay-to Address Name	Max use 1	Required
N3	0250	Pay-to Address - ADDRESS	Max use 1	Required
N4	0300	Pay-To Address City, State, ZIP Code	Max use 1	Required

Pay-To Plan Name Loop

NM1	0150	Pay-To Plan Name	Max use 1	Required
N3	0250	Pay-to Plan Address	Max use 1	Required
N4	0300	Pay-To Plan City, State, ZIP Code	Max use 1	Required
REF	0350	Pay-to Plan Secondary Identification	Max use 1	Optional
REF	0350	Pay-To Plan Tax Identification Number	Max use 1	Required

Subscriber Hierarchical Level Loop

HL	0010	Hierarchical Level	Max use 1	Required
SBR	0050	Subscriber Information	Max use 1	Required

Subscriber Name Loop

NM1	0150	Subscriber Name	Max use 1	Required
N3	0250	Subscriber Address	Max use 1	Optional
N4	0300	Subscriber City, State, ZIP Code	Max use 1	Optional
DMG	0320	Subscriber Demographic Information	Max use 1	Optional
REF	0350	Subscriber Secondary Identification	Max use 1	Optional
REF	0350	Property and Casualty Claim Number	Max use 1	Optional

Payer Name Loop

NM1	0150	Payer Name	Max use 1	Required
N3	0250	Payer Address	Max use 1	Optional
N4	0300	Payer City, State, ZIP Code	Max use 1	Optional
REF	0350	Payer Secondary Identification	Max use 3	Optional
REF	0350	Billing Provider Secondary Identification	Max use 1	Optional

Claim Information Loop

CLM	1300	Claim Information	Max use 1	Required
DTP	1350	Date - Accident	Max use 1	Optional
DTP	1350	Date - Appliance Placement	Max use 1	Optional
DTP	1350	Date - Repricer Received Date	Max use 1	Optional
DTP	1350	Date - Service Date	Max use 1	Optional

DN1	1450	Orthodontic Total Months of Treatment	Max use 1	Optional
DN2	1500	Tooth Status	Max use 35	Optional
PWK	1550	Claim Supplemental Information	Max use 10	Optional
CN1	1600	Contract Information	Max use 1	Optional
AMT	1750	Patient Amount Paid	Max use 1	Optional
REF	1800	Predetermination Identification	Max use 1	Optional
REF	1800	Service Authorization Exception Code	Max use 1	Optional
REF	1800	Payer Claim Control Number	Max use 1	Optional
REF	1800	Referral Number	Max use 1	Optional
REF	1800	Prior Authorization	Max use 1	Optional
REF	1800	Repriced Claim Number	Max use 1	Optional
REF	1800	Adjusted Repriced Claim Number	Max use 1	Optional
REF	1800	Claim Identifier For Transmission Intermediaries	Max use 1	Optional
K3	1850	File Information	Max use 10	Optional
NTE	1900	Claim Note	Max use 5	Optional
HI	2310	Health Care Diagnosis Code	Max use 1	Optional
HCP	2410	Claim Pricing/Repricing Information	Max use 1	Optional

Referring Provider Name Loop

NM1	2500	Referring Provider Name	Max use 1	Required
PRV	2550	Referring Provider Specialty Information	Max use 1	Optional
REF	2710	Referring Provider Secondary Identification	Max use 3	Optional

Rendering Provider Name Loop

NM1	2500	Rendering Provider Name	Max use 1	Required
PRV	2550	Rendering Provider Specialty Information	Max use 1	Required
REF	2710	Rendering Provider Secondary Identification	Max use 4	Optional

Service Facility Location Name Loop

NM1	2500	Service Facility Location Name	Max use 1	Required
N3	2650	Service Facility Location Address	Max use 1	Required
N4	2700	Service Facility Location City, State, ZIP Code	Max use 1	Required

REF	2710	Service Facility Location Secondary Identification	Max use 3	Optional
Assistant Surgeon Name Loop				
NM1	2500	Assistant Surgeon Name	Max use 1	Required
PRV	2550	Assistant Surgeon Specialty Information	Max use 1	Required
REF	2710	Assistant Surgeon Secondary Identification	Max use 4	Optional
Supervising Provider Name Loop				
NM1	2500	Supervising Provider Name	Max use 1	Required
REF	2710	Supervising Provider Secondary Identification	Max use 4	Optional
Other Subscriber Information Loop				
SBR	2900	Other Subscriber Information	Max use 1	Required
CAS	2950	Claim Level Adjustments	Max use 5	Optional
AMT	3000	Coordination of Benefits (COB) Payer Paid Amount	Max use 1	Optional
AMT	3000	Remaining Patient Liability	Max use 1	Optional
AMT	3000	Coordination of Benefits (COB) Total Non-Covered Amount	Max use 1	Optional
OI	3100	Other Insurance Coverage Information	Max use 1	Required
MOA	3200	Outpatient Adjudication Information	Max use 1	Optional
Other Subscriber Name Loop				
NM1	3250	Other Subscriber Name	Max use 1	Required
N3	3320	Other Subscriber Address	Max use 1	Optional
N4	3400	Other Subscriber City, State, ZIP Code	Max use 1	Optional
REF	3550	Other Subscriber Secondary Identification	Max use 2	Optional
Other Payer Name Loop				
NM1	3250	Other Payer Name	Max use 1	Required
N3	3320	Other Payer Address	Max use 1	Optional
N4	3400	Other Payer City, State, ZIP Code	Max use 1	Optional
DTP	3500	Claim Check or Remittance Date	Max use 1	Optional
REF	3550	Other Payer Secondary Identifier	Max use 3	Optional

REF	3550	Other Payer Prior Authorization Number	Max use 1	Optional
REF	3550	Other Payer Referral Number	Max use 1	Optional
REF	3550	Other Payer Claim Adjustment Indicator	Max use 1	Optional
REF	3550	Other Payer Predetermination Identification	Max use 1	Optional
REF	3550	Other Payer Claim Control Number	Max use 1	Optional

Other Payer Referring Provider Loop

NM1	3250	Other Payer Referring Provider	Max use 1	Required
REF	3550	Other Payer Referring Provider Secondary Identification	Max use 3	Required

Other Payer Rendering Provider Loop

NM1	3250	Other Payer Rendering Provider	Max use 1	Required
REF	3550	Other Payer Rendering Provider Secondary Identification	Max use 3	Required

Other Payer Supervising Provider Loop

NM1	3250	Other Payer Supervising Provider	Max use 1	Required
REF	3550	Other Payer Supervising Provider Secondary Identification	Max use 3	Required

Other Payer Billing Provider Loop

NM1	3250	Other Payer Billing Provider	Max use 1	Required
REF	3550	Other Payer Billing Provider Secondary Identification	Max use 2	Required

Other Payer Service Facility Location Loop

NM1	3250	Other Payer Service Facility Location	Max use 1	Required
REF	3550	Other Payer Service Facility Location Secondary Identification	Max use 3	Required

Other Payer Assistant Surgeon Loop

NM1	3250	Other Payer Assistant Surgeon	Max use 1	Required
REF	3550	Other Payer Assistant Surgeon Secondary Identifier	Max use 3	Required

Service Line Number Loop

LX	3650	Service Line Number	Max use 1	Required
-----------	------	---------------------	-----------	----------

SV3	3800	Dental Service	Max use 1	Required
TOO	3820	Tooth Information	Max use 32	Optional
DTP	4550	Date - Service Date	Max use 1	Optional
DTP	4550	Date - Prior Placement	Max use 1	Optional
DTP	4550	Date - Appliance Placement	Max use 1	Optional
DTP	4550	Date - Replacement	Max use 1	Optional
DTP	4550	Date - Treatment Start	Max use 1	Optional
DTP	4550	Date - Treatment Completion	Max use 1	Optional
CN1	4650	Contract Information	Max use 1	Optional
REF	4700	Service Predetermination Identification	Max use 5	Optional
REF	4700	Prior Authorization	Max use 5	Optional
REF	4700	Line Item Control Number	Max use 1	Optional
REF	4700	Repriced Claim Number	Max use 1	Optional
REF	4700	Adjusted Repriced Claim Number	Max use 1	Optional
REF	4700	Referral Number	Max use 5	Optional
AMT	4750	Sales Tax Amount	Max use 1	Optional
K3	4800	File Information	Max use 10	Optional
HCP	4920	Line Pricing/Repricing Information	Max use 1	Optional

Rendering Provider Name Loop

NM1	5000	Rendering Provider Name	Max use 1	Required
PRV	5050	Rendering Provider Specialty Information	Max use 1	Required
REF	5250	Rendering Provider Secondary Identification	Max use 20	Optional

Assistant Surgeon Name Loop

NM1	5000	Assistant Surgeon Name	Max use 1	Required
PRV	5050	Assistant Surgeon Specialty Information	Max use 1	Optional
REF	5250	Assistant Surgeon Secondary Identification	Max use 20	Optional

Supervising Provider Name Loop

NM1	5000	Supervising Provider Name	Max use 1	Required
REF	5250	Supervising Provider Secondary Identification	Max use 20	Optional

Service Facility Location Name Loop

NM1	5000	Service Facility Location Name	Max use 1	Required
N3	5140	Service Facility Location Address	Max use 1	Required
N4	5200	Service Facility Location City, State, ZIP Code	Max use 1	Required
REF	5250	Service Facility Location Secondary Identification	Max use 20	Optional

Line Adjudication Information Loop

SVD	5400	Line Adjudication Information	Max use 1	Required
CAS	5450	Line Adjustment	Max use 5	Optional
DTP	5500	Line Check or Remittance Date	Max use 1	Required
AMT	5505	Remaining Patient Liability	Max use 1	Optional

Patient Hierarchical Level Loop

HL	0010	Hierarchical Level	Max use 1	Required
PAT	0070	Patient Information	Max use 1	Required

Patient Name Loop

NM1	0150	Patient Name	Max use 1	Required
N3	0250	Patient Address	Max use 1	Required
N4	0300	Patient City, State, ZIP Code	Max use 1	Required
DMG	0320	Patient Demographic Information	Max use 1	Required
REF	0350	Property and Casualty Claim Number	Max use 1	Optional
REF	0350	Property and Casualty Patient Identifier	Max use 1	Optional

Claim Information Loop

CLM	1300	Claim Information	Max use 1	Required
DTP	1350	Date - Accident	Max use 1	Optional
DTP	1350	Date - Appliance Placement	Max use 1	Optional
DTP	1350	Date - Repricer Received Date	Max use 1	Optional
DTP	1350	Date - Service Date	Max use 1	Optional
DN1	1450	Orthodontic Total Months of Treatment	Max use 1	Optional
DN2	1500	Tooth Status	Max use 35	Optional

PWK	1550	Claim Supplemental Information	Max use 10	Optional
CN1	1600	Contract Information	Max use 1	Optional
AMT	1750	Patient Amount Paid	Max use 1	Optional
REF	1800	Predetermination Identification	Max use 1	Optional
REF	1800	Service Authorization Exception Code	Max use 1	Optional
REF	1800	Payer Claim Control Number	Max use 1	Optional
REF	1800	Referral Number	Max use 1	Optional
REF	1800	Prior Authorization	Max use 1	Optional
REF	1800	Repriced Claim Number	Max use 1	Optional
REF	1800	Adjusted Repriced Claim Number	Max use 1	Optional
REF	1800	Claim Identifier For Transmission Intermediaries	Max use 1	Optional
K3	1850	File Information	Max use 10	Optional
NTE	1900	Claim Note	Max use 5	Optional
HI	2310	Health Care Diagnosis Code	Max use 1	Optional
HCP	2410	Claim Pricing/Repricing Information	Max use 1	Optional

Referring Provider Name Loop

NM1	2500	Referring Provider Name	Max use 1	Required
PRV	2550	Referring Provider Specialty Information	Max use 1	Optional
REF	2710	Referring Provider Secondary Identification	Max use 3	Optional

Rendering Provider Name Loop

NM1	2500	Rendering Provider Name	Max use 1	Required
PRV	2550	Rendering Provider Specialty Information	Max use 1	Required
REF	2710	Rendering Provider Secondary Identification	Max use 4	Optional

Service Facility Location Name Loop

NM1	2500	Service Facility Location Name	Max use 1	Required
N3	2650	Service Facility Location Address	Max use 1	Required
N4	2700	Service Facility Location City, State, ZIP Code	Max use 1	Required
REF	2710	Service Facility Location Secondary Identification	Max use 3	Optional

Assistant Surgeon Name Loop

NM1	2500	Assistant Surgeon Name	Max use 1	Required
PRV	2550	Assistant Surgeon Specialty Information	Max use 1	Required
REF	2710	Assistant Surgeon Secondary Identification	Max use 4	Optional

Supervising Provider Name Loop

NM1	2500	Supervising Provider Name	Max use 1	Required
REF	2710	Supervising Provider Secondary Identification	Max use 4	Optional

Other Subscriber Information Loop

SBR	2900	Other Subscriber Information	Max use 1	Required
CAS	2950	Claim Level Adjustments	Max use 5	Optional
AMT	3000	Coordination of Benefits (COB) Payer Paid Amount	Max use 1	Optional
AMT	3000	Remaining Patient Liability	Max use 1	Optional
AMT	3000	Coordination of Benefits (COB) Total Non-Covered Amount	Max use 1	Optional
OI	3100	Other Insurance Coverage Information	Max use 1	Required
MOA	3200	Outpatient Adjudication Information	Max use 1	Optional

Other Subscriber Name Loop

NM1	3250	Other Subscriber Name	Max use 1	Required
N3	3320	Other Subscriber Address	Max use 1	Optional
N4	3400	Other Subscriber City, State, ZIP Code	Max use 1	Optional
REF	3550	Other Subscriber Secondary Identification	Max use 2	Optional

Other Payer Name Loop

NM1	3250	Other Payer Name	Max use 1	Required
N3	3320	Other Payer Address	Max use 1	Optional
N4	3400	Other Payer City, State, ZIP Code	Max use 1	Optional
DTP	3500	Claim Check or Remittance Date	Max use 1	Optional
REF	3550	Other Payer Secondary Identifier	Max use 3	Optional
REF	3550	Other Payer Prior Authorization Number	Max use 1	Optional

REF	3550	Other Payer Referral Number	Max use 1	Optional
REF	3550	Other Payer Claim Adjustment Indicator	Max use 1	Optional
REF	3550	Other Payer Predetermination Identification	Max use 1	Optional
REF	3550	Other Payer Claim Control Number	Max use 1	Optional

Other Payer Referring Provider Loop

NM1	3250	Other Payer Referring Provider	Max use 1	Required
REF	3550	Other Payer Referring Provider Secondary Identification	Max use 3	Required

Other Payer Rendering Provider Loop

NM1	3250	Other Payer Rendering Provider	Max use 1	Required
REF	3550	Other Payer Rendering Provider Secondary Identification	Max use 3	Required

Other Payer Supervising Provider Loop

NM1	3250	Other Payer Supervising Provider	Max use 1	Required
REF	3550	Other Payer Supervising Provider Secondary Identification	Max use 3	Required

Other Payer Billing Provider Loop

NM1	3250	Other Payer Billing Provider	Max use 1	Required
REF	3550	Other Payer Billing Provider Secondary Identification	Max use 2	Required

Other Payer Service Facility Location Loop

NM1	3250	Other Payer Service Facility Location	Max use 1	Required
REF	3550	Other Payer Service Facility Location Secondary Identification	Max use 3	Required

Other Payer Assistant Surgeon Loop

NM1	3250	Other Payer Assistant Surgeon	Max use 1	Required
REF	3550	Other Payer Assistant Surgeon Secondary Identifier	Max use 3	Required

Service Line Number Loop

LX	3650	Service Line Number	Max use 1	Required
SV3	3800	Dental Service	Max use 1	Required

TOO	3820	Tooth Information	Max use 32	Optional
DTP	4550	Date - Service Date	Max use 1	Optional
DTP	4550	Date - Prior Placement	Max use 1	Optional
DTP	4550	Date - Appliance Placement	Max use 1	Optional
DTP	4550	Date - Replacement	Max use 1	Optional
DTP	4550	Date - Treatment Start	Max use 1	Optional
DTP	4550	Date - Treatment Completion	Max use 1	Optional
CN1	4650	Contract Information	Max use 1	Optional
REF	4700	Service Predetermination Identification	Max use 5	Optional
REF	4700	Prior Authorization	Max use 5	Optional
REF	4700	Line Item Control Number	Max use 1	Optional
REF	4700	Repriced Claim Number	Max use 1	Optional
REF	4700	Adjusted Repriced Claim Number	Max use 1	Optional
REF	4700	Referral Number	Max use 5	Optional
AMT	4750	Sales Tax Amount	Max use 1	Optional
K3	4800	File Information	Max use 10	Optional
HCP	4920	Line Pricing/Repricing Information	Max use 1	Optional

Rendering Provider Name Loop

NM1	5000	Rendering Provider Name	Max use 1	Required
PRV	5050	Rendering Provider Specialty Information	Max use 1	Required
REF	5250	Rendering Provider Secondary Identification	Max use 20	Optional

Assistant Surgeon Name Loop

NM1	5000	Assistant Surgeon Name	Max use 1	Required
PRV	5050	Assistant Surgeon Specialty Information	Max use 1	Optional
REF	5250	Assistant Surgeon Secondary Identification	Max use 20	Optional

Supervising Provider Name Loop

NM1	5000	Supervising Provider Name	Max use 1	Required
REF	5250	Supervising Provider Secondary Identification	Max use 20	Optional

Service Facility Location Name Loop

	NM1	5000	Service Facility Location Name	Max use 1	Required
	N3	5140	Service Facility Location Address	Max use 1	Required
	N4	5200	Service Facility Location City, State, ZIP Code	Max use 1	Required
	REF	5250	Service Facility Location Secondary Identification	Max use 20	Optional
Line Adjudication Information Loop					
	SVD	5400	Line Adjudication Information	Max use 1	Required
	CAS	5450	Line Adjustment	Max use 5	Optional
	DTP	5500	Line Check or Remittance Date	Max use 1	Required
	AMT	5505	Remaining Patient Liability	Max use 1	Optional
SE		5550	Transaction Set Trailer	Max use 1	Required
GE	-		Functional Group Trailer	Max use 1	Required
IEA	-		Interchange Control Trailer	Max use 1	Required

ISA

Max use 1Required

Interchange Control Header

To start and identify an interchange of zero or more functional groups and interchange-related control segments

Example

```
ISA*00*                *00*                *XX*XXXXXXXXXXXXXXX
X*XX*XXXXXXXXXXXXXXX*260701*1311*^*00501*00000000
0*X*X*>~
```

ISA-01

I01 Authorization Information Qualifier

Identifier (ID)

Required

Code identifying the type of information in the Authorization Information

00 No Authorization Information Present (No Meaningful Information in I02)

ISA-02

I02 Authorization Information

Min 10Max 10String (AN)

Required

Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)

ISA-03

I03 Security Information Qualifier

Identifier (ID)

Required

Code identifying the type of information in the Security Information

00 No Security Information Present (No Meaningful Information in I04)

ISA-04

I04 Security Information

Min 10Max 10String (AN)

Required

This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)

ISA-05

I05 Interchange ID Qualifier

Min 2Max 2Identifier (ID)

Required

Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified

> Codes

ISA-06

I06 Interchange Sender ID

Min 15Max 15String (AN)

Required

Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element

<u>ISA-07</u>	I05 Interchange ID Qualifier	Min 2	Max 2	Identifier (ID)	Required
Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified					
> Codes					
<u>ISA-08</u>	I07 Interchange Receiver ID	Min 15	Max 15	String (AN)	Required
Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them					
<u>ISA-09</u>	I08 Interchange Date	YYMMDD format		Date (DT)	Required
Date of the interchange					
<u>ISA-10</u>	I09 Interchange Time	HHMM format		Time (TM)	Required
Time of the interchange					
<u>ISA-11</u>	I65 Repetition Separator	Min 1	Max 1	String (AN)	Required
Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator					
^ Repetition Separator					
<u>ISA-12</u>	I11 Interchange Control Version Number			Identifier (ID)	Required
Code specifying the version number of the interchange control segments					
00501 Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003					
<u>ISA-13</u>	I12 Interchange Control Number	Min 9	Max 9	Numeric (NO)	Required
A control number assigned by the interchange sender					
<u>ISA-14</u>	I13 Acknowledgment Requested	Min 1	Max 1	Identifier (ID)	Required

Code indicating sender's request for an interchange acknowledgment

- 0 No Interchange Acknowledgment Requested
- 1 Interchange Acknowledgment Requested (TA1)

ISA-15

I14 Interchange Usage Indicator

Min 1Max 1

Identifier (ID)

Required

Code indicating whether data enclosed by this interchange envelope is test, production or information

- I Information
- P Production Data
- T Test Data

ISA-16

I15 Component Element Separator

Min 1Max 1

String (AN)

Required

Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator

- > Component Element Separator

GS

Max use 1

Required

Functional Group Header

To indicate the beginning of a functional group and to provide control information

Example

GS*HC*XXXXX*XX*20260701*1143*0000*X*005010X224A2~

<u>GS-01</u>	479 Functional Identifier Code			 Identifier (ID)	Required
Code identifying a group of application related transaction sets					
HC Health Care Claim (837)					
<u>GS-02</u>	142 Application Sender's Code	Min 2	Max 15	 String (AN)	Required
Code identifying party sending transmission; codes agreed to by trading partners					
<u>GS-03</u>	124 Application Receiver's Code	Min 2	Max 15	 String (AN)	Required
Code identifying party receiving transmission; codes agreed to by trading partners					
<u>GS-04</u>	373 Date	CCYYMMDD format		 Date (DT)	Required
Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year					
<u>GS-05</u>	337 Time	HHMM, HHMMSS, HHMMSSD, or HHMMSSDD format		 Time (TM)	Required
Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
<u>GS-06</u>	28 Group Control Number	Min 1	Max 9	# Numeric (N0)	Required
Assigned number originated and maintained by the sender					
<u>GS-07</u>	455 Responsible Agency Code	Min 1	Max 2	 Identifier (ID)	Required
Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480					
T Transportation Data Coordinating Committee (TDCC)					

X Accredited Standards Committee X12

GS-08

480 Version / Release / Industry Identifier Code

T String (AN)

Required

Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

005010X224A2

Heading

ST

0050 Heading > ST

Max use 1

Required

Transaction Set Header

To indicate the start of a transaction set and to assign a control number

Example

ST*837*0001*005010X224A2~

ST-01

143 Transaction Set Identifier Code

Identifier (ID)

Required

Code uniquely identifying a Transaction Set

- The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

837 Health Care Claim

ST-02

329 Transaction Set Control Number

Min 4 Max 9 # Numeric (N)

Required

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Usage notes

- The Transaction Set Control Number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA), but can repeat in other interchanges.

ST-03

1705 Implementation Guide Version Name

String (AN)

Required

Reference assigned to identify Implementation Convention

- The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition. When used, this implementation convention reference takes precedence over the implementation reference specified in the GS08.

Usage notes

- This element must be populated with the guide identifier named in Section 1.2.
- This field contains the same value as GS08. Some translator products strip off the ISA and GS segments prior to application (ST-SE) processing. Providing the information from the GS08 at this level will ensure that the appropriate application mapping is used at translation time.

005010X224A2



Beginning of Hierarchical Transaction

To define the business hierarchical structure of the transaction set and identify the business application purpose and reference data, i.e., number, date, and time

Usage notes

- The second example denotes the case where the entire transaction set contains ENCOUNTERS.

Example

BHT*0019*18*XXXXXX*20260701*1629*CH~

BHT-01

1005 Hierarchical Structure Code

Identifier (ID)

Required

Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set

0019 Information Source, Subscriber, Dependent

BHT-02

353 Transaction Set Purpose Code

Identifier (ID)

Required

Code identifying purpose of transaction set

Usage notes

- BHT02 is intended to convey the electronic transmission status of the 837 batch contained in this ST-SE envelope. The terms "original" and "reissue" refer to the electronic transmission status of the 837 batch, not the billing status.

00 Original

- ☐ Original transmissions are transmissions which have never been sent to the receiver.

18 Reissue

- ☐ If a transmission was disrupted and the receiver requests a retransmission, the sender uses "Reissue" to indicate the transmission has been previously sent.

BHT-03

127 Originator Application Transaction Identifier

String (AN)

Required

Min 1 Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- BHT03 is the number assigned by the originator to identify the transaction within the originator's business application system.

Usage notes

- The inventory file number of the transmission assigned by the submitter's system. This number operates as a batch control number.
- This field is limited to 30 characters.

BHT-04 **373 Transaction Set Creation Date** CCYYMMDD format **Date (DT)** **Required**

Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

- BHT04 is the date the transaction was created within the business application system.

Usage notes

- This is the date that the original submitter created the claim file from their business application system.

BHT-05 **337 Transaction Set Creation Time** **Time (TM)** **Required**
HHMM, HHMMSS, HHMMSSD, or HHMMSSDD format

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

- BHT05 is the time the transaction was created within the business application system.

Usage notes

- This is the time that the original submitter created the claim file from their business application system.

BHT-06 **640 Claim or Encounter Identifier** **Identifier (ID)** **Required**

Code specifying the type of transaction

31 Subrogation Demand

- ☐ The subrogation demand code is only for use by state Medicaid agencies performing post payment recovery claiming with willing trading partners.
***NOTE: ***At the time of this writing, Subrogation Demand is not a HIPAA mandated use of the 837 transaction.

CH Chargeable

- ☐ Use CH when the transaction contains only fee for service claims or claims with at least one chargeable line item. If it is not clear whether a transaction contains claims or capitated encounters, or if the transaction contains a mix of claims and capitated encounters, use CH.

RP Reporting

- ☐ Use RP when the entire ST-SE envelope contains only capitated encounters.
Use RP when the transaction is being sent to an entity (usually not a payer or a normal provider payer transmission intermediary) for purposes other than adjudication of a claim. Such an entity could be a state health data agency which is using the 837 for health data reporting purposes.

1000A Submitter Name Loop

Max 1Required

Variants (all may be used)

Receiver Name Loop

NM10200Heading > Submitter Name Loop > NM1

Max use 1Required

Submitter Name

To supply the full name of an individual or organizational entity

Usage notes

- The submitter is the entity responsible for the creation and formatting of this transaction.

Example

NM1*41*1*X*XXXX*XXX***46*XXXXXX~

NM1-0198Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

41 Submitter

NM1-021065Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

2 Non-Person Entity

NM1-031035Submitter Last or Organization Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-041036Submitter First Name

Min 1Max 35String (AN)Optional

Individual first name

NM1-051037Submitter Middle Name or Initial

Min 1Max 25String (AN)Optional

Individual middle name or initial

NM1-0866Identification Code Qualifier

Identifier (ID)Required

Code designating the system/method of code structure used for Identification Code (67)

46 Electronic Transmitter Identification Number (ETIN)

☐ Established by trading partner agreement

NM1-09

67 Submitter Identifier

Min 2 Max 80  String (AN) Required

Code identifying a party or other code

PER

0450 Heading > Submitter Name Loop > PER

Max use 2

Required

Submitter EDI Contact Information

To identify a person or office to whom administrative communications should be directed

Usage notes

- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number must always include the area code and phone number using the format AAABBBCCCC where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number. Therefore, the following telephone number (555) 555-1234 would be represented as 5555551234. Do not submit long distance access numbers, such as "1", in the telephone number. Telephone extensions, when applicable, must be submitted in the next element immediately following the telephone number. When submitting telephone extensions, only submit the numeric extension. Do not include data that indicates an extension, such as "ext" or "x-".
- The contact information in this segment identifies the person in the submitter organization who deals with data transmission issues. If data transmission problems arise, this is the person to contact in the submitter organization.
- There are 2 repetitions of the PER segment to allow for six possible combinations of communication numbers including extensions.

Example

PER*IC*X*FX*XXXXX*EM*XXXX*TE*XXXX~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01 366 Contact Function Code

Identifier (ID)

Required

Code identifying the major duty or responsibility of the person or group named

IC Information Contact

PER-02 93 Submitter Contact Name

Min 1 Max 60 String (AN)

Optional

Free-form name

PER-03 365 Communication Number Qualifier

Identifier (ID)

Required

Code identifying the type of communication number

EM Electronic Mail

FX Facsimile

TE Telephone

PER-04 364 Communication Number

Min 1 Max 256 String (AN)

Required

Complete communications number including country or area code when applicable

PER-05

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-06

364

Communication Number

Min 1

Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-08

364

Communication Number

Min 1

Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

1000A Submitter Name Loop end

1000B Receiver Name Loop

Max 1Required

Variants (all may be used)
Submitter Name Loop

NM10200Heading > Receiver Name Loop > NM1

Max use 1Required

Receiver Name

To supply the full name of an individual or organizational entity

Example

NM1*40*2*XXX*****46*XX~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

40 Receiver

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-031035 Receiver Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-0866 Identification Code Qualifier

Identifier (ID)Required

Code designating the system/method of code structure used for Identification Code (67)

46 Electronic Transmitter Identification Number (ETIN)

NM1-0967 Receiver Primary Identifier

Min 2Max 80String (AN)Required

Code identifying a party or other code

1000B Receiver Name Loop end

Heading end

Detail

2000A Billing Provider Hierarchical Level Loop

Max >1

Required

HL

0010

Detail > Billing Provider Hierarchical Level Loop > HL

Max use 1

Required

Hierarchical Level

To identify dependencies among and the content of hierarchically related groups of data segments

Example

HL *1**20*1~

HL-01

628 Hierarchical ID Number

Min 1

Max 12

String (AN)

Required

A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

- HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.

HL-03

735 Hierarchical Level Code

Identifier (ID)

Required

Code defining the characteristic of a level in a hierarchical structure

- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.

20 Information Source

HL-04

736 Hierarchical Child Code

Identifier (ID)

Optional

Code indicating if there are hierarchical child data segments subordinate to the level being described

- HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

1 Additional Subordinate HL Data Segment in This Hierarchical Structure.

Billing Provider Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Required when the Billing Provider is also the Rendering Provider for at least one of the claims in this transaction.
If not required by this implementation guide, do not send.

Example

PRV*BI*PXC*XXXXX~

<u>PRV-01</u>	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
BI Billing			
<u>PRV-02</u>	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
<u>PRV-03</u>	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

Foreign Currency Information

To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Usage notes

- Required when the amounts represented in this transaction are currencies other than the United States dollar. If not required by this implementation guide, do not send.
- It is REQUIRED that all amounts reported within the transaction are of the currency named in this segment. If this segment is not used, then it is required that all amounts in this transaction be expressed in US dollars.

Example

CUR*85*XXX~

CUR-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

85 Billing Provider

CUR-02

100 Currency Code

Min 3 Max 3 Identifier (ID)

Required

Code (Standard ISO) for country in whose currency the charges are specified

Usage notes

- The submitter must use the Currency Code, not the Country Code, for this element. For example the Currency Code CAD = Canadian dollars would be valid, while CA = Canada would be invalid.

2010AA Billing Provider Name Loop

Max 1

Required

Variants (all may be used)

Pay-to Address Name Loop

Pay-To Plan Name Loop

NM1

0150 Detail > Billing Provider Hierarchical Level Loop > Billing Provider Name Loop > NM1

Max use 1

Required

Billing Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Beginning on the NPI compliance date: When the Billing Provider is an organization health care provider, the organization health care provider's NPI or its subpart's NPI is reported in NM109. When a health care provider organization has determined that it needs to enumerate its subparts, it will report the NPI of a subpart as the Billing Provider. The subpart reported as the Billing Provider MUST always represent the most detailed level of enumeration as determined by the organization health care provider and MUST be the same identifier sent to any trading partner. For additional explanation, see section 1.10.3 Organization Health Care Provider Subpart Presentation.
- Prior to the NPI compliance date, proprietary identifiers necessary for the receiver to identify the Billing Provider entity are to be reported in the REF segment of Loop ID-2010BB.
- The Taxpayer Identifying Number (TIN) of the Billing Provider to be used for 1099 purposes must be reported in the REF segment of this loop.
- The Billing Provider may be an individual only when the health care provider performing services is an independent, unincorporated entity. In these cases, the Billing Provider is the individual whose social security number is used for 1099 purposes. That individual's NPI is reported in NM109, and the individual's Tax Identification Number must be reported in the REF segment of this loop. The individual's NPI must be reported when the individual provider is eligible for an NPI. See section 1.10.1 (Providers who are Not Eligible for Enumeration).
- When the individual or the organization is not a health care provider and, thus, not eligible to receive an NPI (For example, personal care services, carpenters, etc), the Billing Provider should be the legal entity. However, willing trading partners may agree upon varying definitions. Proprietary identifiers necessary for the receiver to identify the entity are to be reported in the Loop ID-2010BB REF, Billing Provider Secondary Identification segment. The TIN to be used for 1099 purposes must be reported in the REF (Tax Identification Number) segment of this loop.

Example

NM1*85*1*XX*XXXXX*XXXXX**X*XX*XXXX~

- If either Identification Code Qualifier (NM1-08) or Billing Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

85 Billing Provider

<u>NM1-02</u>	1065 Entity Type Qualifier			 Identifier (ID)	Required
Code qualifying the type of entity					
NM102 qualifies NM103.					
1 Person 2 Non-Person Entity					
<u>NM1-03</u>	1035 Billing Provider Last or Organizational Name			 String (AN)	Required
Individual last name or organizational name					
		Min 1	Max 60		
<u>NM1-04</u>	1036 Billing Provider First Name	Min 1	Max 35	 String (AN)	Optional
Individual first name					
<u>NM1-05</u>	1037 Billing Provider Middle Name or Initial	Min 1	Max 25	 String (AN)	Optional
Individual middle name or initial					
<u>NM1-07</u>	1039 Billing Provider Name Suffix	Min 1	Max 10	 String (AN)	Optional
Suffix to individual name					
<u>NM1-08</u>	66 Identification Code Qualifier			 Identifier (ID)	Optional
Code designating the system/method of code structure used for Identification Code (67)					
XX Centers for Medicare and Medicaid Services National Provider Identifier					
<u>NM1-09</u>	67 Billing Provider Identifier	Min 2	Max 80	 String (AN)	Optional
Code identifying a party or other code					

Billing Provider Address

To specify the location of the named party

Usage notes

- The Billing Provider Address must be a street address. Post Office Box or Lock Box addresses are to be sent in the Pay-To Address Loop (Loop ID-2010AB), if necessary.

Example

N3*XXXXX*XXXX~

<u>N3-01</u>	166 Billing Provider Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Billing Provider Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

0300

Detail > Billing Provider Hierarchical Level Loop > Billing Provider Name Loop > N4

Max use 1

Required

Billing Provider City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXXX*XX*XXXXXXXX*XXX~

- Only one of Billing Provider State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Billing Provider City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Billing Provider State or Province Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Billing Provider Postal Zone or ZIP Code

Min 3

Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

Usage notes

- When reporting the ZIP code for U.S. addresses, the full nine digit ZIP code must be provided.

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

Billing Provider Tax Identification

To specify identifying information

Usage notes

- This is the tax identification number (TIN) of the entity to be paid for the submitted services.

Example

REF*SY*XX~

Variants (all may be used)

REF Billing Provider UPIN/License Information

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

EI Employer's Identification Number

- ☐ The Employer's Identification Number must be a string of exactly nine numbers with no separators.

For example, "001122333" would be valid, while sending "001-12-2333" or "00-1122333" would be invalid.

SY Social Security Number

- ☐ The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

REF-02

127 Billing Provider Tax Identification Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Billing Provider UPIN/License Information

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when a UPIN and/or license number is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI implementation date when NM109 of this loop is not used and a UPIN or license number is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- Payer specific secondary identifiers are reported in the Loop ID-2010BB REF, Billing Provider Secondary Identification.

Example

REF*1G*XXX~

Variants (all may be used)

REF Billing Provider Tax Identification

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
REF-02	127 Billing Provider License and/or UPIN Information	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

Billing Provider Contact Information

To identify a person or office to whom administrative communications should be directed

Usage notes

- Required when this information is different than that contained in the Loop ID-1000A - Submitter PER segment. If not required by this implementation guide, do not send.;
- When the communication number represents a telephone number in the United States and other countries using the North American Dialing Plan (for voice, data, fax, etc.), the communication number must always include the area code and phone number using the format AAABBBCCCC where AAA is the area code, BBB is the telephone number prefix, and CCCC is the telephone number. Therefore, the following telephone number (555) 555-1234 would be represented as 5555551234. Do not submit long distance access numbers, such as "1", in the telephone number. Telephone extensions, when applicable, must be submitted in the next element immediately following the telephone number. When submitting telephone extensions, only submit the numeric extension. Do not include data that indicates an extension, such as "ext" or "x-".
- There are 2 repetitions of the PER segment to allow for six possible combinations of communication numbers including extensions.

Example

PER*IC*XX*EM*XXXXX*FX*XXXXX*EX*X~

- If either Communication Number Qualifier (PER-05) or Communication Number (PER-06) is present, then the other is required
- If either Communication Number Qualifier (PER-07) or Communication Number (PER-08) is present, then the other is required

PER-01	366 Contact Function Code	Identifier (ID)	Required
	Code identifying the major duty or responsibility of the person or group named		
	IC Information Contact		
PER-02	93 Billing Provider Contact Name	Min 1 Max 60 String (AN)	Optional
	Free-form name		
PER-03	365 Communication Number Qualifier	Identifier (ID)	Required
	Code identifying the type of communication number		
	EM Electronic Mail		
	FX Facsimile		
	TE Telephone		

PER-04	364 Communication Number	Min 1 Max 256 String (AN)	Required
--------	--------------------------	---------------------------------	----------

Complete communications number including country or area code when applicable

PER-05

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-06

364

Communication Number

Min 1

Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

PER-07

365

Communication Number Qualifier

Identifier (ID)

Optional

Code identifying the type of communication number

EM

Electronic Mail

EX

Telephone Extension

FX

Facsimile

TE

Telephone

PER-08

364

Communication Number

Min 1

Max 256

String (AN)

Optional

Complete communications number including country or area code when applicable

2010AA Billing Provider Name Loop end

2010AB Pay-to Address Name Loop

Max 1 Optional

- Variants (all may be used)
- Billing Provider Name Loop
 - Pay-To Plan Name Loop

NM1

0150 Detail > Billing Provider Hierarchical Level Loop > Pay-to Address Name Loop > NM1

Max use 1

Required

Pay-to Address Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the address for payment is different than that of the Billing Provider. If not required by this implementation guide, do not send.;
- The purpose of Loop ID-2010AB has changed from previous versions. Loop ID-2010AB only contains address information when different from the Billing Provider Address. There are no applicable identifiers for Pay-To Address information.

Example

NM1*87*2~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

87 Pay-to Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- Person
 - Non-Person Entity

Pay-to Address - ADDRESS

To specify the location of the named party

Example

N3*XXXXXX*X~

N3-01	166 Pay-To Address Line	Min 1	Max 55	String (AN)	Required
Address information					

N3-02	166 Pay-To Address Line	Min 1	Max 55	String (AN)	Optional
Address information					

Pay-To Address City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXXXXXX*XX*XXXX*XXX~

- Only one of Pay-To Address State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Pay-to Address City Name

Min 2 Max 30 String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Pay-To Address State or Province Code

Min 2 Max 2 Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Pay-to Address Postal Zone or ZIP Code

Min 3 Max 15 Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2 Max 3 Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1 Max 3 Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

2010AB Pay-to Address Name Loop end

2010AC Pay-To Plan Name Loop

Max 1Optional

Variants (all may be used)

Billing Provider Name Loop

Pay-to Address Name Loop

NM10150Detail > Billing Provider Hierarchical Level Loop > Pay-To Plan Name Loop > NM1Max use 1Required

Pay-To Plan Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when willing trading partners agree to use this implementation for their subrogation payment requests.
- This loop may only be used when BHT06 = 31.

Example

NM1*PE*2*X*****PI*XXXXXX~

NM1-0198 Entity Identifier CodeIdentifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

PE Payee

- ☐ PE is used to indicate the subrogated payee.

NM1-021065 Entity Type QualifierIdentifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-031035 Pay-To Plan Organizational NameMin 1Max 60String (AN)Required

Individual last name or organizational name

NM1-0866 Identification Code QualifierIdentifier (ID)Required

Code designating the system/method of code structure used for Identification Code (67)

Usage notes

- On or after the mandated implementation date for the HIPAA National Plan Identifier (National Plan ID), XV must be sent.

Prior to the mandated implementation date and prior to any phase-in period identified by Federal regulation, PI must be sent.

If a phase-in period is designated, PI must be sent unless:

- Both the sender and receiver agree to use the National Plan ID,
- The receiver has a National Plan ID, and
- The sender has the capability to send the National Plan ID.

If all of the above conditions are true, XV must be sent. In this case the Payer Identification Number that would have been sent using qualifier PI can be sent in the corresponding REF segment using qualifier 2U.

- PI** Payor Identification
- XV** Centers for Medicare and Medicaid Services PlanID

<u>NM1-09</u>	67 Pay-To Plan Primary Identifier	Min 2	Max 80	 String (AN)	Required
Code identifying a party or other code					

Pay-to Plan Address

To specify the location of the named party

Example

N3 * XXX * XXXXX~

<u>N3-01</u>	166 Pay-To Plan Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Pay-To Plan Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

0300 Detail > Billing Provider Hierarchical Level Loop > Pay-To Plan Name Loop > N4

Max use 1

Required

Pay-To Plan City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXXXXXX*XX*XXXXXXXX*XXX~

- Only one of Pay-To Plan State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Pay-To Plan City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
N4-02	156 Pay-To Plan State or Province Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
N402 is required only if city name (N401) is in the U.S. or Canada.					
N4-03	116 Pay-To Plan Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
Use the alpha-2 country codes from Part 1 of ISO 3166.					
N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
Use the country subdivision codes from Part 2 of ISO 3166.					

Pay-to Plan Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated implementation date for the HIPAA National Plan Identifier when an additional identification number to that provided in the NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*NF*X~

Variants (all may be used)

REF Pay-To Plan Tax Identification Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
2U Payer Identification Number			
☐ This code is only allowed when the National Plan Identifier is reported in NM109 of this loop.			
FY Claim Office Number			
NF National Association of Insurance Commissioners (NAIC) Code			
REF-02	127 Pay-to Plan Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

0350 Detail > Billing Provider Hierarchical Level Loop > Pay-To Plan Name Loop > REF Max use 1

Required

Pay-To Plan Tax Identification Number

To specify identifying information

Example

REF*EI*XXXX~

Variants (all may be used)

REF Pay-to Plan Secondary Identification

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

EI Employer's Identification Number

☐ The Employer's Identification Number must be a string of exactly nine numbers with no separators.

For example, "001122333" would be valid, while sending "001-12-2333" or "00-1122333" would be invalid.

REF-02

127 Pay-To Plan Tax Identification Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2010AC Pay-To Plan Name Loop end

2000B Subscriber Hierarchical Level Loop

Max >1

Required

HL

0010

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop

Max Use 1

Required

Hierarchical Level

To identify dependencies among and the content of hierarchically related groups of data segments

Example

HL *2*1*22*1~

HL-01

628 Hierarchical ID Number

Min 1

Max 12

String (AN)

Required

A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

- HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.

HL-02

734 Hierarchical Parent ID Number

Min 1

Max 12

String (AN)

Required

Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

- HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.

HL-03

735 Hierarchical Level Code

Identifier (ID)

Required

Code defining the characteristic of a level in a hierarchical structure

- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.

22 Subscriber

HL-04

736 Hierarchical Child Code

Identifier (ID)

Optional

Code indicating if there are hierarchical child data segments subordinate to the level being described

- HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

- 0 No Subordinate HL Segment in This Hierarchical Structure.
- 1 Additional Subordinate HL Data Segment in This Hierarchical Structure.

Subscriber Information

To record information specific to the primary insured and the insurance carrier for that insured

Example

SBR*E*18*XXXXXX*XX*14*****BL~

SBR-01

1138 Payer Responsibility Sequence Number Code

Identifier (ID)

Required

Code identifying the insurance carrier's level of responsibility for a payment of a claim

Usage notes

- Within a given claim, the various values for the Payer Responsibility Sequence Number Code (other than value "U") may occur no more than once.

- A Payer Responsibility Four
- B Payer Responsibility Five
- C Payer Responsibility Six
- D Payer Responsibility Seven
- E Payer Responsibility Eight
- F Payer Responsibility Nine
- G Payer Responsibility Ten
- H Payer Responsibility Eleven
- P Primary
- S Secondary
- T Tertiary
- U Unknown

- ☐ This code may only be used in payer to payer COB claims when the original payer determined the presence of this coverage from eligibility files received from this payer or when the original claim did not provide the responsibility sequence for this payer.

SBR-02

1069 Individual Relationship Code

Identifier (ID)

Optional

Code indicating the relationship between two individuals or entities

- SBR02 specifies the relationship to the person insured.

18 Self

SBR-03

127 Subscriber Group or Policy Number

Min 1 Max 50 String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- SBR03 is policy or group number.

Usage notes

- This is not the number uniquely identifying the subscriber. The unique subscriber number is submitted in Loop ID-2010BA-NM109.

SBR-04 **93 Subscriber Group Name** Min 1 Max 60  String (AN) Optional

Free-form name

- SBR04 is plan name.

SBR-05 **1336 Insurance Type Code**  Identifier (ID) Optional

Code identifying the type of insurance policy within a specific insurance program

- 12 Medicare Secondary Working Aged Beneficiary or Spouse with Employer Group Health Plan
- 13 Medicare Secondary End-Stage Renal Disease Beneficiary in the Mandated Coordination Period with an Employer's Group Health Plan
- 14 Medicare Secondary, No-fault Insurance including Auto is Primary
- 15 Medicare Secondary Worker's Compensation
- 16 Medicare Secondary Public Health Service (PHS) or Other Federal Agency
- 41 Medicare Secondary Black Lung
- 42 Medicare Secondary Veteran's Administration
- 43 Medicare Secondary Disabled Beneficiary Under Age 65 with Large Group Health Plan (LGHP)
- 47 Medicare Secondary, Other Liability Insurance is Primary

SBR-09 **1032 Claim Filing Indicator Code**  Identifier (ID) Optional

Code identifying type of claim

- 11 Other Non-Federal Programs
- 12 Preferred Provider Organization (PPO)
- 13 Point of Service (POS)
- 14 Exclusive Provider Organization (EPO)
- 15 Indemnity Insurance
- 16 Health Maintenance Organization (HMO) Medicare Risk
- 17 Dental Maintenance Organization
- AM Automobile Medical
- BL Blue Cross/Blue Shield
- CH Champus
- CI Commercial Insurance Co.
- DS Disability
- FI Federal Employees Program
- HM Health Maintenance Organization
- LM Liability Medical
- MA Medicare Part A
- MB Medicare Part B
- MC Medicaid
- OF Other Federal Program
 - ☐ Use code OF when submitting Medicare Part D claims.
- TV Title V
- VA Veterans Affairs Plan

WC Workers' Compensation Health Claim

ZZ Mutually Defined

☐ Use Code ZZ when Type of Insurance is not known.

2010BA Subscriber Name Loop

Max 1Required

Variants (all may be used)

Payer Name Loop

NM1

0150

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Subscriber Name Loop > NM1

Max use 1Required

Subscriber Name

To supply the full name of an individual or organizational entity

Usage notes

- In worker's compensation or other property and casualty claims, the "subscriber" may be a non-person entity (for example, the employer). However, this varies by state.

Example

NM1*IL*1*XXX*XXXX*XXXXX**XXXXX*MI*XXXXXXXX~

- If either Identification Code Qualifier (NM1-08) or Subscriber Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

IL Insured or Subscriber

NM1-02

1065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

2 Non-Person Entity

NM1-03

1035 Subscriber Last Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-04

1036 Subscriber First Name

Min 1Max 35String (AN)Optional

Individual first name

NM1-05

1037 Subscriber Middle Name or Initial

Min 1Max 25String (AN)Optional

Individual middle name or initial

NM1-07

1039 Subscriber Name Suffix

Min 1Max 10

TString (AN)

Optional

Suffix to individual name

Usage notes

- Examples: I, II, III, IV, Jr, Sr
This data element is used only to indicate generation or patronymic.

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

- II Standard Unique Health Identifier for each Individual in the United States
- ☐ Required if the HIPAA Individual Patient Identifier is mandated use. If not required, use value 'MI' instead.
- MI Member Identification Number
- ☐ The code MI is intended to be the subscriber's identification number as assigned by the payer. (For example, Insured's ID, Subscriber's ID, Health Insurance Claim Number (HIC), etc.)
- MI is also intended to be used in claims submitted to the Indian Health Service/Contract Health Services (IHS/CHS) Fiscal Intermediary for the purpose of reporting the Tribe Residency Code (Tribe County State). In the event that a Social Security Number (SSN) is also available on an IHS/CHS claim, put the SSN in REF02.
- When sending the Social Security Number as the Member ID, it must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

NM1-09

67 Subscriber Primary Identifier

Min 2Max 80

TString (AN)

Optional

Code identifying a party or other code

Subscriber Address

To specify the location of the named party

Usage notes

- Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.

Example

N3*XXX*X~

N3-01	166 Subscriber Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Subscriber Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

0300

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Subscriber Name Loop > N4

Max use 1

Optional

Subscriber City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.

Example

N4*XXXXXXXX*XX*XXXXXX*XXX~

- Only one of Subscriber State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Subscriber City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Subscriber State Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Subscriber Postal Zone or ZIP Code

Min 3

Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

Subscriber Demographic Information

To supply demographic information

Usage notes

- Required when the patient is the subscriber or considered to be the subscriber. If not required by this implementation guide, do not send.

Example

DMG*D8*XX*F~

DMG-01

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

D8 Date Expressed in Format CCYYMMDD

DMG-02

1251 Subscriber Birth Date

Min 1Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

- DMG02 is the date of birth.

DMG-03

1068 Subscriber Gender Code

Identifier (ID)

Required

Code indicating the sex of the individual

- F Female
- M Male
- U Unknown

Subscriber Secondary Identification

To specify identifying information

Usage notes

- Required when an additional identification number to that provided in NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*SY*XXXXX~

Variants (all may be used)

REF Property and Casualty Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

SY Social Security Number

- ☐
- The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

REF-02

127 Subscriber Supplemental Identifier

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

0350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Subscriber Name Loop > REF

Max use 1

Optional

Property and Casualty Claim Number

To specify identifying information

Usage notes

- Required when the services included in this claim are to be considered as part of a property and casualty claim. If not required by this implementation guide, do not send.
- This is a property and casualty payer-assigned claim number. Providers receive this number from the property and casualty payer during eligibility determinations or some other communication with that payer. See Section 1.4.2, Property and Casualty, for additional information about property and casualty claims.;
- This segment is not a HIPAA requirement as of this writing.

Example

REF*Y4*XXX~

Variants (all may be used)

REF Subscriber Secondary Identification

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
Y4 Agency Claim Number			
REF-02	127 Property Casualty Claim Number	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2010BA Subscriber Name Loop end

2010BB Payer Name Loop

Max 1Required

Variants (all may be used)

Subscriber Name Loop

NM1

0150

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Payer Name Loop > NM1

Max use 1

Required

Payer Name

To supply the full name of an individual or organizational entity

Usage notes

- This is the destination payer.
- For the purposes of this implementation the term payer is synonymous with several other terms, such as, repricer and third party administrator.

Example

NM1*PR*2*X*****PI*XXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

PR Payer

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Payer Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

Usage notes

- On or after the mandated implementation date for the HIPAA National Plan Identifier (National Plan ID), XV must be sent.

Prior to the mandated implementation date and prior to any phase-in period identified by Federal regulation, PI must be sent.

If a phase-in period is designated, PI must be sent unless:

Both the sender and receiver agree to use the National Plan ID,

The receiver has a National Plan ID, and
The sender has the capability to send the National Plan ID.

If all of the above conditions are true, XV must be sent. In this case the Payer Identification Number that would have been sent using qualifier PI can be sent in the corresponding REF segment using qualifier 2U.

PI Payor Identification
XV Centers for Medicare and Medicaid Services PlanID

<u>NM1-09</u>	67 Payer Identifier	Min 2	Max 80	 String (AN)	Required
Code identifying a party or other code					

Payer Address

To specify the location of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N3*XX*XXX~

<u>N3-01</u>	166 Payer Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Payer Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

0300

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Payer Name Loop > N4

Max use 1

Optional

Payer City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N4*XXXX*XX*XXXXXXXX*XXX~

- Only one of Payer State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Payer City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
N4-02	156 Payer State Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
N402 is required only if city name (N401) is in the U.S. or Canada.					
N4-03	116 Payer Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
Use the alpha-2 country codes from Part 1 of ISO 3166.					
N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
Use the country subdivision codes from Part 2 of ISO 3166.					

Payer Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated implementation date for the HIPAA National Plan Identifier when an additional identification number to that provided in the NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*FY*XXXX~

Variants (all may be used)

REF Billing Provider Secondary Identification

REF-01128Reference Identification QualifierIdentifier (ID)Required

Code qualifying the Reference Identification

2UPayer Identification Number

- This code is only allowed when the National Plan Identifier is reported in NM109 of this loop.

EIEmployer's Identification Number

- The Employer's Identification Number must be a string of exactly nine numbers with no separators.

For example, "001122333" would be valid, while sending "001-12-2333" or "00-1122333" would be invalid.

FYClaim Office Number

NFNational Association of Insurance Commissioners (NAIC) Code

REF-02127Payer Secondary IdentifierMin 1Max 50String (AN)Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Billing Provider Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated NPI Implementation Date when an additional identification number is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in Loop 2010AA is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*LU*XXXXX~

Variants (all may be used)

REF Payer Secondary Identification

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G2 Provider Commercial Number

- ☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LU Location Number

REF-02

127 Billing Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2010BB Payer Name Loop end

2300 Claim Information Loop

Max 100

Optional

CLM

1300

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > CLM

Max use 1

Required

Claim Information

To specify basic data about the claim

Usage notes

- The developers of this implementation guide recommend that trading partners limit the size of the transaction (ST-SE envelope) to a maximum of 5000 CLM segments. There is no recommended limit to the number of ST-SE transactions within a GS-GE or ISA-IEA. Willing trading partners can agree to set limits higher.
- For purposes of this documentation, the claim detail information is presented only in the dependent level. Specific claim detail information can be given in either the subscriber or the dependent hierarchical level. Because of this, the claim information is said to "float." Claim information is positioned in the same hierarchical level that describes its owner-participant, either the subscriber or the dependent. In other words, the claim information, Loop ID-2300, is placed following Loop ID-2010BB in the Subscriber Hierarchical Level (HL) when patient information is sent in Loop ID-2010BA of the Subscriber HL. Claim information is placed in the Patient HL when the patient information is sent in Loop ID-2010CA of the Patient HL. When the patient is the subscriber or is considered to be the subscriber, Loop ID-2000C and Loop ID-2010CA are not sent. See Subscriber/Patient HL Segment explanation in section 1.4.3.2.2.1 for details.

Example

CLM*XXXXXX*0000000***XX>B>X*Y*C*Y*I**AA>XX>>XX>X
X*03*****PB*6~

CLM-01 1028 Patient Control Number

Min 1 Max 38 String (AN)

Required

Identifier used to track a claim from creation by the health care provider through payment

Usage notes

- The number that the submitter transmits in this position is echoed back to the submitter in the 835 and other transactions. This permits the submitter to use the value in this field as a key in the submitter's system to match the claim to the payment information returned in the 835 transaction. The two recommended identifiers are either the Patient Account Number or the Claim Number in the billing submitter's patient management system. The developers of this implementation guide strongly recommend that submitters use unique numbers for this field for each individual claim.
- When Loop ID-2010AC is present, CLM01 represents the subrogated Medicaid agency's claim number (ICN/DCN) from their original 835 CLP07 - Payer Claim Control Number. See Section 1.4.1.4 of the front matter for a description of post payment recovery claims for subrogated Medicaid agencies.
- The maximum number of characters to be supported for this field is '20'. Characters beyond the maximum are not required to be stored nor returned by any 837-receiving system.

CLM-02 **782 Total Claim Charge Amount** Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- CLM02 is the total amount of all submitted charges of service segments for this claim.

Usage notes

- The Total Claim Charge Amount must be greater than or equal to zero.
- The total claim charge amount must balance to the sum of all service line charge amounts reported in the Dental Service (SV3) segments for this claim.

CLM-05 **C023 Health Care Service Location Information** Max use 1 Required

To provide information that identifies the place of service or the type of bill related to the location at which a health care service was rendered

C023-01 **1331 Place of Service Code** Min 1 Max 2 T String (AN) Required

Code identifying where services were, or may be, performed; the first and second positions of the Uniform Bill Type Code for Institutional Services or the Place of Service Codes for Professional or Dental Services.

C023-02 **1332 Facility Code Qualifier** Identifier (ID) Required

Code identifying the type of facility referenced

- C023-02 qualifies C023-01 and C023-03.

B Place of Service Codes for Professional or Dental Services

C023-03 **1325 Claim Frequency Code** Min 1 Max 1 Identifier (ID) Required

Code specifying the frequency of the claim; this is the third position of the Uniform Billing Claim Form Bill Type

CLM-06 **1073 Provider or Supplier Signature Indicator** Identifier (ID) Required

Code indicating a Yes or No condition or response

- CLM06 is provider signature on file indicator. A "Y" value indicates the provider signature is on file; an "N" value indicates the provider signature is not on file.

N No

Y Yes

CLM-07 **1359 Assignment or Plan Participation Code** Identifier (ID) Required

Code indicating whether the provider accepts assignment

Usage notes

- Within this element the context of the word assignment is related to the relationship between the provider and the payer. This is NOT the field for reporting whether the patient has or has not assigned benefits to the provider. The benefit assignment indicator is in CLM08.

A Assigned

- ☐ Required when the provider accepts assignment and/or has a participation agreement with the destination payer.

OR

Required when the provider does not accept assignment and/or have a participation agreement, but is advising the payer to adjudicate this specific claim under participating provider benefits as allowed under certain plans.

C Not Assigned

- ☐ Required when code 'A' does not apply.

CLM-08

1073 Benefits Assignment Certification Indicator

Identifier (ID)

Required

Code indicating a Yes or No condition or response

- CLM08 is assignment of benefits indicator. A "Y" value indicates insured or authorized person authorizes benefits to be assigned to the provider; an "N" value indicates benefits have not been assigned to the provider.

Usage notes

- This element answers the question whether or not the insured has authorized the plan to remit payment directly to the provider.

N No

W Not Applicable

- ☐ Use code 'W' when the patient refuses to assign benefits.

Y Yes

CLM-09

1363 Release of Information Code

Identifier (ID)

Required

Code indicating whether the provider has on file a signed statement by the patient authorizing the release of medical data to other organizations

Usage notes

- The Release of Information response is limited to the information carried in this claim.

I Informed Consent to Release Medical Information for Conditions or Diagnoses Regulated by Federal Statutes

- ☐ Required when the provider has not collected a signature AND state or federal laws do not require a signature be collected.

Y Yes, Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim

- ☐ For this Implementation Guide, this also applies to dental billing data related to a claim.

CLM-11

C024 Related Causes Information

To identify one or more related causes and associated state or country information

Max use 1

Optional

Usage notes

Required when the services provided are employment related or the result of an accident.

If not required by this implementation guide, do not send.

<u>C024-01</u>	1362 Related Causes Code	Min 2	Max 3	Identifier (ID)	Required
Code identifying an accompanying cause of an illness, injury or an accident					
AA Auto Accident EM Employment OA Other Accident					

<u>C024-02</u>	1362 Related Causes Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying an accompanying cause of an illness, injury or an accident					

<u>C024-04</u>	156 Auto Accident State or Province Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
C024-04 and C024-05 apply only to auto accidents when C024-01, C024-02, or C024-03 is equal to "AA".					

<u>C024-05</u>	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					

<u>CLM-12</u>	1366 Special Program Indicator	Min 2	Max 3	Identifier (ID)	Optional
Code indicating the Special Program under which the services rendered to the patient were performed					
01 Early & Periodic Screening, Diagnosis, and Treatment (EPSDT) or Child Health Assessment Program (CHAP) 02 Physically Handicapped Children's Program ☐ This code is used for Medicaid claims only. 03 Special Federal Funding ☐ This code is used for Medicaid claims only. 05 Disability ☐ This code is used for Medicaid claims only.					

<u>CLM-19</u>	1383 Predetermination of Benefits Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying reason for claim submission					
PB Predetermination of Dental Benefits					

<u>CLM-20</u>	1514 Delay Reason Code	Min 2	Max 3	Identifier (ID)	Optional
---------------	-------------------------------	-------	-------	-----------------	----------

Code indicating the reason why a request was delayed

- 1 Proof of Eligibility Unknown or Unavailable
- 2 Litigation
- 3 Authorization Delays
- 4 Delay in Certifying Provider
- 5 Delay in Supplying Billing Forms
- 6 Delay in Delivery of Custom-made Appliances
- 7 Third Party Processing Delay
- 8 Delay in Eligibility Determination
- 9 Original Claim Rejected or Denied Due to a Reason Unrelated to the Billing Limitation Rules
- 10 Administration Delay in the Prior Approval Process
- 11 Other
- 15 Natural Disaster

Date - Accident

To specify any or all of a date, a time, or a time period

Usage notes

- Required when CLM11-1 or CLM11-2 has a value of AA' or OA'.
OR
Required when CLM11-1 or CLM11-2 has a value of `EM' and this claim is the result of an accident.
If not required by this implementation guide, do not send.

Example

DTP*439*D8*XXXXX~

Variants (all may be used)

- DTP Date - Appliance Placement
- DTP Date - Repricer Received Date
- DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
439 Accident			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Accident Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

DTP

1350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > DTP

Max use 1

Optional

Date - Appliance Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date orthodontic appliances were placed. If not required by this implementation guide, do not send.
- Dates in Loop ID-2300 apply to all service lines within Loop ID-2400 unless a DTP segment occurs in Loop ID-2400 with the same value in DTP01. In that case, the DTP in Loop ID-2400 overrides the DTP in Loop ID-2300 for that service line only.

Example

DTP*452*D8*XXX~

Variants (all may be used)

- DTP Date - Accident
- DTP Date - Repricer Received Date
- DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
452 Appliance Placement			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Orthodontic Banding Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

Date - Repricer Received Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when a repricer is passing the claim onto the payer. If not required by this implementation guide, do not send.

Example

DTP*050*D8*XXX~

Variants (all may be used)

DTP Date - Accident

DTP Date - Appliance Placement

DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
	Code specifying type of date or time, or both date and time		
	050 Received		
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
	Code indicating the date format, time format, or date and time format		
	• DTP02 is the date or time or period format that will appear in DTP03.		
	D8 Date Expressed in Format CCYYMMDD		
DTP-03	1251 Repricer Received Date	Min 1 Max 35 String (AN)	Required
	Expression of a date, a time, or range of dates, times or dates and times		

Date - Service Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when all of the services for this claim were performed. Not used when the claim is being submitted as a Predetermination of Benefits. If not required by this implementation guide, do not send.
- Dates in Loop ID-2300 apply to all service lines within Loop ID-2400 unless a DTP segment occurs in Loop ID-2400 with the same value in DTP01. In that case, the DTP in Loop ID-2400 overrides the DTP in Loop ID-2300 for that service line only.

Example

DTP*472*RD8*XXXXXX~

Variants (all may be used)

- DTP Date - Accident
- DTP Date - Appliance Placement
- DTP Date - Repricer Received Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
472 Service			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD			
DTP-03	1251 Service Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

DN1

1450

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > DN1

Max use 1

Optional

Orthodontic Total Months of Treatment

To supply orthodontic information

Usage notes

Required when reporting the total months of orthodontic treatment. If not required by this implementation guide, do not send.

- Required when the claim contains services related to treatment for orthodontic purposes. If not required by this implementation guide, do not send.
- When reporting this segment, at least one of DN101, DN102 or DN104 must be present.

Example

DN1*00000000*0**X~

DN1-01

380 Orthodontic Treatment Months Count

Min 1

Max 15

Decimal number (R)

Optional

Numeric value of quantity

- DN101 is the estimated number of treatment months.

DN1-02

380 Orthodontic Treatment Months Remaining Count

Decimal number (R)

Optional

Min 1

Max 15

Numeric value of quantity

- DN102 is the number of treatment months remaining.

DN1-04

352 Orthodontic Treatment Indicator

Min 1

Max 80

T String (AN)

Optional

A free-form description to clarify the related data elements and their content

- DN104 is the appliance description.

Usage notes

- The only allowed value for DN104 is "Y", which indicates that services reported on this claim are for orthodontic purposes and that both DN101 and DN102 were not submitted.

DN2

1500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > DN2

Max use 35

Optional

Tooth Status

To specify the status of individual teeth

Usage notes

- Required when the submitter is reporting a missing tooth or a tooth to be extracted in the future. If not required by this implementation guide, do not send.

Example

DN2*XX*E****JP~

DN2-01	127 Tooth Number	Min 1	Max 50	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
	• DN201 is the tooth number.				
	Usage notes				
	• The Universal National Tooth Designation System must be used to identify tooth numbers for this element. See Code Source 135: American Dental Association.				
DN2-02	1368 Tooth Status Code			Identifier (ID)	Required
	Code specifying the status of the tooth				
	E To Be Extracted				
	M Missing				
DN2-06	1270 Code List Qualifier Code			Identifier (ID)	Required
	Code identifying a specific industry code list				
	• DN206 designates the code set used to identify the tooth in DN201.				
	JP Universal National Tooth Designation System				

PWK

1550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > PWK

Max use 10

Optional

Claim Supplemental Information

To identify the type or transmission or both of paperwork or supporting information

Usage notes

- Required when there is a paper attachment following this claim.
OR
Required when attachments are sent electronically (PWK02 = EL) but are transmitted in another functional group (for example, 275) rather than by paper. PWK06 is then used to identify the attached electronic documentation. The number in PWK06 is carried in the TRN of the electronic attachment.
OR
Required when the provider deems it necessary to identify additional information that is being held at the provider's office and is available upon request by the payer (or appropriate entity), but the information is not being submitted with the claim. Use the value of "AA" in PWK02 to convey this specific use of the PWK segment.
If not required by this implementation guide, do not send.

Example

PWK*OZ*FT***AC*XX~

- If either Identification Code Qualifier (PWK-05) or Attachment Control Number (PWK-06) is present, then the other is required

PWK-01 755 Attachment Report Type Code

■ Identifier (ID)

Required

Code indicating the title or contents of a document, report or supporting item

- B4** Referral Form
- DA** Dental Models
- DG** Diagnostic Report
- EB** Explanation of Benefits (Coordination of Benefits or Medicare Secondary Payor)
- OZ** Support Data for Claim
- P6** Periodontal Charts
- RB** Radiology Films
- RR** Radiology Reports

PWK-02 756 Attachment Transmission Code

■ Identifier (ID)

Required

Code defining timing, transmission method or format by which reports are to be sent

- AA** Available on Request at Provider Site
 - ☐ This means that the additional information is not being sent with the claim at this time. Instead, it is available to the payer (or appropriate entity) at their request.
- BM** By Mail
- EL** Electronically Only
 - ☐ Indicates that the attachment is being transmitted in a separate X12 functional group.
- EM** E-Mail
- FT** File Transfer

- ☐ Required when the actual attachment is maintained by an attachment warehouse or similar vendor.

FX By Fax

PWK-05

66 Identification Code Qualifier

■ Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

- PWK05 and PWK06 may be used to identify the addressee by a code number.

AC Attachment Control Number

PWK-06

67 Attachment Control Number

Min 2 Max 80 ■ String (AN)

Optional

Code identifying a party or other code

Usage notes

- PWK06 is used to identify the attached electronic documentation. The number in PWK06 is carried in the TRN of the electronic attachment.
- For the purpose of this implementation, the maximum field length is 50.

Contract Information

To specify basic data about the contract or contract line item

Usage notes

- The developers of this implementation guide note that the CN1 segment is for use only for post-adjudicated claims, which do not meet the definition of a health care claim under HIPAA. Consequently, at the time of this writing, the CN1 segment is for non-HIPAA use only.
- Required when the submitter is contractually obligated to supply this information on post-adjudicated claims. If not required by this implementation guide, do not send.

Example

CN1*06*00*000*XXXX*000*XX~

CN1-01	1166 Contract Type Code	Identifier (ID)	Required
	Code identifying a contract type		
	02 Per Diem		
	03 Variable Per Diem		
	04 Flat		
	05 Capitated		
	06 Percent		
	09 Other		
CN1-02	782 Contract Amount	Min 1 Max 15 # Decimal number (R)	Optional
	Monetary amount		
	CN102 is the contract amount.		
CN1-03	332 Contract Percentage	Min 1 Max 6 # Decimal number (R)	Optional
	Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)		
	CN103 is the allowance or charge percent.		
CN1-04	127 Contract Code	Min 1 Max 50 String (AN)	Optional
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	CN104 is the contract code.		
CN1-05	338 Terms Discount Percentage	Min 1 Max 6 # Decimal number (R)	Optional

Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date

CN1-06

799 Contract Version Identifier

Min 1

Max 30

 String (AN)

Optional

Revision level of a particular format, program, technique or algorithm

- CN106 is an additional identifying number for the contract.

Patient Amount Paid

To indicate the total monetary amount

Usage notes

- Required when patient has made payment specifically toward this claim. If not required by this implementation guide, do not send.
- Patient Amount Paid refers to the sum of all amounts paid on the claim by the patient or his or her representative(s).

Example

AMT*F5*0000000000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	F5 Patient Amount Paid		
AMT-02	782 Patient Amount Paid	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Predetermination Identification

To specify identifying information

Usage notes

- Required when sending the Predetermination of Benefits Identification Number for services that have been previously predetermined and are now being submitted for payment. If not required by this implementation guide, do not send.
- Reference numbers at this position apply to the entire claim.

Example

REF*G3*XXX~

Variants (all may be used)

- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G3 Predetermination of Benefits Identification Number

REF-02

127 Predetermination of Benefits Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Service Authorization Exception Code

To specify identifying information

Usage notes

- Required when mandated by government law or regulation to obtain authorization for specific service(s) but, for the reasons listed in REF02, the service was performed without obtaining the authorization. If not required by this implementation guide, do not send.

Example

REF*4N*XXXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

4N Special Payment Reference Number

REF-02

127 Service Authorization Exception Code

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- Allowable values for this element are:
 - 1 Immediate/Urgent Care
 - 2 Services Rendered in a Retroactive Period
 - 3 Emergency Care
 - 4 Client has Temporary Medicaid
 - 5 Request from County for Second Opinion to Determine if Recipient Can Work
 - 6 Request for Override Pending
 - 7 Special Handling

Payer Claim Control Number

To specify identifying information

Usage notes

- Required when CLM05-3 (Claim Frequency Code) indicates this claim is a replacement or void to a previously adjudicated claim. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*F8*XXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

F8 Original Reference Number

REF-02

127 Payer Claim Control Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Referral Number

To specify identifying information

Usage notes

- Required when a referral number is assigned by the payer or Utilization Management Organization (UMO)
AND
a referral is involved.
If not required by this implementation guide, do not send.
- Numbers at this position apply to the entire claim unless they are overridden in the REF segment in Loop ID-2400. A reference identification is considered to be overridden if the value in REF01 is the same in both the Loop ID-2300 REF segment and the Loop ID-2400 REF segment. In that case, the Loop ID-2400 REF applies only to that specific line.
- This segment must not be used to report the Predetermination of Benefits Identification Number.

Example

REF*9F*XXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Referral Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Prior Authorization

To specify identifying information

Usage notes

- Generally, preauthorization numbers are assigned by the payer or UMO to authorize a service prior to its being performed. The UMO (Utilization Management Organization) is generally the entity empowered to make a decision regarding the outcome of a health services review or the owner of information. The prior authorization number carried in this REF is specific to the destination payer reported in the Loop ID-2010BB. If other payers have similar numbers for this claim, report that information in the Loop ID-2330 loop REF which holds that payer's information.
- Required when an authorization number is assigned by the payer or UMO
AND
the services on this claim were preauthorized.
If not required by this implementation guide, do not send.
- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Numbers at this position apply to the entire claim unless they are overridden in the REF segment in Loop ID-2400. A reference identification is considered to be overridden if the value in REF01 is the same in both the Loop ID-2300 REF segment and the Loop ID-2400 REF segment. In that case, the Loop ID-2400 REF applies only to that specific line.

Example

REF*G1*XXXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G1 Prior Authorization Number

REF-02

127 Prior Authorization Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the
Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9A*XX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9A Repriced Claim Reference Number

REF-02

127 Repriced Claim Reference Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Adjusted Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9C*XXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9C Adjusted Repriced Claim Reference Number

REF-02

127 Adjusted Repriced Claim Reference Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Claim Identifier For Transmission Intermediaries

To specify identifying information

Usage notes

- Required when this information is deemed necessary by transmission intermediaries (Automated Clearinghouses, and others) who need to attach their own unique claim number. If not required by this implementation guide, do not send.
- Although this REF is supplied for transmission intermediaries to attach their own unique claim number to a claim, 837-recipients are not required under HIPAA to return this number in any HIPAA transaction. Trading partners may voluntarily agree to this interaction if they wish.

Example

REF*D9*XXX~

Variants (all may be used)

REF Predetermination Identification

REF Service Authorization Exception Code

REF Payer Claim Control Number

REF Referral Number

REF Prior Authorization

REF Repriced Claim Number

REF Adjusted Repriced Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

Usage notes

- Number assigned by clearinghouse, van, etc.

D9 Claim Number

REF-02

127 Value Added Network Trace Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The value carried in this element is limited to a maximum of 20 positions.

File Information

To transmit a fixed-format record or matrix contents

Usage notes

- Required when ALL of the following conditions are met:
- A regulatory agency concludes it must use the K3 to meet an emergency legislative requirement;
- The administering regulatory agency or other state organization has completed each one of the following steps:
contacted the X12N workgroup,
requested a review of the K3 data requirement to ensure there is not an existing method within the implementation guide to meet this requirement
- X12N determines that there is no method to meet the requirement.
If not required by this implementation guide, do not send.
- At the time of publication of this implementation, K3 segments have no specific use.
The K3 segment is expected to be used only when necessary to meet the unexpected data requirement of a legislative authority. Before this segment can be used :
- The X12N Health Care Claim workgroup must conclude there is no other available option in the implementation guide to meet the emergency legislative requirement.
- The requestor must submit a proposal for approval accompanied by the relevant business documentation to the X12N Health Care Claim workgroup chairs and receive approval for the request.
Upon review of the request, X12N will issue an approval or denial decision to the requesting entity. Approved usage(s) of the K3 segment will be reviewed by the X12N Health Care Claim workgroup to develop a permanent change to include the business case in future transaction implementations.
- Only when all of the requirements above have been met, may the regulatory agency require the temporary use of the K3 segment.
- X12N will submit the necessary data maintenance and refer the request to the appropriate data content committee(s).

Example

K3*XXXXXX~

K3-01	449 Fixed Format Information	Min 1	Max 80	String (AN)	Required
-------	------------------------------	-------	--------	-------------	----------

Data in fixed format agreed upon by sender and receiver

Claim Note

To transmit information in a free-form format, if necessary, for comment or special instruction

Usage notes

- Required when in the judgment of the provider, the information is needed to substantiate the medical treatment and is not supported elsewhere within the claim data set.
If not required by this implementation guide, do not send.
- The developers of this implementation guide discourage using narrative information within the 837. Trading partners who use narrative information with claims are strongly encouraged to codify that information within the X12 environment.;

Example

NTE * ADD * X~

NTE-01	363 Note Reference Code	Identifier (ID)	Required
	Code identifying the functional area or purpose for which the note applies		
	ADD Additional Information		
NTE-02	352 Claim Note Text	Min 1 Max 80 String (AN)	Required
	A free-form description to clarify the related data elements and their content		

Health Care Diagnosis Code

To supply information related to the delivery of health care

Usage notes

- Do not transmit the decimal point for ICD codes. The decimal point is implied.
- Required when the diagnosis may have an impact on the adjudication of the claim in cases where specific dental procedures may minimize the risks associated with the connection between the patient's oral and systemic health conditions. If not required by this implementation guide, do not send.

Example

HI *ABK>XXXX*BF>XXX*XXX>XXXXXX*X>XX~

HI-01	C022 Health Care Code Information	To send health care codes and their associated dates, amounts and quantities	Max use 1	Required
-------	-----------------------------------	--	-----------	----------

C022-01	1270 Code List Qualifier Code	Identifier (ID)	Required
---------	-------------------------------	-----------------	----------

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

- ABK** International Classification of Diseases Clinical Modification (ICD-10-CM) Principal Diagnosis
- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:
If a new rule names the ICD-10-CM as an allowable code set under HIPAA,
OR
The Secretary grants an exception to use the code set as a pilot project as allowed under the law,
OR
For claims which are not covered under HIPAA.

BK International Classification of Diseases Clinical Modification (ICD-9-CM) Principal Diagnosis

TQ Systemized Nomenclature of Dentistry (SNODENT)

- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:
If a new rule names the SNODENT codes as an allowable code set under HIPAA,
OR
the Secretary of Health and Human Services grants an exception to use the code set as a pilot project.

C022-02	1271 Principal Diagnosis Code	Min 1	Max 30	String (AN)	Required
---------	-------------------------------	-------	--------	-------------	----------

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01 1270 Code List Qualifier Code

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

ABF International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis

- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:

If a new rule names the ICD-10-CM as an allowable code set under HIPAA,

OR

The Secretary grants an exception to use the code set as a pilot project as allowed under the law,

OR

For claims which are not covered under HIPAA.

BF International Classification of Diseases Clinical Modification (ICD-9-CM) Diagnosis

TQ Systemized Nomenclature of Dentistry (SNODENT)

- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:

If a new rule names the SNODENT codes as an allowable code set under HIPAA,

OR

the Secretary of Health and Human Services grants an exception to use the code set as a pilot project.

C022-02 1271 Diagnosis Code

Min 1

Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

HI-03

C022 Health Care Code Information

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01 1270 Code List Qualifier Code

Min 1

Max 3

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

Usage notes

- See element HI02-1 for a list of valid values.

C022-02

1271 Diagnosis Code

Min 1Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

HI-04

C022 Health Care Code Information

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01

1270 Code List Qualifier Code

Min 1Max 3

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

Usage notes

- See element HI02-1 for a list of valid values.

C022-02

1271 Diagnosis Code

Min 1Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

Claim Pricing/Repricing Information

To specify pricing or repricing information about a health care claim or line item

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.
- For capitated encounters, pricing or repricing information usually is not applicable and is provided to qualify other information within the claim.

Example

HCP*11*0000000*0000*XXXXX*000000*XXX*****T
1*4*1~

HCP-01	1473 Pricing Methodology	Identifier (ID)	Required
Code specifying pricing methodology at which the claim or line item has been priced or repriced			
Usage notes			
• Specific code use is determined by Trading Partner Agreement due to the variances in contracting policies in the industry.			
00 Zero Pricing (Not Covered Under Contract)			
01 Priced as Billed at 100%			
02 Priced at the Standard Fee Schedule			
03 Priced at a Contractual Percentage			
04 Bundled Pricing			
05 Peer Review Pricing			
07 Flat Rate Pricing			
08 Combination Pricing			
09 Maternity Pricing			
10 Other Pricing			
11 Lower of Cost			
12 Ratio of Cost			
13 Cost Reimbursed			
14 Adjustment Pricing			

HCP-02	782 Repriced Allowed Amount	Min 1	Max 15	# Decimal number (R)	Required
Monetary amount					
• HCP02 is the allowed amount.					

HCP-03	782 Repriced Saving Amount	Min 1	Max 15	# Decimal number (R)	Optional
Monetary amount					

- HCP03 is the savings amount.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-04 **127 Repricing Organization Identifier** Min 1 Max 50 **T** String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP04 is the repricing organization identification number.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-05 **118 Repricing Per Diem or Flat Rate Amount** # Decimal number (R) Optional Min 1 Max 9

Rate expressed in the standard monetary denomination for the currency specified

- HCP05 is the pricing rate associated with per diem or flat rate repricing.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-06 **127 Repriced Approved Ambulatory Patient Group Code** **T** String (AN) Optional Min 1 Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP06 is the approved DRG code.
- HCP06, HCP07, HCP08, HCP10, and HCP12 are fields that will contain different values from the original submitted values.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-13 **901 Reject Reason Code** **■** Identifier (ID) Optional

Code assigned by issuer to identify reason for rejection

- HCP13 is the rejection message returned from the third party organization.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

T1 Cannot Identify Provider as TPO (Third Party Organization) Participant

T2 Cannot Identify Payer as TPO (Third Party Organization) Participant

T3 Cannot Identify Insured as TPO (Third Party Organization) Participant

T4 Payer Name or Identifier Missing

T5 Certification Information Missing

T6 Claim does not contain enough information for re-pricing

HCP-14

1526 Policy Compliance Code

■ Identifier (ID)

Optional

Code specifying policy compliance

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

- 1 Procedure Followed (Compliance)
- 2 Not Followed - Call Not Made (Non-Compliance Call Not Made)
- 3 Not Medically Necessary (Non-Compliance Non-Medically Necessary)
- 4 Not Followed Other (Non-Compliance Other)
- 5 Emergency Admit to Non-Network Hospital

HCP-15

1527 Exception Code

■ Identifier (ID)

Optional

Code specifying the exception reason for consideration of out-of-network health care services

- HCP15 is the exception reason generated by a third party organization.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

- 1 Non-Network Professional Provider in Network Hospital
- 2 Emergency Care
- 3 Services or Specialist not in Network
- 4 Out-of-Service Area
- 5 State Mandates
- 6 Other

2310A Referring Provider Name Loop

Max 2 Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Service Facility Location Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Referring Provider Name Loop > NM1

Max use 1

Required

Referring Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when this claim involves a referral. If not required by this implementation guide, do not send.
- When reporting the provider who ordered services such as diagnostic and lab, use the 2310A loop at the claim level.
- When there is only one referral on the claim, use code "DN - Referring Provider". When more than one referral exists and there is a requirement to report the additional referral, use code DN in the first iteration of this loop to indicate the referral received by the rendering provider on this claim. Use code "P3 - Primary Care Provider" in the second iteration of the loop to indicate the initial referral from the primary care provider or whatever provider wrote the initial referral for this patient's episode of care being billed/reported in this transaction.

Example

NM1*DN*1*XXXX*XXXX*XXXXX**XX*XX*XXXXX~

- If either Identification Code Qualifier (NM1-08) or Referring Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DN Referring Provider

- Use on the first iteration of this loop. Use if loop is used only once.

P3 Primary Care Provider

- Use only if loop is used twice. Use only on second iteration of this loop.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

<u>NM1-03</u>	1035 Referring Provider Last Name	Min 1	Max 60	 String (AN)	Required
Individual last name or organizational name					
<u>NM1-04</u>	1036 Referring Provider First Name	Min 1	Max 35	 String (AN)	Optional
Individual first name					
<u>NM1-05</u>	1037 Referring Provider Middle Name or Initial	Min 1	Max 25	 String (AN)	Optional
Individual middle name or initial					
<u>NM1-07</u>	1039 Referring Provider Name Suffix	Min 1	Max 10	 String (AN)	Optional
Suffix to individual name					
<u>NM1-08</u>	66 Identification Code Qualifier			 Identifier (ID)	Optional
Code designating the system/method of code structure used for Identification Code (67)					
XX Centers for Medicare and Medicaid Services National Provider Identifier					
<u>NM1-09</u>	67 Referring Provider Identifier	Min 2	Max 80	 String (AN)	Optional
Code identifying a party or other code					

PRV

2550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Referring Provider Name Loop > PRV

Max use 1

Optional

Referring Provider Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Required when adjudication is known to be impacted by the provider taxonomy code. If not required by this implementation guide, do not send.

Example

PRV*RF*PXC*XXXXX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
RF Referring			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Referring Provider Name Loop > REF

Max use 3

Optional

Referring Provider Secondary Identification

To specify identifying information

Usage notes

- The REF segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a REF segment with the same value in REF01.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*G2*X~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 0B State License Number
- 1G Provider UPIN Number
 - ☐ UPINs must be formatted as either X99999 or XXX999.
- G2 Provider Commercial Number
 - ☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

REF-02

127 Referring Provider Secondary Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310A Referring Provider Name Loop end

2310B Rendering Provider Name Loop

Max 1 Optional

- Variants (all may be used)
- Referring Provider Name Loop
 - Service Facility Location Name Loop
 - Assistant Surgeon Name Loop
 - Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > NM1

Max use 1

Required

Rendering Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider NM1 information is different than that carried in the Billing Provider loop (Loop ID-2010AA) and the Assistant Surgeon loop (Loop ID-2310D) is not used. If not required by this implementation guide, do not send.
- Used for all types of rendering providers including laboratories. The Rendering Provider is the person or company (laboratory or other facility) who rendered the care. In the case where a substitute provider (locum tenens) was used, enter that provider's information here.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*82*1*X*X*XX**XXXXXX*XX*XXXXXXX~

- If either Identification Code Qualifier (NM1-08) or Rendering Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

82 Rendering Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

NM1-03

1035 Rendering Provider Last or Organization Name

String (AN)

Required

Min 1 Max 60

Individual last name or organizational name

NM1-04

1036 Rendering Provider First Name

Min 1

Max 35

T String (AN)

Optional

Individual first name

NM1-05

1037 Rendering Provider Middle Name or Initial

Min 1

Max 25

T String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Rendering Provider Name Suffix

Min 1

Max 10

T String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Rendering Provider Identifier

Min 2

Max 80

T String (AN)

Optional

Code identifying a party or other code

PRV

2550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > PRV

Max use 1

Required

Rendering Provider Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- The PRV segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a PRV segment with the same value in PRV01.

Example

PRV*PE*PXC*XXXX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
PE Performing			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1Max 50String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > REF

Max use 4

Optional

Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- The REF segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a REF segment with the same value in REF01.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*0B*XXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B

State License Number

1G

Provider UPIN Number

UPINs must be formatted as either X99999 or XXX999.

G2

Provider Commercial Number

This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LU

Location Number

REF-02

127 Rendering Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310B Rendering Provider Name Loop end

2310C Service Facility Location Name Loop

Max 1 Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Rendering Provider Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > NM1

Max use 1

Required

Service Facility Location Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the location of health care service is different than that carried in Loop ID-2010AA (Billing Provider).
If not required by this implementation guide, do not send.
- When an organization health care provider's NPI is provided to identify the Service Location, the organization health care provider must be external to the entity identified as the Billing Provider (for example, reference lab). It is not permissible to report an organization health care provider NPI as the Service Location if the entity being identified is a component (for example, subpart) of the Billing Provider. In that case, the subpart must be the Billing Provider.
- When the service(s) was rendered in the patient's home (the address reported as the patient address in the Subscriber or Patient loop), do not use the Service Facility Location loop. In that case, the place of service code in CLM05-1 indicates that the service occurred in the patient's home.
- The purpose of this loop is to identify specifically where the service was rendered.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*77*2*XXX*****XX*XXXX~

- If either Identification Code Qualifier (NM1-08) or Laboratory or Facility Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Laboratory or Facility Name

Min 1Max 60

T String (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Laboratory or Facility Primary Identifier

Min 2Max 80

T String (AN)

Optional

Code identifying a party or other code

Service Facility Location Address

To specify the location of the named party

Usage notes

- If service facility location is in an area where there are no street addresses, enter a description of where the service was rendered (for example, "crossroad of State Road 34 and 45" or "Exit near Mile marker 265 on Interstate 80".)

Example

N3*XXX*XX~

N3-01	166 Laboratory or Facility Address Line	Min 1	Max 55	String (AN)	Required
Address information					
N3-02	166 Laboratory or Facility Address Line	Min 1	Max 55	String (AN)	Optional
Address information					

N4

2700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > N4

Max use 1

Required

Service Facility Location City, State, ZIP Code

To specify the geographic place of the named party

Example

N4 *XXXXXXXX *XX *XXXXX *XXX ~

- Only one of Laboratory or Facility State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Laboratory or Facility City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Laboratory or Facility State or Province Code

Identifier (ID)

Optional

Min 2

Max 2

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Laboratory or Facility Postal Zone or ZIP Code

Identifier (ID)

Optional

Min 3

Max 15

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

Usage notes

- When reporting the ZIP code for U.S. addresses, the full nine digit ZIP code must be provided.

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > REF

Max use 3

Optional

Service Facility Location Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI implementation date when the entity is not a Health Care provider (a.k.a. an atypical provider), and an identifier is necessary for the claims processor to identify the entity.
If not required by this implementation guide, do not send.

Example

REF*LU*XXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Laboratory or Facility Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2310C Service Facility Location Name Loop end

2310D Assistant Surgeon Name Loop

Max 1Optional

- Variants (all may be used)
- Referring Provider Name Loop
 - Rendering Provider Name Loop
 - Service Facility Location Name Loop
 - Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Assistant Surgeon Name Loop > NM1

Max use 1

Required

Assistant Surgeon Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider provided these services in the role of the Assisting Surgeon.
If not required by this implementation guide, do not send.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*DD*1*XXXXX*XXXXX*X**XXXX*XX*XXXXXX~

- If either Identification Code Qualifier (NM1-08) or Assistant Surgeon Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Assistant Surgeon Last Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Assistant Surgeon First Name

Min 1Max 35

String (AN)

Optional

Individual first name

NM1-05

1037 Assistant Surgeon Middle Name or Initial

Min 1

Max 25

String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Assistant Surgeon Name Suffix

Min 1

Max 10

String (AN)

Optional

Suffix to individual name

Usage notes

- Examples: I, II, III, IV, Jr, Sr
This data element is used only to indicate generation or patronymic.

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Assistant Surgeon Primary Identifier

Min 2

Max 80

String (AN)

Optional

Code identifying a party or other code

PRV

2550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Assistant Surgeon Name Loop > PRV

Max use 1

Required

Assistant Surgeon Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

PRV*AS*PXC*XXXXX~

<u>PRV-01</u>	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
AS Assistant Surgeon			
<u>PRV-02</u>	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
<u>PRV-03</u>	127 Provider Taxonomy Code	Min 1Max 50String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Assistant Surgeon Name Loop > REF

Max use 4

Optional

Assistant Surgeon Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*G2*X~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Assistant Surgeon Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2310D Assistant Surgeon Name Loop end

2310E Supervising Provider Name Loop

Max 1Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Rendering Provider Name Loop
- Service Facility Location Name Loop
- Assistant Surgeon Name Loop

NM12500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Supervising Provider Name Loop > NM1

Max use 1Required

Supervising Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the rendering provider is supervised by a physician or dentist. If not required by this implementation guide, do not send.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*DQ*1*XXXXXX*XXXXXX*XXXXX**XX*XX*XXXX~

- If either Identification Code Qualifier (NM1-08) or Supervising Provider Identifier (NM1-09) is present, then the other is required

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

DQ Supervising Physician

- Use this code for the supervising dentist or physician.

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-031035 Supervising Provider Last Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-041036 Supervising Provider First Name

Min 1Max 35String (AN)Optional

Individual first name

NM1-05

1037 **Supervising Provider Middle Name or Initial**

 String (AN)

Optional

Min 1Max 25

Individual middle name or initial

NM1-07

1039 **Supervising Provider Name Suffix**

Min 1Max 10

 String (AN)

Optional

Suffix to individual name

NM1-08

66 **Identification Code Qualifier**

 Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 **Supervising Provider Identifier**

Min 2Max 80

 String (AN)

Optional

Code identifying a party or other code

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Supervising Provider Name Loop > REF

Max use 4

Optional

Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- Required when the HIPAA National Provider Identifier (NPI) is not reported in NM109 of this loop;
OR
Required for Health Care Providers prior to the mandated NPI implementation date when an NPI is reported in NM109 of this loop and an additional identification number is required by the receiver to identify the provider;
OR
Required for providers who are not Health Care Providers when an NPI is reported in NM109 of this loop and an additional identification number is required by the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*1G*XXXXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B

State License Number

1G

Provider UPIN Number

☐ UPINs must be formatted as either X99999 or XXX999.

G2

Provider Commercial Number

☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LU

Location Number

REF-02

127 Supervising Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310E Supervising Provider Name Loop end

2320 Other Subscriber Information Loop

Max 10 Optional

SBR

2900

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > SBR

Max use 1

Required

Other Subscriber Information

To record information specific to the primary insured and the insurance carrier for that insured

Usage notes

- Required when other payers are known to potentially be involved in paying on this claim. If not required by this implementation guide, do not send.
- All information contained in Loop ID-2320 applies only to the payer identified in Loop ID-2330B of this iteration of Loop ID-2320. It is specific only to that payer. If information for an additional payer is necessary, repeat Loop ID-2320 with its respective 2330 Loops.;
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

SBR*P*G8*XXX*XXX*47****MC~

SBR-01

1138 Payer Responsibility Sequence Number Code

Identifier (ID)

Required

Code identifying the insurance carrier's level of responsibility for a payment of a claim

Usage notes

- Within a given claim, the various values for the Payer Responsibility Sequence Number Code (other than value "U") may occur no more than once.

- A Payer Responsibility Four
- B Payer Responsibility Five
- C Payer Responsibility Six
- D Payer Responsibility Seven
- E Payer Responsibility Eight
- F Payer Responsibility Nine
- G Payer Responsibility Ten
- H Payer Responsibility Eleven
- P Primary
- S Secondary
- T Tertiary
- U Unknown

- ☐ This code may only be used in payer to payer COB claims when the original payer determined the presence of this coverage from eligibility files received from this payer or when the original claim did not provide the responsibility sequence for this payer.

SBR-02

1069 Individual Relationship Code

Identifier (ID)

Required

Code indicating the relationship between two individuals or entities

- SBR02 specifies the relationship to the person insured.

- 01 Spouse
- 18 Self
- 19 Child
- 20 Employee
- 21 Unknown
- 39 Organ Donor
- 40 Cadaver Donor
- 53 Life Partner
- G8 Other Relationship

SBR-03 **127 Insured Group or Policy Number** Min 1 Max 50 String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- SBR03 is policy or group number.

Usage notes

- This is not the number uniquely identifying the subscriber. The unique subscriber number is submitted in Loop 2330A-NM109 for this iteration of Loop ID-2320.

SBR-04 **93 Other Insured Group Name** Min 1 Max 60 String (AN) Optional

Free-form name

- SBR04 is plan name.

SBR-05 **1336 Insurance Type Code** Identifier (ID) Optional

Code identifying the type of insurance policy within a specific insurance program

- 12 Medicare Secondary Working Aged Beneficiary or Spouse with Employer Group Health Plan
- 13 Medicare Secondary End-Stage Renal Disease Beneficiary in the Mandated Coordination Period with an Employer's Group Health Plan
- 14 Medicare Secondary, No-fault Insurance including Auto is Primary
- 15 Medicare Secondary Worker's Compensation
- 16 Medicare Secondary Public Health Service (PHS) or Other Federal Agency
- 41 Medicare Secondary Black Lung
- 42 Medicare Secondary Veteran's Administration
- 43 Medicare Secondary Disabled Beneficiary Under Age 65 with Large Group Health Plan (LGHP)
- 47 Medicare Secondary, Other Liability Insurance is Primary

SBR-09 **1032 Claim Filing Indicator Code** Identifier (ID) Optional

Code identifying type of claim

- 11 Other Non-Federal Programs
- 12 Preferred Provider Organization (PPO)
- 13 Point of Service (POS)
- 14 Exclusive Provider Organization (EPO)
- 15 Indemnity Insurance

- 16** Health Maintenance Organization (HMO) Medicare Risk
- 17** Dental Maintenance Organization
- AM** Automobile Medical
- BL** Blue Cross/Blue Shield
- CH** Champus
- CI** Commercial Insurance Co.
- DS** Disability
- FI** Federal Employees Program
- HM** Health Maintenance Organization
- LM** Liability Medical
- MA** Medicare Part A
- MB** Medicare Part B
- MC** Medicaid
- OF** Other Federal Program
 - ☐ Use code OF when submitting Medicare Part D claims.
- TV** Title V
- VA** Veterans Affairs Plan
- WC** Workers' Compensation Health Claim
- ZZ** Mutually Defined
 - ☐ Use Code ZZ when Type of Insurance is not known.

CAS

2950

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > CAS

Max use 5

Optional

Claim Level Adjustments

To supply adjustment reason codes and amounts as needed for an entire claim or for a particular service within the claim being paid

Usage notes

- Required when the claim has been adjudicated by the payer identified in this loop, and the claim has claim level adjustment information. If not required by this implementation guide, do not send.
- Submitters must use this CAS segment to report prior payers' claim level adjustments that cause the amount paid to differ from the amount originally charged.
- Only one Group Code is allowed per CAS. If it is necessary to send more than one Group Code at the claim level, repeat the CAS segment.
- Codes and associated amounts must come from either paper remittance advice or 835s (Electronic Remittance Advice) received on the claim. When the information originates from a paper remittance advice that does not use the standard Claim Adjustment Reason Codes, the paper values must be converted to standard Claim Adjustment Reason Codes.;
- A single CAS segment contains six repetitions of the "adjustment trio" composed of adjustment reason code, adjustment amount, and adjustment quantity. These six adjustment trios are used to report up to six adjustments related to a particular Claim Adjustment Group Code (CAS01). The first non-zero adjustment is reported in the first adjustment trio (CAS02-CAS04). If there is a second non-zero adjustment, it is reported in the second adjustment trio (CAS05-CAS07), and so on through the sixth adjustment trio (CAS17-CAS19).

Example

```
CAS*PI*XXX*00000000*0000000000000000*X*00000000
0*0*XX*00000*00*X*0000000000*00*X*00000000*000*XXX
XX*0000*000000000000~
```

- If Adjustment Reason Code (CAS-05) is present, then at least one of Adjustment Amount (CAS-06) or Adjustment Quantity (CAS-07) is required
- If Adjustment Amount (CAS-06) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Quantity (CAS-07) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Reason Code (CAS-08) is present, then at least one of Adjustment Amount (CAS-09) or Adjustment Quantity (CAS-10) is required
- If Adjustment Amount (CAS-09) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Quantity (CAS-10) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Reason Code (CAS-11) is present, then at least one of Adjustment Amount (CAS-12) or Adjustment Quantity (CAS-13) is required
- If Adjustment Amount (CAS-12) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Quantity (CAS-13) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Reason Code (CAS-14) is present, then at least one of Adjustment Amount (CAS-15) or Adjustment Quantity (CAS-16) is required

- If Adjustment Amount (CAS-15) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Quantity (CAS-16) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Reason Code (CAS-17) is present, then at least one of Adjustment Amount (CAS-18) or Adjustment Quantity (CAS-19) is required
- If Adjustment Amount (CAS-18) is present, then Adjustment Reason Code (CAS-17) is required
- If Adjustment Quantity (CAS-19) is present, then Adjustment Reason Code (CAS-17) is required

CAS-01 **1033 Claim Adjustment Group Code** ■ Identifier (ID) Required

Code identifying the general category of payment adjustment

- CO** Contractual Obligations
- CR** Correction and Reversals
- OA** Other adjustments
- PI** Payor Initiated Reductions
- PR** Patient Responsibility

CAS-02 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Required

Code identifying the detailed reason the adjustment was made

CAS-03 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- CAS03 is the amount of adjustment.

CAS-04 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS04 is the units of service being adjusted.

CAS-05 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-06 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS06 is the amount of the adjustment.

CAS-07 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS07 is the units of service being adjusted.

CAS-08 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-09 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS09 is the amount of the adjustment.

CAS-10 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS10 is the units of service being adjusted.

CAS-11 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-12 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS12 is the amount of the adjustment.

CAS-13 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS13 is the units of service being adjusted.

CAS-14 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-15 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS15 is the amount of the adjustment.

CAS-16

380 Adjustment Quantity

Min 1Max 15# Decimal number (R)

Optional

Numeric value of quantity

- CAS16 is the units of service being adjusted.

CAS-17

1034 Adjustment Reason Code

Min 1Max 5Identifier (ID)

Optional

Code identifying the detailed reason the adjustment was made

CAS-18

782 Adjustment Amount

Min 1Max 15# Decimal number (R)

Optional

Monetary amount

- CAS18 is the amount of the adjustment.

CAS-19

380 Adjustment Quantity

Min 1Max 15# Decimal number (R)

Optional

Numeric value of quantity

- CAS19 is the units of service being adjusted.

AMT

3000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > AMT

Max use 1

Optional

Coordination of Benefits (COB) Payer Paid Amount

To indicate the total monetary amount

Usage notes

- Required when the claim has been adjudicated by the payer identified in Loop ID-2330B of this loop.
OR
Required when Loop ID-2010AC is present. In this case, the claim is a post payment recovery claim submitted by a subrogated Medicaid agency.
If not required by this implementation guide, do not send.;

Example

AMT*D*000000~

Variants (all may be used)

AMT Remaining Patient Liability

AMT Coordination of Benefits (COB) Total Non-Covered Amount

AMT-01

522 Amount Qualifier Code

Identifier (ID)

Required

Code to qualify amount

D Payor Amount Paid

AMT-02

782 Payer Paid Amount

Min 1

Max 15

#

Decimal number (R)

Required

Monetary amount

Usage notes

- It is acceptable to show "0" as the amount paid.
- When Loop ID-2010AC is present, this is the amount the Medicaid agency actually paid.

Remaining Patient Liability

To indicate the total monetary amount

Usage notes

- Required when the Other Payer identified in Loop ID-2330B (of this iteration of Loop ID-2320) has adjudicated this claim and provided claim level information only.
OR
Required when the Other Payer identified in Loop ID-2330B (of this iteration of Loop ID-2320) has adjudicated this claim and the provider received a paper remittance advice and the provider does not have the ability to report line item information.
If not required by this implementation guide, do not send.
- In the judgment of the provider, this is the remaining amount to be paid after adjudication by the Other Payer identified in Loop ID-2330B of this iteration of Loop ID-2320.
- This segment is only used in provider submitted claims. It is not used in Payer-to-Payer Coordination of Benefits (COB).
- This segment is not used if the line level (Loop ID-2430) Remaining Patient Liability AMT segment is used for this Other Payer.

Example

AMT*EAF*000000000000~

Variants (all may be used)

- AMT Coordination of Benefits (COB) Payer Paid Amount
- AMT Coordination of Benefits (COB) Total Non-Covered Amount

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	EAF Amount Owed		
AMT-02	782 Remaining Patient Liability	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

AMT

3000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > AMT

Max use 1

Optional

Coordination of Benefits (COB) Total Non-Covered Amount

To indicate the total monetary amount

Usage notes

- Required when the destination payer's cost avoidance policy allows providers to bypass claim submission to the otherwise prior payer identified in Loop ID-2330B. If not required by this implementation guide, do not send.
- When this segment is used, the amount reported in AMT02 must equal the total claim charge amount reported in CLM02. Neither the prior payer paid AMT, nor any CAS segments are used as this claim has not been adjudicated by this payer.

Example

AMT * A8 * 0000~

Variants (all may be used)

AMT Coordination of Benefits (COB) Payer Paid Amount

AMT Remaining Patient Liability

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	A8 Noncovered Charges - Actual		
AMT-02	782 Non-Covered Charge Amount	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

Other Insurance Coverage Information

To specify information associated with other health insurance coverage

Usage notes

- All information contained in the OI segment applies only to the payer identified in Loop ID-2330B in this iteration of Loop ID-2320.

Example

OI***W***Y~

OI-03

1073 Benefits Assignment Certification Indicator

Identifier (ID)

Required

Code indicating a Yes or No condition or response

- OI03 is the assignment of benefits indicator. A "Y" value indicates insured or authorized person authorizes benefits to be assigned to the provider; an "N" value indicates benefits have not been assigned to the provider.

Usage notes

- This element answers the question whether or not the insured has authorized the plan to remit payment directly to the provider.
- This is a crosswalk from CLM08 when doing COB.

- N No
- W Not Applicable
- ☐ Use code 'W' when the patient refuses to assign benefits.
- Y Yes

OI-06

1363 Release of Information Code

Identifier (ID)

Required

Code indicating whether the provider has on file a signed statement by the patient authorizing the release of medical data to other organizations

Usage notes

- The Release of Information response is limited to the information carried in this claim.
- This is a crosswalk from CLM09 when doing COB.

- I Informed Consent to Release Medical Information for Conditions or Diagnoses Regulated by Federal Statutes
- ☐ Required when the provider has not collected a signature AND state or federal laws do not require a signature be collected.
- Y Yes, Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim
- ☐ Required when the provider has collected a signature.
- OR
- Required when state or federal laws require a signature be collected.

MOA

3200

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > MOA

Max use 1

Optional

Outpatient Adjudication Information

To convey claim-level data related to the adjudication of Medicare claims not related to an inpatient setting

Usage notes

Required when returned in the remittance advice. If not required by this implementation guide, do not send.

- Required when outpatient adjudication information is reported in the remittance advice
OR
Required when it is necessary to report remark codes.
If not required by this implementation guide, do not send.

Example

MOA*0*0000000*XXX*XXX*XXXXX*XXXXX*XX**0~

MOA-01

954 Reimbursement Rate

Min 1

Max 10

#

Decimal number (R)

Optional

Percentage expressed as a decimal (e.g., 0.0 through 1.0 represents 0% through 100%)

- MOA01 is the reimbursement rate.

MOA-02

782 HCPCS Payable Amount

Min 1

Max 15

#

Decimal number (R)

Optional

Monetary amount

- MOA02 is the claim Health Care Financing Administration Common Procedural Coding System (HCPCS) payable amount.

MOA-03

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA03 is the Claim Payment Remark Code. See Code Source 411.

MOA-04

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA04 is the Claim Payment Remark Code. See Code Source 411.

MOA-05

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA05 is the Claim Payment Remark Code. See Code Source 411.

MOA-06

127 Claim Payment Remark Code

Min 1

Max 50

T String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA06 is the Claim Payment Remark Code. See Code Source 411.

MOA-07

127 Claim Payment Remark Code

Min 1

Max 50

T String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA07 is the Claim Payment Remark Code. See Code Source 411.

MOA-09

782 Non-Payable Professional Component Billed Amount

#

Decimal number (R)

Optional

Min 1

Max 15

Monetary amount

- MOA09 is the professional component amount billed but not payable.

2330A Other Subscriber Name Loop

Max 1

Required

- Variants (all may be used)
- Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > NM1

Max use 1

Required

Other Subscriber Name

To supply the full name of an individual or organizational entity

Usage notes

- If the patient can be uniquely identified to the Other Payer indicated in this iteration of Loop ID-2320 by a unique Member Identification Number, then the patient is the subscriber or is considered to be the subscriber and is identified in this Other Subscriber's Name Loop ID-2330A.;
- If the patient is a dependent of the subscriber for this other coverage and cannot be uniquely identified to the Other Payer indicated in this iteration of Loop ID-2320 by a unique Member Identification Number, then the subscriber for this other coverage is identified in this Other Subscriber's Name Loop ID-2330A.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*IL*2*X*XXXXXX*XXX**XXXX*MI*XXXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

IL Insured or Subscriber

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1 Person
 - 2 Non-Person Entity

NM1-03

1035 Other Insured Last Name

Min 1

Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Other Insured First Name

Min 1Max 35

 String (AN)

Optional

Individual first name

NM1-05

1037 Other Insured Middle Name

Min 1Max 25

 String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Other Insured Name Suffix

Min 1Max 10

 String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

 Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

- II Standard Unique Health Identifier for each Individual in the United States
- ☐ Required if the HIPAA Individual Patient Identifier is mandated use. If not required, use value 'MI' instead.
- MI Member Identification Number
- ☐ The code MI is intended to be the subscriber's identification number as assigned by the payer. (For example, Insured's ID, Subscriber's ID, Health Insurance Claim Number (HIC), etc.)

MI is also intended to be used in claims submitted to the Indian Health Service/Contract Health Services (IHS/CHS) Fiscal Intermediary for the purpose of reporting the Tribe Residency Code (Tribe County State). In the event that a Social Security Number (SSN) is also available on an IHS/CHS claim, put the SSN in REF02.

When sending the Social Security Number as the Member ID, it must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

NM1-09

67 Other Insured Identifier

Min 2Max 80

 String (AN)

Required

Code identifying a party or other code

Other Subscriber Address

To specify the location of the named party

Usage notes

- Required when the information is available. If not required by this implementation guide, do not send.

Example

N3 * X * XXXXXX ~

<u>N3-01</u>	166 Other Insured Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
<u>N3-02</u>	166 Other Insured Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

N4

3400

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > N4

Max use 1

Optional

Other Subscriber City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the information is available. If not required by this implementation guide, do not send.

Example

N4*XXX*XX*XXX*XX~

- Only one of Other Insured State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Other Insured City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Other Insured State Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Other Insured Postal Zone or ZIP Code

Min 3

Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > REF

Max use 2

Optional

Other Subscriber Secondary Identification

To specify identifying information

Usage notes

- Required when an additional identification number to that provided in NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*SY*XXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

SY Social Security Number

- ☐
- The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

REF-02

127 Other Insured Additional Identifier

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330A Other Subscriber Name Loop end

2330B Other Payer Name Loop

Max 1

Required

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > NM1

Max use 1

Required

Other Payer Name

To supply the full name of an individual or organizational entity

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*PR*2*XXX*****PI*XXXXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

PR Payer

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Other Payer Last or Organization Name

Min 1

Max 60

String (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

Usage notes

- On or after the mandated implementation date for the HIPAA National Plan Identifier (National Plan ID), XV must be sent.

Prior to the mandated implementation date and prior to any phase-in period identified by Federal regulation, PI must be sent.

If a phase-in period is designated, PI must be sent unless:

Both the sender and receiver agree to use the National Plan ID,
The receiver has a National Plan ID, and
The sender has the capability to send the National Plan ID.

If all of the above conditions are true, XV must be sent. In this case the Payer Identification Number that would have been sent using qualifier PI can be sent in the corresponding REF segment using qualifier 2U.

PI Payor Identification
XV Centers for Medicare and Medicaid Services PlanID

NM1-09

67 Other Payer Primary Identifier

Min 2Max 80

TString (AN)

Required

Code identifying a party or other code

Usage notes

- When sending Line Adjudication Information for this payer, the identifier sent in SVD01 (Payer Identifier) of Loop ID-2430 (Line Adjudication Information) must match this value.;

Other Payer Address

To specify the location of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N3*XXXXX*XX~

N3-01	166 Other Payer Address Line	Min 1	Max 55	String (AN)	Required
	Address information				
N3-02	166 Other Payer Address Line	Min 1	Max 55	String (AN)	Optional
	Address information				

Other Payer City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N4*XXXXXXXX*XX*XXXX*XXX~

- Only one of Other Payer State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Other Payer City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
• A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
N4-02	156 Other Payer State Code	Min 2	Max 2	Identifier (ID)	Optional
Code (Standard State/Province) as defined by appropriate government agency					
• N402 is required only if city name (N401) is in the U.S. or Canada.					
N4-03	116 Other Payer Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
• Use the alpha-2 country codes from Part 1 of ISO 3166.					
N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					
Usage notes					
• Use the country subdivision codes from Part 2 of ISO 3166.					

Claim Check or Remittance Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the payer identified in this loop has previously adjudicated the claim and Loop ID-2430, Line Check or Remittance Date, is not used. If not required by this implementation guide, do not send.;

Example

DTP*573*D8*XX~

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

573 Date Claim Paid

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Adjudication or Payment Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > REF

Max use 3

Optional

Other Payer Secondary Identifier

To specify identifying information

Usage notes

- Required prior to the mandated implementation date for the HIPAA National Plan Identifier when an additional identification number to that provided in the NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*EI*XXXX~

Variants (all may be used)

- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 2U Payer Identification Number
- EI Employer's Identification Number
 - The Employer's Identification Number must be a string of exactly nine numbers with no separators.

For example, "001122333" would be valid, while sending "001-12-2333" or "00-1122333" would be invalid.
- FY Claim Office Number
- NF National Association of Insurance Commissioners (NAIC) Code

REF-02

127 Other Payer Secondary Identifier

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Other Payer Prior Authorization Number

To specify identifying information

Usage notes

- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Required when the payer identified in this loop has assigned a prior authorization number to this claim.
If not required by this implementation guide, do not send.

Example

REF*G1*XX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	G1 Prior Authorization Number		
REF-02	127 Other Payer Prior Authorization Number	Min 1 Max 50 String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > REF

Max use 1

Optional

Other Payer Referral Number

To specify identifying information

Usage notes

- Required when the payer identified in this loop has assigned a referral number to this claim.
If not required by this implementation guide, do not send.

Example

REF*9F*XXXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Other Payer Referral Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > REF

Max use 1

Optional

Other Payer Claim Adjustment Indicator

To specify identifying information

Usage notes

- Required when the claim is being sent in the payer-to-payer COB model,
AND
the destination payer is secondary to the payer identified in this Loop ID-2330B,
AND
the payer identified in this Loop ID-2330B has re-adjudicated the claim.
If not required by this implementation guide, do not send.

Example

REF*T4*XXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

T4 Signal Code

REF-02

127 Other Payer Claim Adjustment Indicator

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The only valid value for this element is 'Y'.

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > REF

Max use 1

Optional

Other Payer Predetermination Identification

To specify identifying information

Usage notes

- Required when the payer identified in this loop has assigned a predetermination identification number to this claim.
If not required by this implementation guide, do not send.

Example

REF *G3*XX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Claim Control Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	G3 Predetermination of Benefits Identification Number		
REF-02	127 Other Payer Predetermination of Benefits Identifier	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Min 1	Max 50

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > REF

Max use 1

Optional

Other Payer Claim Control Number

To specify identifying information

Usage notes

- Required when it is necessary to identify the Other Payer's Claim Control Number in a payer-to-payer COB situation.
OR
Required when the Other Payer's Claim Control Number is available.
If not required by this implementation guide, do not send.

Example

REF*F8*XXXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

F8

Original Reference Number

This is the payer's internal Claim Control Number for this claim for the payer identified in this iteration of Loop ID-2330. This value is typically used in payer-to-payer COB situations only.

REF-02

127 Other Payer's Claim Control Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330B Other Payer Name Loop end

2330C Other Payer Referring Provider Loop

Max 2 Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Referring Provider Loop > NM1

Max use 1Required

Other Payer Referring Provider

To supply the full name of an individual or organizational entity

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.
- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.

Example

NM1*DN*1~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

DN Referring Provider

- ☐ Use on the first iteration of this loop. Use if loop is used only once.

P3 Primary Care Provider

- ☐ Use only if loop is used twice. Use only on second iteration of this loop.

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Referring Provider Loop

Max use 3

Required

Other Payer Referring Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*G2*XXXXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B State License Number

1G Provider UPIN Number

☐ UPINs must be formatted as either X99999 or XXX999.

G2 Provider Commercial Number

☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.

REF-02

127 Other Payer Referring Provider Secondary Identifier

String (AN)

Required

Min 1 Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330C Other Payer Referring Provider Loop end

Max 1 Optional

Other Payer Assistant Surgeon Loop

Other Payer Rendering Provider

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.
 - Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
- OR
- Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
- If not required by this implementation guide, do not send.

NM1 * 82 * 1₂

NM1-02	1065 Entity Type Qualifier	Identifier (ID) Required
	Code qualifying the type of entity	
• NM102 qualifies NM103.		
1 Person		

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Rendering Provider Loop

Max use 3

Required

Other Payer Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*0B*XX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	0B State License Number		
	1G Provider UPIN Number		
	UPINs must be formatted as either X99999 or XXX999.		
	G2 Provider Commercial Number		
	This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.		
	LU Location Number		
REF-02	127 Other Payer Rendering Provider Secondary Identifier	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Min 1	Max 50

2330D Other Payer Rendering Provider Loop end

2330E Other Payer Supervising Provider Loop

Max 1Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Supervising Provider Loop > NM1

Max use 1Required

Other Payer Supervising Provider

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*DQ*1~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

DQ Supervising Physician

☐ Use this code for the supervising dentist or physician.

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Supervising Provider Loop

Max use 3

Required

Other Payer Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*0B*XXXXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
☐ UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.			
LU Location Number			
REF-02	127 Other Payer Supervising Provider Secondary Identifier	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2330E Other Payer Supervising Provider Loop end

2330F Other Payer Billing Provider Loop

Max 1Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Billing Provider Loop > Billing Provider Loop

Max use 1Required

Other Payer Billing Provider

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*85*2~

NM1-0198Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

85Billing Provider

NM1-021065Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Billing Provider Loop > F...

Max use 2

Required

Other Payer Billing Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*G2*XXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G2 Provider Commercial Number

- ☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.

LU Location Number

REF-02

127 Other Payer Billing Provider Secondary Identifier

String (AN)

Required

Min 1

Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330F Other Payer Billing Provider Loop end

2330G Other Payer Service Facility Location Loop

Max 1Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Service Facility Location Loop

Max use 1Required

Other Payer Service Facility Location

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*77*2~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Service Facility Location REF

Max use 3
Required

Other Payer Service Facility Location Secondary Identification

To specify identifying information

Example

REF*LU*X~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.			
LU Location Number			
REF-02	127 Other Payer Service Facility Location Identifier	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2330G Other Payer Service Facility Location Loop end

2330H Other Payer Assistant Surgeon Loop

Max 1 Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Assistant Surgeon Loop > NM1

Max use 1 Required

Other Payer Assistant Surgeon

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*DD*1~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Assistant Surgeon Loop

Max use 3

Required

Other Payer Assistant Surgeon Secondary Identifier

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*G2*XX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B State License Number

1G Provider UPIN Number

UPINs must be formatted as either X99999 or XXX999.

G2 Provider Commercial Number

This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.

LU Location Number

REF-02

127 Other Payer Assistant Surgeon Secondary Identifier

String (AN)

Required

Min 1

Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330H Other Payer Assistant Surgeon Loop end

2320 Other Subscriber Information Loop end

2400 Service Line Number Loop

Max 50 Required

LX

3650

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > LX

Max use 1

Required

Service Line Number

To reference a line number in a transaction set

Usage notes

- The LX functions as a line counter.
- The Service Line LX segment must begin with one and is incremented by one for each additional service line of a claim.
- LX01 is used to indicate bundling in SVD06 in the Line Item Adjudication loop. See Section 1.4.1.2 for more information on bundling and unbundling.

Example

LX*00~

LX-01

554 Assigned Number

Min 1

Max 6

Numeric (N0)

Required

Number assigned for differentiation within a transaction set

SV3

3800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > SV3

Max use 1

Required

Dental Service

To specify the service line item detail for dental work

Example

SV3*AD>XX>XX>XX>XX>XXX*000000000*XX*X>XX>X>XX
X>X*R*000*****00>00>00>0~

SV3-01

C003 Composite Medical Procedure Identifier

To identify a medical procedure by its standardized codes and applicable modifiers

Max use 1

Required

C003-01

235 Product or Service ID Qualifier

Identifier (ID)

Required

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

- C003-01 qualifies C003-02 and C003-08.

AD American Dental Association Codes
CDT = Current Dental Terminology

C003-02

234 Procedure Code

Min 1

Max 48

String (AN)

Required

Identifying number for a product or service

- If C003-08 is used, then C003-02 represents the beginning value in the range in which the code occurs.

C003-03

1339 Procedure Modifier

Min 2

Max 2

String (AN)

Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-03 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-04

1339 Procedure Modifier

Min 2

Max 2

String (AN)

Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-04 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-05 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-05 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-06 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-06 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-07 **352 Procedure Code Description** Min 1 Max 80 **T** String (AN) Optional

A free-form description to clarify the related data elements and their content

- C003-07 is the description of the procedure identified in C003-02.

SV3-02 **782 Line Item Charge Amount** Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- SV302 is the submitted service line item amount.

Usage notes

- This is the total charge amount for this service line. The amount is inclusive of the provider's base charge and any applicable tax amounts reported within this line's AMT segments.
- Zero "0" is an acceptable value for this element.

SV3-03 **1331 Place of Service Code** Min 1 Max 2 **T** String (AN) Optional

Code identifying where services were, or may be, performed; the first and second positions of the Uniform Bill Type Code for Institutional Services or the Place of Service Codes for Professional or Dental Services.

- SV303 is the place of service code representing the location where the dental treatment was rendered.

Usage notes

- See CODE SOURCE 237: Place of Service Codes for Professional Claims

SV3-04**C006 Oral Cavity Designation**

To identify one or more areas of the oral cavity

Max use 1

Optional

Usage notes

Required when the nomenclature associated with the procedure reported in SV301-2 refers to quadrant or arch and the area of the oral cavity is not uniquely defined by the procedure description. Report individual tooth numbers in one or more TOO segments.

C006-01 **1361 Oral Cavity Designation Code**

Min 1

Max 3

■ Identifier (ID)

Required

Code Identifying the area of the oral cavity in which service is rendered

C006-02 **1361 Oral Cavity Designation Code**

Min 1

Max 3

■ Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-03 **1361 Oral Cavity Designation Code**

Min 1

Max 3

■ Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-04 **1361 Oral Cavity Designation Code**

Min 1

Max 3

■ Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-05 **1361 Oral Cavity Designation Code**

Min 1

Max 3

■ Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

SV3-05**1358 Prosthesis, Crown, or Inlay Code**

■ Identifier (ID)

Optional

Code specifying the placement status for the dental work

I Initial Placement

R Replacement

- ☐ When SV305 = R, then the DTP segment in the 2400 loop for Prior Placement is Required.

SV3-06**380 Procedure Count**

Min 1 Max 15

Decimal number (R)

Optional

Numeric value of quantity

- SV306 is the number of procedures.

Usage notes

- Number of procedures

SV3-11

C004 Composite Diagnosis Code Pointer

To identify one or more diagnosis code pointers

Max use 1 **Optional**

Usage notes

Required when the service relates to that specific diagnosis and is needed to substantiate the medical treatment. If not required by this implementation guide, do not send.

C004-01 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Required**

A pointer to the diagnosis code in the order of importance to this service

- C004-01 identifies the primary diagnosis code for this service line.

C004-02 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-02 identifies the second diagnosis code for this service line.

C004-03 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-03 identifies the third diagnosis code for this service line.

C004-04 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-04 identifies the fourth diagnosis code for this service line.

TOO

3820

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > TOO

Max use 32

Optional

Tooth Information

To identify a tooth by number and, if applicable, one or more tooth surfaces

Usage notes

- Required when reporting tooth information related to this service line. If not required by this implementation guide, do not send.
- Multiple iterations of the TOO segment are allowed only when the quantity reported in Loop ID-2400 SV306 is equal to one.

Example

TOO*JP*XXXXX*L>XX>XX>X>X~

TOO-01

1270 Code List Qualifier Code

Identifier (ID)

Required

Code identifying a specific industry code list

JP Universal National Tooth Designation System

TOO-02

1271 Tooth Code

Min 1

Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

Usage notes

- See Appendix A for code source 135: American Dental Association Codes.
- This element may only be used to report individual teeth. It may not be used to report areas of the oral cavity such as quadrants or sextants. Areas of the oral cavity must be reported in one or more of the components of SV304.

TOO-03

C005 Tooth Surface

To identify one or more tooth surface codes

Max use 1

Optional

Usage notes

Required when the procedure code requires tooth surface codes. If not required by this implementation guide, do not send.

C005-01

1369 Tooth Surface Code

Identifier (ID)

Required

Code identifying the area of the tooth that was treated

- B Buccal
- D Distal
- F Facial
- I Incisal
- L Lingual
- M Mesial
- O Occlusal

C005-02

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

Usage notes

- Additional tooth surface codes can be carried in TOO03-2 through TOO03-5. The code values are the same as in TOO03-1.

C005-03

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

C005-04

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

C005-05

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Service Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the service was performed and the service date is different than the date reported in the Service Date segment in the 2300 loop. If not required by this implementation guide, do not send.
- Do not use this DTP segment when submitting a Predetermination of Dental Benefits.
- Do not use this DTP segment when submitting a Treatment Start Date, Treatment Completion Date or both.

Example

DTP*472*D8*X~

Variants (all may be used)

DTP Date - Prior Placement

DTP Date - Appliance Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

472 Service

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Service Date

Min 1Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

Date - Prior Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the value of SV305 for this iteration of the 2400 loop is R - Replacement. If not required by this implementation guide, do not send.

Example

DTP*441*D8*XXXX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Appliance Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

- 139 Estimated
- ☐ Required when the exact Prior Placement Date is not known.
- 441 Prior Placement
- ☐ Required when the exact Prior Placement Date is known.

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Prior Placement Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Appliance Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the orthodontic appliance placement date is different than the orthodontic appliance placement date in the DTP segment in the Loop ID-2300 loop. If not required by this implementation guide, do not send.;

Example

DTP*452*D8*XXXXXX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
	Code specifying type of date or time, or both date and time		
	452 Appliance Placement		
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
	Code indicating the date format, time format, or date and time format		
	DTP02 is the date or time or period format that will appear in DTP03.		
	D8 Date Expressed in Format CCYYMMDD		
DTP-03	1251 Orthodontic Banding Date	Min 1 Max 35 String (AN)	Required
	Expression of a date, a time, or range of dates, times or dates and times		

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Replacement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date that an orthodontic appliance was replaced. If not required by this implementation guide, do not send.

Example

DTP*446*D8*XXXX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Appliance Placement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

446 Replacement

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Replacement Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Treatment Start

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting initial impression or preparation for a crown or denture.
OR
Required when reporting initial endodontic treatment.
OR
Required when reporting the implant fixture placement.
If not required by this implementation guide, do not send.
- When the Treatment Start Date is used, the Date of Service must not be used.

Example

DTP*196*D8*XX~

Variants (all may be used)

- DTP Date - Service Date
- DTP Date - Prior Placement
- DTP Date - Appliance Placement
- DTP Date - Replacement
- DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

196 Start

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Treatment Start Date

Min 1Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Treatment Completion

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date that a course of treatment was completed. If not required by this implementation guide, do not send.
- When the Treatment Completion Date is used, the Date of Service must not be used.

Example

DTP*198*D8*XXXX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Appliance Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

198 Completion

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Treatment Completion Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

Contract Information

To specify basic data about the contract or contract line item

Usage notes

- The developers of this implementation guide note that the CN1 segment is for use only for post-adjudicated claims, which do not meet the definition of a health care claim under HIPAA. Consequently, at the time of this writing, the CN1 segment is for non-HIPAA use only.
- Required when the submitter is contractually obligated to supply this information on post-adjudicated claims. If not required by this implementation guide, do not send.

Example

CN1*09*00000000000000*0*XXX*00*X~

CN1-01	1166 Contract Type Code	Identifier (ID)	Required
	Code identifying a contract type		
	02 Per Diem		
	03 Variable Per Diem		
	04 Flat		
	05 Capitated		
	06 Percent		
	09 Other		
CN1-02	782 Contract Amount	Min 1 Max 15 # Decimal number (R)	Optional
	Monetary amount		
	• CN102 is the contract amount.		
CN1-03	332 Contract Percentage	Min 1 Max 6 # Decimal number (R)	Optional
	Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)		
	• CN103 is the allowance or charge percent.		
CN1-04	127 Contract Code	Min 1 Max 50 String (AN)	Optional
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	• CN104 is the contract code.		
CN1-05	338 Terms Discount Percentage	Min 1 Max 6 # Decimal number (R)	Optional

Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date

CN1-06

799 Contract Version Identifier

Min 1

Max 30

 String (AN)

Optional

Revision level of a particular format, program, technique or algorithm

- CN106 is an additional identifying number for the contract.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Service Predetermination Identification

To specify identifying information

Usage notes

- Required when sending the Predetermination of Benefits Identification Number for the line item that has been previously predetermined and is now being submitted for payment. If not required by this implementation guide, do not send.
- Reference numbers at this position apply to the current line item only.
- When it is necessary to report one or more non-destination payer Prior Authorization Numbers, the composite data element in REF04 is used to identify the payer which assigned this number.

Example

REF*G3*XXXXX**2U>XXXXXX~

Variants (all may be used)

- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G3 Predetermination of Benefits Identification Number

REF-02

127 Predetermination of Benefits Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Predetermination Identification reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1

Max 50

 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Prior Authorization

To specify identifying information

Usage notes

- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Required when service line involved a prior authorization number that is different than the number reported at the claim level (Loop ID-2300).
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Prior Authorization Numbers, the composite data element in REF04 is used to identify the payer which assigned this number.

Example

REF*G1*XX**2U>XXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G1 Prior Authorization Number

REF-02

127 Prior Authorization or Referral Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Prior Authorization Number reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1

Max 50

T String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 1

Optional

Line Item Control Number

To specify identifying information

Usage notes

- Required when the submitter needs a line item control number for subsequent communications to or from the payer. If not required by this implementation guide, do not send.
- The line item control number must be unique within a patient control number (CLM01). Payers are required to return this number in the remittance advice transaction (835) if the provider sends it to them in the 837 and adjudication is based upon line item detail regardless of whether bundling or unbundling has occurred.
- Submitters are STRONGLY encouraged to routinely send a unique line item control number on all service lines, particularly if the submitter automatically posts their remittance advice. Submitting a unique line item control number allows the capability to automatically post by service line.

Example

REF*6R*XXXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

6R Provider Control Number

REF-02

127 Line Item Control Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The maximum number of characters to be supported for this field is 30'. A submitter may submit fewer characters depending upon their needs. However, the HIPAA maximum requirement to be supported by any receiving system is 30'. Characters beyond 30 are not required to be stored nor returned by any 837-receiving system.

Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9A*X~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9A Repriced Claim Reference Number

REF-02

127 Repriced Claim Reference Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 1

Optional

Adjusted Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9C*XXXXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9C Adjusted Repriced Claim Reference Number

REF-02

127 Adjusted Repriced Claim Reference Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Referral Number

To specify identifying information

Usage notes

- Required when this service line involved a referral number that is different than the number reported at the claim level (Loop-ID 2300).
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Referral Numbers, the composite data element in REF04 is used to identify the payer which assigned this referral number.

Example

REF*9F*XXXXX**2U>XXXXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Referral Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Referral Number reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1

Max 50

 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

Sales Tax Amount

To indicate the total monetary amount

Usage notes

- Required when sales tax applies to the service line and the submitter is required to report that information to the receiver. If not required by this implementation guide, do not send.
- When reporting the Sales Tax Amount (AMT02), the amount reported in the Line Item Charge Amount (SV302) for this service line must include the amount reported in the Sales Tax Amount.

Example

AMT*T*000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	T Tax		
AMT-02	782 Sales Tax Amount	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

File Information

To transmit a fixed-format record or matrix contents

Usage notes

- Required when ALL of the following conditions are met:
- A regulatory agency concludes it must use the K3 to meet an emergency legislative requirement;
- The administering regulatory agency or other state organization has completed each one of the following steps:
contacted the X12N workgroup,
requested a review of the K3 data requirement to ensure there is not an existing method within the implementation guide to meet this requirement
- X12N determines that there is no method to meet the requirement.
If not required by this implementation guide, do not send.
- At the time of publication of this implementation, K3 segments have no specific use.
The K3 segment is expected to be used only when necessary to meet the unexpected data requirement of a legislative authority. Before this segment can be used :
- The X12N Health Care Claim workgroup must conclude there is no other available option in the implementation guide to meet the emergency legislative requirement.
- The requestor must submit a proposal for approval accompanied by the relevant business documentation to the X12N Health Care Claim workgroup chairs and receive approval for the request.
Upon review of the request, X12N will issue an approval or denial decision to the requesting entity. Approved usage(s) of the K3 segment will be reviewed by the X12N Health Care Claim workgroup to develop a permanent change to include the business case in future transaction implementations.
- Only when all of the requirements above have been met, may the regulatory agency require the temporary use of the K3 segment.
- X12N will submit the necessary data maintenance and refer the request to the appropriate data content committee(s).

Example

K3*XX~

K3-01	449 Fixed Format Information	Min 1	Max 80	String (AN)	Required
-------	------------------------------	-------	--------	-------------	----------

Data in fixed format agreed upon by sender and receiver

HCP

4920

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > HCP

Max use 1

Optional

Line Pricing/Repricing Information

To specify pricing or repricing information about a health care claim or line item

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.
- For capitated encounters, pricing or repricing information usually is not applicable and is provided to qualify other information within the claim.

Example

HCP*03*000000000000*00000*X*00000*****AD*XXXXXX*U
N*0000*T1*1*1~

- If either Product or Service ID Qualifier (HCP-09) or Repriced Approved HCPCS Code (HCP-10) is present, then the other is required
- If either Unit or Basis for Measurement Code (HCP-11) or Repriced Approved Service Unit Count (HCP-12) is present, then the other is required

HCP-01

1473 Pricing Methodology

Identifier (ID)

Required

Code specifying pricing methodology at which the claim or line item has been priced or repriced

Usage notes

- Specific code use is determined by Trading Partner Agreement due to the variances in contracting policies in the industry.

- 00 Zero Pricing (Not Covered Under Contract)
- 01 Priced as Billed at 100%
- 02 Priced at the Standard Fee Schedule
- 03 Priced at a Contractual Percentage
- 04 Bundled Pricing
- 05 Peer Review Pricing
- 06 Per Diem Pricing
- 07 Flat Rate Pricing
- 08 Combination Pricing
- 09 Maternity Pricing
- 10 Other Pricing
- 11 Lower of Cost
- 12 Ratio of Cost
- 13 Cost Reimbursed
- 14 Adjustment Pricing

HCP-02

782 Repriced Allowed Amount

Min 1

Max 15

Decimal number (R)

Required

Monetary amount

- HCP02 is the allowed amount.

HCP-03 **782 Repriced Saving Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- HCP03 is the savings amount.

HCP-04 **127 Repricing Organization Identifier** Min 1 Max 50  String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP04 is the repricing organization identification number.

HCP-05 **118 Repricing Per Diem or Flat Rate Amount** # Decimal number (R) Optional
Min 1 Max 9

Rate expressed in the standard monetary denomination for the currency specified

- HCP05 is the pricing rate associated with per diem or flat rate repricing.

HCP-09 **235 Product or Service ID Qualifier**  Identifier (ID) Optional

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

AD American Dental Association Codes

HCP-10 **234 Repriced Approved HCPCS Code** Min 1 Max 48  String (AN) Optional

Identifying number for a product or service

- HCP10 is the approved procedure code.

HCP-11 **355 Unit or Basis for Measurement Code**  Identifier (ID) Optional

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

UN Unit

HCP-12 **380 Repriced Approved Service Unit Count** # Decimal number (R) Optional
Min 1 Max 15

Numeric value of quantity

- HCP12 is the approved service units or inpatient days.

Usage notes

- Note: When a decimal is needed to report units, include it in this element, for example, "15.6".
- The maximum length for this field is 8 digits excluding the decimal. When a decimal is used, the maximum number of digits allowed to the right of the decimal is three.

HCP-13**901 Reject Reason Code**

■ Identifier (ID)

Optional

Code assigned by issuer to identify reason for rejection

- HCP13 is the rejection message returned from the third party organization.

T1 Cannot Identify Provider as TPO (Third Party Organization) Participant

T2 Cannot Identify Payer as TPO (Third Party Organization) Participant

T3 Cannot Identify Insured as TPO (Third Party Organization) Participant

T4 Payer Name or Identifier Missing

T5 Certification Information Missing

T6 Claim does not contain enough information for re-pricing

HCP-14**1526 Policy Compliance Code**

■ Identifier (ID)

Optional

Code specifying policy compliance

- 1 Procedure Followed (Compliance)
- 2 Not Followed - Call Not Made (Non-Compliance Call Not Made)
- 3 Not Medically Necessary (Non-Compliance Non-Medically Necessary)
- 4 Not Followed Other (Non-Compliance Other)
- 5 Emergency Admit to Non-Network Hospital

HCP-15**1527 Exception Code**

■ Identifier (ID)

Optional

Code specifying the exception reason for consideration of out-of-network health care services

- HCP15 is the exception reason generated by a third party organization.

1 Non-Network Professional Provider in Network Hospital

2 Emergency Care

3 Services or Specialist not in Network

4 Out-of-Service Area

5 State Mandates

6 Other

2420A Rendering Provider Name Loop

Max 1 Optional

- Variants (all may be used)
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Rendering Provider Name Loop > NM1

Max use 1

Required

Rendering Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider NM1 information is different than that carried in the Loop ID-2310B Rendering Provider and the Assistant Surgeon (Loop ID-2420C) loop is not present
 - OR
 - Required when each of the following conditions apply:
 - the Rendering Provider information is carried at the Billing Provider level (Loop ID-2010AA)
 - this particular line item has different Rendering Provider information than that which is carried in the Loop ID-2010AA Billing Provider
 - the Assistant Surgeon loop (Loop ID-2420C) is not used.
- If not required by this implementation guide, do not send.
- Used for all types of rendering providers including laboratories. The Rendering Provider is the person or company (laboratory or other facility) who rendered the care. In the case where a substitute provider (locum tenens) was used, enter that provider's information here.

Example

NM1*82*2*X*XXXX*XXXXX**XXXXX*XX*XXXXXX~

- If either Identification Code Qualifier (NM1-08) or Rendering Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

82 Rendering Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1

Person
- 2

Non-Person Entity

NM1-03

1035

Rendering Provider Last or Organization Name

String (AN)

Required

Min 1

Max 60

Individual last name or organizational name

NM1-04

1036

Rendering Provider First Name

Min 1

Max 35

String (AN)

Optional

Individual first name

NM1-05

1037

Rendering Provider Middle Name or Initial

Min 1

Max 25

String (AN)

Optional

Individual middle name or initial

NM1-07

1039

Rendering Provider Name Suffix

Min 1

Max 10

String (AN)

Optional

Suffix to individual name

NM1-08

66

Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67

Rendering Provider Identifier

Min 2

Max 80

String (AN)

Optional

Code identifying a party or other code

Rendering Provider Specialty Information

To specify the identifying characteristics of a provider

Example

PRV*PE*PXC*XXX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
PE Performing			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Rendering Provider Name Loop > REF

Max use 20

Optional

Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*G2*XXXXX**2U>X~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
☐ UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Rendering Provider Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
REF-04	C040 Reference Identifier	Max use 1	Optional
To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
- REF04 contains data relating to the value cited in REF02.			
Usage notes			
Required when the identifier reported in REF02 of this segment is for a non-destination payer.			

C040-01

128

Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127

Other Payer Primary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420A Rendering Provider Name Loop end

2420B Assistant Surgeon Name Loop

Max 1 Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Supervising Provider Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Assistant Surgeon Name Loop > NM1

Max use 1

Required

Assistant Surgeon Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider provided these services in the role of the Assistant Surgeon and the Assistant Surgeon information in this loop is different from the Assistant Surgeon information sent in Loop ID-2310D.
If not required by this implementation guide, do not send.;

Example

NM1*DD*1*XXXX*XXX*XXXX**XXXXX*XX*XXX~

- If either Identification Code Qualifier (NM1-08) or Assistant Surgeon Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Assistant Surgeon Last or Organization Name

String (AN)

Required

Min 1

Max 60

Individual last name or organizational name

NM1-04

1036 Assistant Surgeon First Name

Min 1

Max 35

String (AN)

Optional

Individual first name

NM1-05

1037 Assistant Surgeon Middle Name or Initial

Min 1

Max 25

 String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Assistant Surgeon Name Suffix

Min 1

Max 10

 String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

 Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Assistant Surgeon Primary Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

Assistant Surgeon Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Required when the Assistant Surgeon specialty information is needed to facilitate reimbursement of the claim. If not required by this implementation guide, do not send.;

Example

PRV*AS*PXC*XXXXX~

<u>PRV-01</u>	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
AS Assistant Surgeon			
<u>PRV-02</u>	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
<u>PRV-03</u>	127 Provider Taxonomy Code	Min 1Max 50String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Assistant Surgeon Name Loop > REF

Max use 20

Optional

Assistant Surgeon Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When it is necessary to send provider identifiers that are not payer-specific (e.g. UPIN, State License Number), those identifiers must be sent in the corresponding 2310 loop.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*0B*XXXX**2U>XXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
☐ UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Assistant Surgeon Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
REF-04	C040 Reference Identifier	Max use 1	Optional

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the identifier reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1Max 50String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420B Assistant Surgeon Name Loop end

2420C Supervising Provider Name Loop

Max 1Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Assistant Surgeon Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Supervising Provider Name Loop > NM1

Max use 1

Required

Supervising Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the rendering provider is supervised by a physician or dentist and the supervising physician or dentist is different than that listed at the claim level for this service line. If not required by this implementation guide, do not send.

Example

NM1*DQ*1*XXXXXX*XXXXXX*X**X*XX*XX~

- If either Identification Code Qualifier (NM1-08) or Supervising Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

- DQ Supervising Physician
- ☐ Use this code for the supervising dentist or physician.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1 Person

NM1-03

1035 Supervising Provider Last Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Supervising Provider First Name

Min 1Max 35

String (AN)

Optional

Individual first name

NM1-05

1037

Supervising Provider Middle Name or Initial

String (AN)

Optional

Min 1Max 25

Individual middle name or initial

NM1-07

1039

Supervising Provider Name Suffix

Min 1Max 10

String (AN)

Optional

Suffix to individual name

NM1-08

66

Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67

Supervising Provider Identifier

Min 2Max 80

String (AN)

Optional

Code identifying a party or other code

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Supervising Provider Name Loop > REF 20

Max use 20

Optional

Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When this segment is used, the identifier(s) to be provided are limited to those necessary for the claim processor to identify the entity.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*1G*X**2U>XXXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 0B State License Number
- 1G Provider UPIN Number
 - ☐ UPINs must be formatted as either X999999 or XXX999.
- G2 Provider Commercial Number
 - ☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.
- LU Location Number

REF-02

127 Supervising Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

Max use 1

Optional

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the identifier reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1Max 50String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420C Supervising Provider Name Loop end

2420D Service Facility Location Name Loop

Max 1Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > NM1

Max use 1

Required

Service Facility Location Name

To supply the full name of an individual or organizational entity

Usage notes

- When an organization health care provider's NPI is provided to identify the Service Location, the organization health care provider must be external to the entity identified as the Billing Provider (for example, reference lab). It is not permissible to report an organization health care provider NPI as the Service Location if the entity being identified is a component (for example, subpart) of the Billing Provider. In that case, the subpart must be the Billing Provider.
- Required when the location of health care service for this service line is different than that carried in Loop ID-2010AA Billing Provider or Loop ID-2310C Service Facility Location. If not required by this implementation guide, do not send.

Example

NM1*77*2*XX*****XX*XXX~

- If either Identification Code Qualifier (NM1-08) or Laboratory or Facility Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Laboratory or Facility Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Laboratory or Facility Primary Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

N3

5140

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > N3

Max use 1

Required

Service Facility Location Address

To specify the location of the named party

Usage notes

- If service facility location is in an area where there are no street addresses, enter a description of where the service was rendered (for example, "crossroad of State Road 34 and 45" or "Exit near Mile marker 265 on Interstate 80".)

Example

N3*XXXXX*XX~

N3-01

166

Laboratory or Facility Address Line

Min 1

Max 55

T String (AN)

Required

Address information

N3-02

166

Laboratory or Facility Address Line

Min 1

Max 55

T String (AN)

Optional

Address information

N4

5200

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > N4

Max use 1

Required

Service Facility Location City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXXXXXX*XX*XXX*XXX~

- Only one of Laboratory or Facility State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Laboratory or Facility City Name

Min 2Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Laboratory or Facility State or Province Code

Identifier (ID)

Optional

Min 2Max 2

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Laboratory or Facility Postal Zone or ZIP Code

Identifier (ID)

Optional

Min 3Max 15

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

Usage notes

- When reporting the ZIP code for U.S. addresses, the full nine digit ZIP code must be provided.

N4-04

26 Country Code

Min 2Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > REF

Max use 20

Optional

Service Facility Location Secondary Identification

To specify identifying information

Usage notes

- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI implementation date when the entity is not a Health Care provider (a.k.a. an atypical provider), and an identifier is necessary for the claims processor to identify the entity.
If not required by this implementation guide, do not send.

Example

REF*1G*XX**2U>X~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	1G Provider UPIN Number		
	☐ UPINs must be formatted as either X99999 or XXX999.		
	G2 Provider Commercial Number		
	☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.		
	LU Location Number		
REF-02	127 Service Facility Location Secondary Identifier	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Min 1	Max 50
REF-04	C040 Reference Identifier		
	To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier	Max use 1	Optional
	- REF04 contains data relating to the value cited in REF02.		
	Usage notes		
	Required when the identifier reported in REF02 of this segment is for a non-destination payer.		

C040-01

128

Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127

Other Payer Primary Identifier

Min 1Max 50String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420D Service Facility Location Name Loop end

2430 Line Adjudication Information Loop

Max 15

Optional

SVD

5400

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > SVD

Max use 1

Required

Line Adjudication Information

To convey service line adjudication information for coordination of benefits between the initial payers of a health care claim and all subsequent payers

Usage notes

- Required when the claim has been previously adjudicated by payer identified in Loop ID-2330B and this service line has payments and/or adjustments applied to it. If not required by this implementation guide, do not send.
- To show unbundled lines: If, in the original claim, line 3 is unbundled into (for example) 2 additional lines, then the SVD for line 3 is used 3 times: once for the original adjustment to line 3 and then two more times for the additional unbundled lines.

Example

SVD*XXX*00000000*ER>XXXXX>XX>XX>XX>XX>XXXXXX**000
0000000000*00~

SVD-01

67 Other Payer Primary Identifier

Min 2

Max 80

String (AN)

Required

Code identifying a party or other code

- SVD01 is the payer identification code.

Usage notes

- This identifier indicates the payer responsible for the reimbursement described in this iteration of the 2430 loop. The identifier indicates the Other Payer by matching the appropriate Other Payer Primary Identifier (Loop ID-2330B, element NM109).

SVD-02

782 Service Line Paid Amount

Min 1

Max 15

Decimal number (R)

Required

Monetary amount

- SVD02 is the amount paid for this service line.

Usage notes

- Zero "0" is an acceptable value for this element.

SVD-03

C003 Composite Medical Procedure Identifier

To identify a medical procedure by its standardized codes and applicable modifiers

Max use 1

Required

- SVD03 represents the medical procedure code upon which adjudication of this service line was based. This may be different than the submitted medical procedure code.

C003-01

235 Product or Service ID Qualifier

Identifier (ID)

Required

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

- C003-01 qualifies C003-02 and C003-08.

AD American Dental Association Codes

ER Jurisdiction Specific Procedure and Supply Codes

C003-02 **234 Procedure Code** Min 1 Max 48 **T** String (AN) **Required**

Identifying number for a product or service

- If C003-08 is used, then C003-02 represents the beginning value in the range in which the code occurs.

C003-03 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-03 modifies the value in C003-02 and C003-08.

Usage notes

- This is the first procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-04 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-04 modifies the value in C003-02 and C003-08.

Usage notes

- This is the second procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-05 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-05 modifies the value in C003-02 and C003-08.

Usage notes

- This is the third procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-06 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-06 modifies the value in C003-02 and C003-08.

Usage notes

- This is the fourth procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-07 **352 Procedure Code Description** Min 1 Max 80 **T** String (AN) **Optional**

A free-form description to clarify the related data elements and their content

- C003-07 is the description of the procedure identified in C003-02.

SVD-05 **380 Paid Service Unit Count** Min 1 Max 15 # Decimal number (R) **Required**

Numeric value of quantity

- SVD05 is the paid units of service.

Usage notes

- This is the number of paid units from the remittance advice. When paid units are not present on the remittance advice, use the original billed units.
- The maximum length for this field is 8 digits excluding the decimal. When a decimal is used, the maximum number of digits allowed to the right of the decimal is three.

SVD-06 **554 Bundled or Unbundled Line Number** Min 1 Max 6 # Numeric (N0) **Optional**

Number assigned for differentiation within a transaction set

- SVD06 is only used for bundling of service lines. It references the LX Assigned Number of the service line into which this service line was bundled.

CAS

5450

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > CAS

Max use 5

Optional

Line Adjustment

To supply adjustment reason codes and amounts as needed for an entire claim or for a particular service within the claim being paid

Usage notes

- Required when the payer identified in Loop 2330B made line level adjustments which caused the amount paid to differ from the amount originally charged. If not required by this implementation guide, do not send.
- A single CAS segment contains six repetitions of the "adjustment trio" composed of adjustment reason code, adjustment amount, and adjustment quantity. These six adjustment trios are used to report up to six adjustments related to a particular Claim Adjustment Group Code (CAS01). The first non-zero adjustment is reported in the first adjustment trio (CAS02-CAS04). If there is a second non-zero adjustment, it is reported in the second adjustment trio (CAS05-CAS07), and so on through the sixth adjustment trio (CAS17-CAS19).

Example

```
CAS*CR*XXX*00000000000000*0000000000000000*X*000000
000*00000*XXX*000000*00000000000*XXXXX*0000000000
0*00000000000*XXX*00000000000*00000000000000*XXX*0
00000000000*00~
```

- If Adjustment Reason Code (CAS-05) is present, then at least one of Adjustment Amount (CAS-06) or Adjustment Quantity (CAS-07) is required
- If Adjustment Amount (CAS-06) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Quantity (CAS-07) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Reason Code (CAS-08) is present, then at least one of Adjustment Amount (CAS-09) or Adjustment Quantity (CAS-10) is required
- If Adjustment Amount (CAS-09) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Quantity (CAS-10) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Reason Code (CAS-11) is present, then at least one of Adjustment Amount (CAS-12) or Adjustment Quantity (CAS-13) is required
- If Adjustment Amount (CAS-12) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Quantity (CAS-13) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Reason Code (CAS-14) is present, then at least one of Adjustment Amount (CAS-15) or Adjustment Quantity (CAS-16) is required
- If Adjustment Amount (CAS-15) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Quantity (CAS-16) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Reason Code (CAS-17) is present, then at least one of Adjustment Amount (CAS-18) or Adjustment Quantity (CAS-19) is required
- If Adjustment Amount (CAS-18) is present, then Adjustment Reason Code (CAS-17) is required

- If Adjustment Quantity (CAS-19) is present, then Adjustment Reason Code (CAS-17) is required

<u>CAS-01</u>	1033 Claim Adjustment Group Code	■ Identifier (ID)	Required
Code identifying the general category of payment adjustment			
CO Contractual Obligations CR Correction and Reversals OA Other adjustments PI Payor Initiated Reductions PR Patient Responsibility			
<u>CAS-02</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Required
Code identifying the detailed reason the adjustment was made			
<u>CAS-03</u>	782 Adjustment Amount	Min 1 Max 15 # Decimal number (R)	Required
Monetary amount			
CAS03 is the amount of adjustment.			
<u>CAS-04</u>	380 Adjustment Quantity	Min 1 Max 15 # Decimal number (R)	Optional
Numeric value of quantity			
CAS04 is the units of service being adjusted.			
<u>CAS-05</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Optional
Code identifying the detailed reason the adjustment was made			
<u>CAS-06</u>	782 Adjustment Amount	Min 1 Max 15 # Decimal number (R)	Optional
Monetary amount			
CAS06 is the amount of the adjustment.			
<u>CAS-07</u>	380 Adjustment Quantity	Min 1 Max 15 # Decimal number (R)	Optional
Numeric value of quantity			
CAS07 is the units of service being adjusted.			
<u>CAS-08</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Optional

Code identifying the detailed reason the adjustment was made

CAS-09 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS09 is the amount of the adjustment.

CAS-10 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS10 is the units of service being adjusted.

CAS-11 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-12 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS12 is the amount of the adjustment.

CAS-13 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS13 is the units of service being adjusted.

CAS-14 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-15 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS15 is the amount of the adjustment.

CAS-16 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS16 is the units of service being adjusted.

CAS-17

1034 Adjustment Reason Code

Min 1

Max 5

■ Identifier (ID)

Optional

Code identifying the detailed reason the adjustment was made

CAS-18

782 Adjustment Amount

Min 1

Max 15

Decimal number (R)

Optional

Monetary amount

- CAS18 is the amount of the adjustment.

CAS-19

380 Adjustment Quantity

Min 1

Max 15

Decimal number (R)

Optional

Numeric value of quantity

- CAS19 is the units of service being adjusted.

DTP

5500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > DTP

Max use 1

Required

Line Check or Remittance Date

To specify any or all of a date, a time, or a time period

Example

DTP*573*D8*XXXXX~

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
573 Date Claim Paid			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Adjudication or Payment Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

AMT

5505

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > AMT

Max use 1

Optional

Remaining Patient Liability

To indicate the total monetary amount

Usage notes

- Required when the Other Payer referenced in SVD01 of this iteration of Loop ID-2430 has adjudicated this claim, provided line level information, and the provider has the ability to report line item information. If not required by this implementation guide, do not send.
- In the judgment of the provider, this is the remaining amount to be paid after adjudication by the Other Payer referenced in SVD01 of this iteration of Loop ID-2430.
- This segment is not used if the claim level (Loop ID-2320) Remaining Patient Liability AMT segment is used for this Other Payer.
- This segment is only used in provider submitted claims. It is not used in Payer-to-Payer Coordination of Benefits (COB).

Example

AMT*EAF*0000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	EAF Amount Owed		
AMT-02	782 Remaining Patient Liability	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

2430 Line Adjudication Information Loop end

2400 Service Line Number Loop end

2300 Claim Information Loop end

2000C Patient Hierarchical Level Loop

Max >1Optional

HL

0010

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > HL

Max use 1

Required

Hierarchical Level

To identify dependencies among and the content of hierarchically related groups of data segments

Example

HL *3*2*23*0~

HL-01

628 Hierarchical ID Number

Min 1Max 12

String (AN)

Required

A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

- HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.

HL-02

734 Hierarchical Parent ID Number

Min 1Max 12

String (AN)

Required

Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to

- HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.

HL-03

735 Hierarchical Level Code

Identifier (ID)

Required

Code defining the characteristic of a level in a hierarchical structure

- HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.

23 Dependent

HL-04

736 Hierarchical Child Code

Identifier (ID)

Optional

Code indicating if there are hierarchical child data segments subordinate to the level being described

- HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

0 No Subordinate HL Segment in This Hierarchical Structure.

PAT

0070

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > PAT

Max use 1

Required

Patient Information

To supply patient information

Example

PAT*20~

PAT-01

1069

Individual Relationship Code

Identifier (ID)

Required

Code indicating the relationship between two individuals or entities

- 01 Spouse
- 19 Child
- 20 Employee
- 21 Unknown
- 39 Organ Donor
- 40 Cadaver Donor
- 53 Life Partner
- G8 Other Relationship

2010CA Patient Name Loop

Max 1

Required

NM1

0150

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Patient Name Loop > NM1

Max use 1

Required

Patient Name

To supply the full name of an individual or organizational entity

Example

NM1*QC*1*XXXXXX*XXXXXX*XXX**XXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

QC Patient

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Patient Last Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Patient First Name

Min 1Max 35

String (AN)

Optional

Individual first name

NM1-05

1037 Patient Middle Name or Initial

Min 1Max 25

String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Patient Name Suffix

Min 1Max 10

String (AN)

Optional

Suffix to individual name

N3

0250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Patient Name Loop > N3

Max use 1

Required

Patient Address

To specify the location of the named party

Example
N3 * XXX * XXXXXX ~

<u>N3-01</u>	166 Patient Address Line	Min 1	Max 55	String (AN)	Required
Address information					
<u>N3-02</u>	166 Patient Address Line	Min 1	Max 55	String (AN)	Optional
Address information					

N4

0300

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Patient Name Loop > N4

Max use 1

Required

Patient City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XX*XX*XXXXXXXX*XX~

- Only one of Patient State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Patient City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Patient State Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Patient Postal Zone or ZIP Code

Min 3

Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

Patient Demographic Information

To supply demographic information

Example

DMG*D8*XX*U~

DMG-01

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

D8 Date Expressed in Format CCYYMMDD

DMG-02

1251 Patient Birth Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

- DMG02 is the date of birth.

DMG-03

1068 Patient Gender Code

Identifier (ID)

Required

Code indicating the sex of the individual

- F Female
- M Male
- U Unknown

REF

0350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Patient Name Loop > REF

Max use 1

Optional

Property and Casualty Claim Number

To specify identifying information

Usage notes

- Required when the services included in this claim are to be considered as part of a property and casualty claim. If not required by this implementation guide, do not send.
- This is a property and casualty payer-assigned claim number. Providers receive this number from the property and casualty payer during eligibility determinations or some other communication with that payer. See Section 1.4.2, Property and Casualty, for additional information about property and casualty claims.;
- This segment is not a HIPAA requirement as of this writing.

Example

REF*Y4*XXXXX~

Variants (all may be used)

REF Property and Casualty Patient Identifier

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
Y4 Agency Claim Number			
REF-02	127 Property Casualty Claim Number	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

0350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Patient Name Loop > REF

Max use 1

Optional

Property and Casualty Patient Identifier

To specify identifying information

Usage notes

- Required when an identification number is needed by the receiver to identify the patient for Property and Casualty claims. If not required by this implementation guide, do not send.

Example

REF*SY*XXX~

Variants (all may be used)

REF Property and Casualty Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

1W Member Identification Number

This code designates a patient identification number used by the destination payer identified in the Payer Name loop, Loop ID 2010BB, associated with this claim.

SY Social Security Number

The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

REF-02

127 Property and Casualty Patient Identifier

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2010CA Patient Name Loop end

2300 Claim Information Loop

Max 100

Required

CLM

1300

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > CLM

Max use 1

Required

Claim Information

To specify basic data about the claim

Usage notes

- The developers of this implementation guide recommend that trading partners limit the size of the transaction (ST-SE envelope) to a maximum of 5000 CLM segments. There is no recommended limit to the number of ST-SE transactions within a GS-GE or ISA-IEA. Willing trading partners can agree to set limits higher.
- For purposes of this documentation, the claim detail information is presented only in the dependent level. Specific claim detail information can be given in either the subscriber or the dependent hierarchical level. Because of this, the claim information is said to "float." Claim information is positioned in the same hierarchical level that describes its owner-participant, either the subscriber or the dependent. In other words, the claim information, Loop ID-2300, is placed following Loop ID-2010BB in the Subscriber Hierarchical Level (HL) when patient information is sent in Loop ID-2010BA of the Subscriber HL. Claim information is placed in the Patient HL when the patient information is sent in Loop ID-2010CA of the Patient HL. When the patient is the subscriber or is considered to be the subscriber, Loop ID-2000C and Loop ID-2010CA are not sent. See Subscriber/Patient HL Segment explanation in section 1.4.3.2.2.1 for details.

Example

CLM*XXXXXX*000***XX>B>X*Y*C*W*Y**OA>XX>>XX>XX*05*
*****PB*3~

CLM-01

1028 Patient Control Number

Min 1

Max 38

String (AN)

Required

Identifier used to track a claim from creation by the health care provider through payment

Usage notes

- The number that the submitter transmits in this position is echoed back to the submitter in the 835 and other transactions. This permits the submitter to use the value in this field as a key in the submitter's system to match the claim to the payment information returned in the 835 transaction. The two recommended identifiers are either the Patient Account Number or the Claim Number in the billing submitter's patient management system. The developers of this implementation guide strongly recommend that submitters use unique numbers for this field for each individual claim.
- When Loop ID-2010AC is present, CLM01 represents the subrogated Medicaid agency's claim number (ICN/DCN) from their original 835 CLP07 - Payer Claim Control Number. See Section 1.4.1.4 of the front matter for a description of post payment recovery claims for subrogated Medicaid agencies.
- The maximum number of characters to be supported for this field is `20`. Characters beyond the maximum are not required to be stored nor returned by any 837-receiving system.

CLM-02 **782 Total Claim Charge Amount** Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- CLM02 is the total amount of all submitted charges of service segments for this claim.

Usage notes

- The Total Claim Charge Amount must be greater than or equal to zero.
- The total claim charge amount must balance to the sum of all service line charge amounts reported in the Dental Service (SV3) segments for this claim.

CLM-05 **C023 Health Care Service Location Information** Max use 1 Required

To provide information that identifies the place of service or the type of bill related to the location at which a health care service was rendered

C023-01 **1331 Place of Service Code** Min 1 Max 2 T String (AN) Required

Code identifying where services were, or may be, performed; the first and second positions of the Uniform Bill Type Code for Institutional Services or the Place of Service Codes for Professional or Dental Services.

C023-02 **1332 Facility Code Qualifier** Identifier (ID) Required

Code identifying the type of facility referenced

- C023-02 qualifies C023-01 and C023-03.

B Place of Service Codes for Professional or Dental Services

C023-03 **1325 Claim Frequency Code** Min 1 Max 1 Identifier (ID) Required

Code specifying the frequency of the claim; this is the third position of the Uniform Billing Claim Form Bill Type

CLM-06 **1073 Provider or Supplier Signature Indicator** Identifier (ID) Required

Code indicating a Yes or No condition or response

- CLM06 is provider signature on file indicator. A "Y" value indicates the provider signature is on file; an "N" value indicates the provider signature is not on file.

N No

Y Yes

CLM-07 **1359 Assignment or Plan Participation Code** Identifier (ID) Required

Code indicating whether the provider accepts assignment

Usage notes

- Within this element the context of the word assignment is related to the relationship between the provider and the payer. This is NOT the field for reporting whether the patient has or has not assigned benefits to the provider. The benefit assignment indicator is in CLM08.

A Assigned

- ☐ Required when the provider accepts assignment and/or has a participation agreement with the destination payer.

OR

Required when the provider does not accept assignment and/or have a participation agreement, but is advising the payer to adjudicate this specific claim under participating provider benefits as allowed under certain plans.

C Not Assigned

- ☐ Required when code 'A' does not apply.

CLM-08

1073 Benefits Assignment Certification Indicator

Identifier (ID)

Required

Code indicating a Yes or No condition or response

- CLM08 is assignment of benefits indicator. A "Y" value indicates insured or authorized person authorizes benefits to be assigned to the provider; an "N" value indicates benefits have not been assigned to the provider.

Usage notes

- This element answers the question whether or not the insured has authorized the plan to remit payment directly to the provider.

N No

W Not Applicable

- ☐ Use code 'W' when the patient refuses to assign benefits.

Y Yes

CLM-09

1363 Release of Information Code

Identifier (ID)

Required

Code indicating whether the provider has on file a signed statement by the patient authorizing the release of medical data to other organizations

Usage notes

- The Release of Information response is limited to the information carried in this claim.

I Informed Consent to Release Medical Information for Conditions or Diagnoses Regulated by Federal Statutes

- ☐ Required when the provider has not collected a signature AND state or federal laws do not require a signature be collected.

Y Yes, Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim

- ☐ For this Implementation Guide, this also applies to dental billing data related to a claim.

CLM-11

C024 Related Causes Information

To identify one or more related causes and associated state or country information

Max use 1

Optional

Usage notes

Required when the services provided are employment related or the result of an accident.

If not required by this implementation guide, do not send.

<u>C024-01</u>	1362 Related Causes Code	Identifier (ID)	Required
Code identifying an accompanying cause of an illness, injury or an accident			
AA Auto Accident EM Employment OA Other Accident			

<u>C024-02</u>	1362 Related Causes Code	Min 2 Max 3	Identifier (ID)	Optional
Code identifying an accompanying cause of an illness, injury or an accident				

<u>C024-04</u>	156 Auto Accident State or Province Code	■ Identifier (ID)	Optional
		Min 2	Max 2
Code (Standard State/Province) as defined by appropriate government agency			
• C024-04 and C024-05 apply only to auto accidents when C024-01, C024-02, or C024-03 is equal to "AA".			

<u>C024-05</u>	26 Country Code	Min 2 Max 3	Identifier (ID)	Optional
Code identifying the country				

<u>CLM-12</u>	1366 Special Program Indicator	Identifier (ID)	Optional
Code indicating the Special Program under which the services rendered to the patient were performed			
01 Early & Periodic Screening, Diagnosis, and Treatment (EPSDT) or Child Health Assessment Program (CHAP) 02 Physically Handicapped Children's Program ☐ This code is used for Medicaid claims only. 03 Special Federal Funding ☐ This code is used for Medicaid claims only. 05 Disability ☐ This code is used for Medicaid claims only.			

<u>CLM-19</u>	1383 Predetermination of Benefits Code	Identifier (ID)	Optional
Code identifying reason for claim submission			
PB Predetermination of Dental Benefits			

<u>CLM-20</u>	1514 Delay Reason Code	Identifier (ID)	Optional
---------------	-------------------------------	-----------------	----------

Code indicating the reason why a request was delayed

- 1 Proof of Eligibility Unknown or Unavailable
- 2 Litigation
- 3 Authorization Delays
- 4 Delay in Certifying Provider
- 5 Delay in Supplying Billing Forms
- 6 Delay in Delivery of Custom-made Appliances
- 7 Third Party Processing Delay
- 8 Delay in Eligibility Determination
- 9 Original Claim Rejected or Denied Due to a Reason Unrelated to the Billing Limitation Rules
- 10 Administration Delay in the Prior Approval Process
- 11 Other
- 15 Natural Disaster

Date - Accident

To specify any or all of a date, a time, or a time period

Usage notes

- Required when CLM11-1 or CLM11-2 has a value of AA' or OA'.
OR
Required when CLM11-1 or CLM11-2 has a value of `EM' and this claim is the result of an accident.
If not required by this implementation guide, do not send.

Example

DTP*439*D8*XXX~

Variants (all may be used)

- DTP Date - Appliance Placement
- DTP Date - Repricer Received Date
- DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
439 Accident			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Accident Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

DTP

1350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > DTP

Max use 1

Optional

Date - Appliance Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date orthodontic appliances were placed. If not required by this implementation guide, do not send.
- Dates in Loop ID-2300 apply to all service lines within Loop ID-2400 unless a DTP segment occurs in Loop ID-2400 with the same value in DTP01. In that case, the DTP in Loop ID-2400 overrides the DTP in Loop ID-2300 for that service line only.

Example

DTP*452*D8*XXXXX~

Variants (all may be used)

- DTP Date - Accident
- DTP Date - Repricer Received Date
- DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
452 Appliance Placement			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Orthodontic Banding Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

Date - Repricer Received Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when a repricer is passing the claim onto the payer. If not required by this implementation guide, do not send.

Example

DTP*050*D8*XXXX~

Variants (all may be used)

DTP Date - Accident

DTP Date - Appliance Placement

DTP Date - Service Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
050 Received			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Repricer Received Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

DTP

1350

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > DTP

Max use 1

Optional

Date - Service Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when all of the services for this claim were performed. Not used when the claim is being submitted as a Predetermination of Benefits. If not required by this implementation guide, do not send.
- Dates in Loop ID-2300 apply to all service lines within Loop ID-2400 unless a DTP segment occurs in Loop ID-2400 with the same value in DTP01. In that case, the DTP in Loop ID-2400 overrides the DTP in Loop ID-2300 for that service line only.

Example

DTP*472*D8*XX~

Variants (all may be used)

- DTP Date - Accident
- DTP Date - Appliance Placement
- DTP Date - Repricer Received Date

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
	Code specifying type of date or time, or both date and time		
	472 Service		
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
	Code indicating the date format, time format, or date and time format		
	• DTP02 is the date or time or period format that will appear in DTP03.		
	D8 Date Expressed in Format CCYYMMDD		
	RD8 Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD		
DTP-03	1251 Service Date	Min 1 Max 35 String (AN)	Required
	Expression of a date, a time, or range of dates, times or dates and times		

DN1

1450

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > DN1

Max use 1

Optional

Orthodontic Total Months of Treatment

To supply orthodontic information

Usage notes

Required when reporting the total months of orthodontic treatment. If not required by this implementation guide, do not send.

- Required when the claim contains services related to treatment for orthodontic purposes. If not required by this implementation guide, do not send.
- When reporting this segment, at least one of DN101, DN102 or DN104 must be present.

Example

DN1*0000*000**XXXX~

DN1-01

380 Orthodontic Treatment Months Count

Min 1

Max 15

#

Decimal number (R)

Optional

Numeric value of quantity

- DN101 is the estimated number of treatment months.

DN1-02

380 Orthodontic Treatment Months Remaining Count

#

Decimal number (R)

Optional

Min 1

Max 15

Numeric value of quantity

- DN102 is the number of treatment months remaining.

DN1-04

352 Orthodontic Treatment Indicator

Min 1

Max 80

T

String (AN)

Optional

A free-form description to clarify the related data elements and their content

- DN104 is the appliance description.

Usage notes

- The only allowed value for DN104 is "Y", which indicates that services reported on this claim are for orthodontic purposes and that both DN101 and DN102 were not submitted.

Tooth Status

To specify the status of individual teeth

Usage notes

- Required when the submitter is reporting a missing tooth or a tooth to be extracted in the future. If not required by this implementation guide, do not send.

Example

DN2*XXX*M****JP~

DN2-01	127 Tooth Number	Min 1	Max 50	String (AN)	Required
--------	------------------	-------	--------	-------------	----------

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- DN201 is the tooth number.

Usage notes

- The Universal National Tooth Designation System must be used to identify tooth numbers for this element. See Code Source 135: American Dental Association.

DN2-02	1368 Tooth Status Code	Identifier (ID)	Required
--------	------------------------	-----------------	----------

Code specifying the status of the tooth

E To Be Extracted

M Missing

DN2-06	1270 Code List Qualifier Code	Identifier (ID)	Required
--------	-------------------------------	-----------------	----------

Code identifying a specific industry code list

- DN206 designates the code set used to identify the tooth in DN201.

JP Universal National Tooth Designation System

PWK

1550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > PWK

Max use 10

Optional

Claim Supplemental Information

To identify the type or transmission or both of paperwork or supporting information

Usage notes

- Required when there is a paper attachment following this claim.
OR
Required when attachments are sent electronically (PWK02 = EL) but are transmitted in another functional group (for example, 275) rather than by paper. PWK06 is then used to identify the attached electronic documentation. The number in PWK06 is carried in the TRN of the electronic attachment.
OR
Required when the provider deems it necessary to identify additional information that is being held at the provider's office and is available upon request by the payer (or appropriate entity), but the information is not being submitted with the claim. Use the value of "AA" in PWK02 to convey this specific use of the PWK segment.
If not required by this implementation guide, do not send.

Example

PWK*DG*AA***AC*XXXXX~

- If either Identification Code Qualifier (PWK-05) or Attachment Control Number (PWK-06) is present, then the other is required

PWK-01

755 Attachment Report Type Code

Identifier (ID)

Required

Code indicating the title or contents of a document, report or supporting item

B4

Referral Form

DA

Dental Models

DG

Diagnostic Report

EB

Explanation of Benefits (Coordination of Benefits or Medicare Secondary Payor)

OZ

Support Data for Claim

P6

Periodontal Charts

RB

Radiology Films

RR

Radiology Reports

PWK-02

756 Attachment Transmission Code

Identifier (ID)

Required

Code defining timing, transmission method or format by which reports are to be sent

AA

Available on Request at Provider Site

- ❑ This means that the additional information is not being sent with the claim at this time. Instead, it is available to the payer (or appropriate entity) at their request.

BM

By Mail

EL

Electronically Only

- ❑ Indicates that the attachment is being transmitted in a separate X12 functional group.

EM

E-Mail

FT

File Transfer

- ☐ Required when the actual attachment is maintained by an attachment warehouse or similar vendor.

FX By Fax

PWK-05

66 Identification Code Qualifier

■ Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

- PWK05 and PWK06 may be used to identify the addressee by a code number.

AC Attachment Control Number

PWK-06

67 Attachment Control Number

Min 2 Max 80 ■ String (AN)

Optional

Code identifying a party or other code

Usage notes

- PWK06 is used to identify the attached electronic documentation. The number in PWK06 is carried in the TRN of the electronic attachment.
- For the purpose of this implementation, the maximum field length is 50.

Contract Information

To specify basic data about the contract or contract line item

Usage notes

- The developers of this implementation guide note that the CN1 segment is for use only for post-adjudicated claims, which do not meet the definition of a health care claim under HIPAA. Consequently, at the time of this writing, the CN1 segment is for non-HIPAA use only.
- Required when the submitter is contractually obligated to supply this information on post-adjudicated claims. If not required by this implementation guide, do not send.

Example

CN1*04*0*00000*XX*0*XXXX~

CN1-01	1166 Contract Type Code	Identifier (ID)	Required
	Code identifying a contract type		
	02 Per Diem		
	03 Variable Per Diem		
	04 Flat		
	05 Capitated		
	06 Percent		
	09 Other		
CN1-02	782 Contract Amount	Min 1Max 15# Decimal number (R)	Optional
	Monetary amount		
	CN102 is the contract amount.		
CN1-03	332 Contract Percentage	Min 1Max 6# Decimal number (R)	Optional
	Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)		
	CN103 is the allowance or charge percent.		
CN1-04	127 Contract Code	Min 1Max 50String (AN)	Optional
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	CN104 is the contract code.		
CN1-05	338 Terms Discount Percentage	Min 1Max 6# Decimal number (R)	Optional

Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date

CN1-06

799 Contract Version Identifier

Min 1

Max 30

 String (AN)

Optional

Revision level of a particular format, program, technique or algorithm

- CN106 is an additional identifying number for the contract.

Patient Amount Paid

To indicate the total monetary amount

Usage notes

- Required when patient has made payment specifically toward this claim. If not required by this implementation guide, do not send.
- Patient Amount Paid refers to the sum of all amounts paid on the claim by the patient or his or her representative(s).

Example

AMT*F5*000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	F5 Patient Amount Paid		
AMT-02	782 Patient Amount Paid	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Predetermination Identification

To specify identifying information

Usage notes

- Required when sending the Predetermination of Benefits Identification Number for services that have been previously predetermined and are now being submitted for payment. If not required by this implementation guide, do not send.
- Reference numbers at this position apply to the entire claim.

Example

REF*G3*XXXXX~

Variants (all may be used)

- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G3 Predetermination of Benefits Identification Number

REF-02

127 Predetermination of Benefits Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Service Authorization Exception Code

To specify identifying information

Usage notes

- Required when mandated by government law or regulation to obtain authorization for specific service(s) but, for the reasons listed in REF02, the service was performed without obtaining the authorization. If not required by this implementation guide, do not send.

Example

REF*4N*XXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

4N Special Payment Reference Number

REF-02

127 Service Authorization Exception Code

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- Allowable values for this element are:
 - 1 Immediate/Urgent Care
 - 2 Services Rendered in a Retroactive Period
 - 3 Emergency Care
 - 4 Client has Temporary Medicaid
 - 5 Request from County for Second Opinion to Determine if Recipient Can Work
 - 6 Request for Override Pending
 - 7 Special Handling

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Payer Claim Control Number

To specify identifying information

Usage notes

- Required when CLM05-3 (Claim Frequency Code) indicates this claim is a replacement or void to a previously adjudicated claim. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*F8*XXXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

F8 Original Reference Number

REF-02

127 Payer Claim Control Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Referral Number

To specify identifying information

Usage notes

- Required when a referral number is assigned by the payer or Utilization Management Organization (UMO)
AND
a referral is involved.
If not required by this implementation guide, do not send.
- Numbers at this position apply to the entire claim unless they are overridden in the REF segment in Loop ID-2400. A reference identification is considered to be overridden if the value in REF01 is the same in both the Loop ID-2300 REF segment and the Loop ID-2400 REF segment. In that case, the Loop ID-2400 REF applies only to that specific line.
- This segment must not be used to report the Predetermination of Benefits Identification Number.

Example

REF*9F*XXXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Referral Number

Min 1 Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Prior Authorization

To specify identifying information

Usage notes

- Generally, preauthorization numbers are assigned by the payer or UMO to authorize a service prior to its being performed. The UMO (Utilization Management Organization) is generally the entity empowered to make a decision regarding the outcome of a health services review or the owner of information. The prior authorization number carried in this REF is specific to the destination payer reported in the Loop ID-2010BB. If other payers have similar numbers for this claim, report that information in the Loop ID-2330 loop REF which holds that payer's information.
- Required when an authorization number is assigned by the payer or UMO
AND
the services on this claim were preauthorized.
If not required by this implementation guide, do not send.
- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Numbers at this position apply to the entire claim unless they are overridden in the REF segment in Loop ID-2400. A reference identification is considered to be overridden if the value in REF01 is the same in both the Loop ID-2300 REF segment and the Loop ID-2400 REF segment. In that case, the Loop ID-2400 REF applies only to that specific line.

Example

REF*G1*X~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G1 Prior Authorization Number

REF-02

127 Prior Authorization Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the
Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9A*X~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Adjusted Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9A Repriced Claim Reference Number

REF-02

127 Repriced Claim Reference Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Adjusted Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9C*XXXXXX~

Variants (all may be used)

- REF Predetermination Identification
- REF Service Authorization Exception Code
- REF Payer Claim Control Number
- REF Referral Number
- REF Prior Authorization
- REF Repriced Claim Number
- REF Claim Identifier For Transmission Intermediaries

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9C Adjusted Repriced Claim Reference Number

REF-02

127 Adjusted Repriced Claim Reference Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

1800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > REF

Max use 1

Optional

Claim Identifier For Transmission Intermediaries

To specify identifying information

Usage notes

- Required when this information is deemed necessary by transmission intermediaries (Automated Clearinghouses, and others) who need to attach their own unique claim number. If not required by this implementation guide, do not send.
- Although this REF is supplied for transmission intermediaries to attach their own unique claim number to a claim, 837-recipients are not required under HIPAA to return this number in any HIPAA transaction. Trading partners may voluntarily agree to this interaction if they wish.

Example

REF*D9*XXXXXX~

Variants (all may be used)

REF Predetermination Identification

REF Service Authorization Exception Code

REF Payer Claim Control Number

REF Referral Number

REF Prior Authorization

REF Repriced Claim Number

REF Adjusted Repriced Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

Usage notes

- Number assigned by clearinghouse, van, etc.

D9 Claim Number

REF-02

127 Value Added Network Trace Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The value carried in this element is limited to a maximum of 20 positions.

File Information

To transmit a fixed-format record or matrix contents

Usage notes

- Required when ALL of the following conditions are met:
- A regulatory agency concludes it must use the K3 to meet an emergency legislative requirement;
- The administering regulatory agency or other state organization has completed each one of the following steps:
contacted the X12N workgroup,
requested a review of the K3 data requirement to ensure there is not an existing method within the implementation guide to meet this requirement
- X12N determines that there is no method to meet the requirement.
If not required by this implementation guide, do not send.
- At the time of publication of this implementation, K3 segments have no specific use.
The K3 segment is expected to be used only when necessary to meet the unexpected data requirement of a legislative authority. Before this segment can be used :
- The X12N Health Care Claim workgroup must conclude there is no other available option in the implementation guide to meet the emergency legislative requirement.
- The requestor must submit a proposal for approval accompanied by the relevant business documentation to the X12N Health Care Claim workgroup chairs and receive approval for the request.
Upon review of the request, X12N will issue an approval or denial decision to the requesting entity. Approved usage(s) of the K3 segment will be reviewed by the X12N Health Care Claim workgroup to develop a permanent change to include the business case in future transaction implementations.
- Only when all of the requirements above have been met, may the regulatory agency require the temporary use of the K3 segment.
- X12N will submit the necessary data maintenance and refer the request to the appropriate data content committee(s).

Example

K3*XXXXXX~

K3-01	449 Fixed Format Information	Min 1	Max 80	String (AN)	Required
Data in fixed format agreed upon by sender and receiver					

Claim Note

To transmit information in a free-form format, if necessary, for comment or special instruction

Usage notes

- Required when in the judgment of the provider, the information is needed to substantiate the medical treatment and is not supported elsewhere within the claim data set.
If not required by this implementation guide, do not send.
- The developers of this implementation guide discourage using narrative information within the 837. Trading partners who use narrative information with claims are strongly encouraged to codify that information within the X12 environment.;

Example

NTE * ADD * XXXXXX~

NTE-01	363 Note Reference Code	Identifier (ID)	Required
	Code identifying the functional area or purpose for which the note applies		
	ADD Additional Information		
NTE-02	352 Claim Note Text	Min 1 Max 80 String (AN)	Required
	A free-form description to clarify the related data elements and their content		

HI

2310

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > HI

Max use 1

Optional

Health Care Diagnosis Code

To supply information related to the delivery of health care

Usage notes

- Do not transmit the decimal point for ICD codes. The decimal point is implied.
- Required when the diagnosis may have an impact on the adjudication of the claim in cases where specific dental procedures may minimize the risks associated with the connection between the patient's oral and systemic health conditions. If not required by this implementation guide, do not send.

Example

HI * TQ>XXXXXX * BF>XXX * XXX>XXXXX * XX>XXXXX~

HI-01	C022 Health Care Code Information	To send health care codes and their associated dates, amounts and quantities	Max use 1	Required
C022-01	1270 Code List Qualifier Code	Code identifying a specific industry code list • C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08. ABK International Classification of Diseases Clinical Modification (ICD-10-CM) Principal Diagnosis ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used: If a new rule names the ICD-10-CM as an allowable code set under HIPAA, OR The Secretary grants an exception to use the code set as a pilot project as allowed under the law, OR For claims which are not covered under HIPAA. BK International Classification of Diseases Clinical Modification (ICD-9-CM) Principal Diagnosis TQ Systemized Nomenclature of Dentistry (SNODENT) ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used: If a new rule names the SNODENT codes as an allowable code set under HIPAA, OR the Secretary of Health and Human Services grants an exception to use the code set as a pilot project.	Identifier (ID)	Required

C022-02	1271 Principal Diagnosis Code	Code indicating a code from a specific industry code list	Min 1	Max 30	String (AN)	Required
• If C022-08 is used, then C022-02 represents the beginning value in a range of codes.						

HI-02

C022 Health Care Code Information

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01 1270 Code List Qualifier Code

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

ABF International Classification of Diseases Clinical Modification (ICD-10-CM) Diagnosis

- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:

If a new rule names the ICD-10-CM as an allowable code set under HIPAA,

OR

The Secretary grants an exception to use the code set as a pilot project as allowed under the law,

OR

For claims which are not covered under HIPAA.

BF International Classification of Diseases Clinical Modification (ICD-9-CM) Diagnosis

TQ Systemized Nomenclature of Dentistry (SNODENT)

- ☐ This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used:

If a new rule names the SNODENT codes as an allowable code set under HIPAA,

OR

the Secretary of Health and Human Services grants an exception to use the code set as a pilot project.

C022-02 1271 Diagnosis Code

Min 1

Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

HI-03

C022 Health Care Code Information

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01 1270 Code List Qualifier Code

Min 1

Max 3

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

Usage notes

- See element HI02-1 for a list of valid values.

C022-02

1271 Diagnosis Code

Min 1Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

HI-04

C022 Health Care Code Information

To send health care codes and their associated dates, amounts and quantities

Max use 1

Optional

Usage notes

Required when it is necessary to report an additional diagnosis and the preceding HI data elements have been used to report other diagnoses. If not required by this implementation guide, do not send.

C022-01

1270 Code List Qualifier Code

Min 1Max 3

Identifier (ID)

Required

Code identifying a specific industry code list

- C022-01 qualifies C022-02, C022-04, C022-05, C022-06 and C022-08.

Usage notes

- See element HI02-1 for a list of valid values.

C022-02

1271 Diagnosis Code

Min 1Max 30

String (AN)

Required

Code indicating a code from a specific industry code list

- If C022-08 is used, then C022-02 represents the beginning value in a range of codes.

Claim Pricing/Repricing Information

To specify pricing or repricing information about a health care claim or line item

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.
- For capitated encounters, pricing or repricing information usually is not applicable and is provided to qualify other information within the claim.

Example

HCP*02*000000*000000000000*X*000000000*XXX*****
*T6*4*2~

HCP-01

1473 Pricing Methodology

Identifier (ID)

Required

Code specifying pricing methodology at which the claim or line item has been priced or repriced

Usage notes

- Specific code use is determined by Trading Partner Agreement due to the variances in contracting policies in the industry.

- 00 Zero Pricing (Not Covered Under Contract)
- 01 Priced as Billed at 100%
- 02 Priced at the Standard Fee Schedule
- 03 Priced at a Contractual Percentage
- 04 Bundled Pricing
- 05 Peer Review Pricing
- 07 Flat Rate Pricing
- 08 Combination Pricing
- 09 Maternity Pricing
- 10 Other Pricing
- 11 Lower of Cost
- 12 Ratio of Cost
- 13 Cost Reimbursed
- 14 Adjustment Pricing

HCP-02

782 Repriced Allowed Amount

Min 1 Max 15 # Decimal number (R)

Required

Monetary amount

- HCP02 is the allowed amount.

HCP-03

782 Repriced Saving Amount

Min 1 Max 15 # Decimal number (R)

Optional

Monetary amount

- HCP03 is the savings amount.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-04 **127 Repricing Organization Identifier** Min 1 Max 50 **T** String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP04 is the repricing organization identification number.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-05 **118 Repricing Per Diem or Flat Rate Amount** # Decimal number (R) Optional Min 1 Max 9

Rate expressed in the standard monetary denomination for the currency specified

- HCP05 is the pricing rate associated with per diem or flat rate repricing.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-06 **127 Repriced Approved Ambulatory Patient Group Code** **T** String (AN) Optional Min 1 Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP06 is the approved DRG code.
- HCP06, HCP07, HCP08, HCP10, and HCP12 are fields that will contain different values from the original submitted values.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

HCP-13 **901 Reject Reason Code** **■** Identifier (ID) Optional

Code assigned by issuer to identify reason for rejection

- HCP13 is the rejection message returned from the third party organization.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

T1 Cannot Identify Provider as TPO (Third Party Organization) Participant

T2 Cannot Identify Payer as TPO (Third Party Organization) Participant

T3 Cannot Identify Insured as TPO (Third Party Organization) Participant

T4 Payer Name or Identifier Missing

T5 Certification Information Missing

T6 Claim does not contain enough information for re-pricing

HCP-14

1526 Policy Compliance Code

■ Identifier (ID)

Optional

Code specifying policy compliance

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

- 1 Procedure Followed (Compliance)
- 2 Not Followed - Call Not Made (Non-Compliance Call Not Made)
- 3 Not Medically Necessary (Non-Compliance Non-Medically Necessary)
- 4 Not Followed Other (Non-Compliance Other)
- 5 Emergency Admit to Non-Network Hospital

HCP-15

1527 Exception Code

■ Identifier (ID)

Optional

Code specifying the exception reason for consideration of out-of-network health care services

- HCP15 is the exception reason generated by a third party organization.

Usage notes

- This information is specific to the destination payer reported in Loop ID-2010BB.

- 1 Non-Network Professional Provider in Network Hospital
- 2 Emergency Care
- 3 Services or Specialist not in Network
- 4 Out-of-Service Area
- 5 State Mandates
- 6 Other

2310A Referring Provider Name Loop

Max 2 Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Service Facility Location Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Referring Provider Name Loop > NM1

Max use 1

Required

Referring Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when this claim involves a referral. If not required by this implementation guide, do not send.
- When reporting the provider who ordered services such as diagnostic and lab, use the 2310A loop at the claim level.
- When there is only one referral on the claim, use code "DN - Referring Provider". When more than one referral exists and there is a requirement to report the additional referral, use code DN in the first iteration of this loop to indicate the referral received by the rendering provider on this claim. Use code "P3 - Primary Care Provider" in the second iteration of the loop to indicate the initial referral from the primary care provider or whatever provider wrote the initial referral for this patient's episode of care being billed/reported in this transaction.

Example

NM1*DN*1*XXX*XXXXXX*XXXX**XXXXX*XX*XXXXXXXX~

- If either Identification Code Qualifier (NM1-08) or Referring Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DN Referring Provider

- Use on the first iteration of this loop. Use if loop is used only once.

P3 Primary Care Provider

- Use only if loop is used twice. Use only on second iteration of this loop.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

<u>NM1-03</u>	1035 Referring Provider Last Name	Min 1	Max 60	 String (AN)	Required
Individual last name or organizational name					
<u>NM1-04</u>	1036 Referring Provider First Name	Min 1	Max 35	 String (AN)	Optional
Individual first name					
<u>NM1-05</u>	1037 Referring Provider Middle Name or Initial	Min 1	Max 25	 String (AN)	Optional
Individual middle name or initial					
<u>NM1-07</u>	1039 Referring Provider Name Suffix	Min 1	Max 10	 String (AN)	Optional
Suffix to individual name					
<u>NM1-08</u>	66 Identification Code Qualifier	 Identifier (ID)			Optional
Code designating the system/method of code structure used for Identification Code (67)					
XX Centers for Medicare and Medicaid Services National Provider Identifier					
<u>NM1-09</u>	67 Referring Provider Identifier	Min 2	Max 80	 String (AN)	Optional
Code identifying a party or other code					

Referring Provider Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Required when adjudication is known to be impacted by the provider taxonomy code. If not required by this implementation guide, do not send.

Example

PRV*RF*PXC*XXXXXX~

<u>PRV-01</u>	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
RF Referring			
<u>PRV-02</u>	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
<u>PRV-03</u>	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Referring Provider Name Loop > REF

Max use 3

Optional

Referring Provider Secondary Identification

To specify identifying information

Usage notes

- The REF segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a REF segment with the same value in REF01.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*0B*XXXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 0B State License Number
- 1G Provider UPIN Number
 - ☐ UPINs must be formatted as either X99999 or XXX999.
- G2 Provider Commercial Number
 - ☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

REF-02

127 Referring Provider Secondary Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310A Referring Provider Name Loop end

2310B Rendering Provider Name Loop

Max 1 Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Service Facility Location Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > NM1

Max use 1

Required

Rendering Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider NM1 information is different than that carried in the Billing Provider loop (Loop ID-2010AA) and the Assistant Surgeon loop (Loop ID-2310D) is not used. If not required by this implementation guide, do not send.
- Used for all types of rendering providers including laboratories. The Rendering Provider is the person or company (laboratory or other facility) who rendered the care. In the case where a substitute provider (locum tenens) was used, enter that provider's information here.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*82*2*X*X*XXXX**XXX*XX*XXXXXX~

- If either Identification Code Qualifier (NM1-08) or Rendering Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

82 Rendering Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

NM1-03

1035 Rendering Provider Last or Organization Name

String (AN)

Required

Min 1 Max 60

Individual last name or organizational name

NM1-04

1036 Rendering Provider First Name

Min 1

Max 35

T String (AN)

Optional

Individual first name

NM1-05

1037 Rendering Provider Middle Name or Initial

Min 1

Max 25

T String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Rendering Provider Name Suffix

Min 1

Max 10

T String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Rendering Provider Identifier

Min 2

Max 80

T String (AN)

Optional

Code identifying a party or other code

PRV

2550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > PRV

Max use 1

Required

Rendering Provider Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- The PRV segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a PRV segment with the same value in PRV01.

Example

PRV*PE*PXC*XX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
PE Performing			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Rendering Provider Name Loop > REF

Max use 4

Optional

Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- The REF segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a REF segment with the same value in REF01.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*0B*X~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B

State License Number

1G

Provider UPIN Number

☐ UPINs must be formatted as either X99999 or XXX999.

G2

Provider Commercial Number

☐ This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LU

Location Number

REF-02

127 Rendering Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310B Rendering Provider Name Loop end

2310C Service Facility Location Name Loop

Max 1 Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Rendering Provider Name Loop
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > N...

Max use 1 Required

Service Facility Location Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the location of health care service is different than that carried in Loop ID-2010AA (Billing Provider).
If not required by this implementation guide, do not send.
- When an organization health care provider's NPI is provided to identify the Service Location, the organization health care provider must be external to the entity identified as the Billing Provider (for example, reference lab). It is not permissible to report an organization health care provider NPI as the Service Location if the entity being identified is a component (for example, subpart) of the Billing Provider. In that case, the subpart must be the Billing Provider.
- When the service(s) was rendered in the patient's home (the address reported as the patient address in the Subscriber or Patient loop), do not use the Service Facility Location loop. In that case, the place of service code in CLM05-1 indicates that the service occurred in the patient's home.
- The purpose of this loop is to identify specifically where the service was rendered.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*77*2*XXX*****XX*XXXXXX~

- If either Identification Code Qualifier (NM1-08) or Laboratory or Facility Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Laboratory or Facility Name

Min 1Max 60

TString (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

IDIdentifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Laboratory or Facility Primary Identifier

Min 2Max 80

TString (AN)

Optional

Code identifying a party or other code

N3

2650

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > N3

Max use 1

Required

Service Facility Location Address

To specify the location of the named party

Usage notes

- If service facility location is in an area where there are no street addresses, enter a description of where the service was rendered (for example, "crossroad of State Road 34 and 45" or "Exit near Mile marker 265 on Interstate 80".)

Example

N3*XXXXXX*XXXXX~

N3-01

166 Laboratory or Facility Address Line

Min 1

Max 55

T String (AN)

Required

Address information

N3-02

166 Laboratory or Facility Address Line

Min 1

Max 55

T String (AN)

Optional

Address information

N4

2700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > N4

Max use 1

Required

Service Facility Location City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXX*XX*XXXXXXXX*XX~

- Only one of Laboratory or Facility State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01 19 Laboratory or Facility City Name Min 2 Max 30 String (AN) Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02 156 Laboratory or Facility State or Province Code Identifier (ID) Optional Min 2 Max 2

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03 116 Laboratory or Facility Postal Zone or ZIP Code Identifier (ID) Optional Min 3 Max 15

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

Usage notes

- When reporting the ZIP code for U.S. addresses, the full nine digit ZIP code must be provided.

N4-04 26 Country Code Min 2 Max 3 Identifier (ID) Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07 1715 Country Subdivision Code Min 1 Max 3 Identifier (ID) Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Facility Location Name Loop > REF

Max use 3

Optional

Service Facility Location Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI implementation date when the entity is not a Health Care provider (a.k.a. an atypical provider), and an identifier is necessary for the claims processor to identify the entity.
If not required by this implementation guide, do not send.

Example

REF*G2*XXXXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	0B State License Number		
	G2 Provider Commercial Number		
	This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.		
	LU Location Number		
REF-02	127 Laboratory or Facility Secondary Identifier	Min 1Max 50String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

2310C Service Facility Location Name Loop end

2310D Assistant Surgeon Name Loop

Max 1 Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Rendering Provider Name Loop
- Service Facility Location Name Loop
- Supervising Provider Name Loop

NM1

2500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Assistant Surgeon Name Loop > NM1

Max use 1

Required

Assistant Surgeon Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider provided these services in the role of the Assisting Surgeon.
If not required by this implementation guide, do not send.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*DD*1*XXXXXX*XXXXX*X**XXXX*XX*XXXXX~

- If either Identification Code Qualifier (NM1-08) or Assistant Surgeon Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1 Person

NM1-03

1035 Assistant Surgeon Last Name

Min 1 Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Assistant Surgeon First Name

Min 1 Max 35

String (AN)

Optional

Individual first name

NM1-05

1037 Assistant Surgeon Middle Name or Initial

Min 1

Max 25

 String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Assistant Surgeon Name Suffix

Min 1

Max 10

 String (AN)

Optional

Suffix to individual name

Usage notes

- Examples: I, II, III, IV, Jr, Sr
This data element is used only to indicate generation or patronymic.

NM1-08

66 Identification Code Qualifier

 Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Assistant Surgeon Primary Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

Assistant Surgeon Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

PRV*AS*PXC*XXXXXX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
	Code identifying the type of provider		
	AS Assistant Surgeon		
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	PXC Health Care Provider Taxonomy Code		
PRV-03	127 Provider Taxonomy Code	Min 1Max 50String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

Assistant Surgeon Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*G2*XXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Assistant Surgeon Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2310D Assistant Surgeon Name Loop end

2310E Supervising Provider Name Loop

Max 1Optional

- Variants (all may be used)
- Referring Provider Name Loop
- Rendering Provider Name Loop
- Service Facility Location Name Loop
- Assistant Surgeon Name Loop

NM12500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Supervising Provider Name Loop > NM1

Max use 1Required

Supervising Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the rendering provider is supervised by a physician or dentist. If not required by this implementation guide, do not send.
- Information in Loop ID-2310 applies to the entire claim unless overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

Example

NM1*DQ*1*XXX*XXX*XX**XXXXX*XX*XXX~

- ☒ If either Identification Code Qualifier (NM1-08) or Supervising Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

DQ Supervising Physician

- ☐ Use this code for the supervising dentist or physician.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Supervising Provider Last Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-04

1036 Supervising Provider First Name

Min 1Max 35String (AN)Optional

Individual first name

NM1-05

1037

Supervising Provider Middle Name or Initial

String (AN)

Optional

Min 1

Max 25

Individual middle name or initial

NM1-07

1039

Supervising Provider Name Suffix

String (AN)

Optional

Min 1

Max 10

Suffix to individual name

NM1-08

66

Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67

Supervising Provider Identifier

String (AN)

Optional

Min 2

Max 80

Code identifying a party or other code

REF

2710

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Supervising Provider Name Loop > REF

Max use 4

Optional

Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- Required when the HIPAA National Provider Identifier (NPI) is not reported in NM109 of this loop;
OR
Required for Health Care Providers prior to the mandated NPI implementation date when an NPI is reported in NM109 of this loop and an additional identification number is required by the receiver to identify the provider;
OR
Required for providers who are not Health Care Providers when an NPI is reported in NM109 of this loop and an additional identification number is required by the receiver to identify the provider.
If not required by this implementation guide, do not send.

Example

REF*0B*XX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

0B

State License Number

1G

Provider UPIN Number

UPINs must be formatted as either X99999 or XXX999.

G2

Provider Commercial Number

This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LU

Location Number

REF-02

127 Supervising Provider Secondary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2310E Supervising Provider Name Loop end

2320 Other Subscriber Information Loop

Max 10 Optional

SBR

2900

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > SBR

Max use 1

Required

Other Subscriber Information

To record information specific to the primary insured and the insurance carrier for that insured

Usage notes

- Required when other payers are known to potentially be involved in paying on this claim. If not required by this implementation guide, do not send.
- All information contained in Loop ID-2320 applies only to the payer identified in Loop ID-2330B of this iteration of Loop ID-2320. It is specific only to that payer. If information for an additional payer is necessary, repeat Loop ID-2320 with its respective 2330 Loops.;
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

SBR*P*40*XXX*XXXX*15*****HM~

SBR-01

1138 Payer Responsibility Sequence Number Code

Identifier (ID)

Required

Code identifying the insurance carrier's level of responsibility for a payment of a claim

Usage notes

- Within a given claim, the various values for the Payer Responsibility Sequence Number Code (other than value "U") may occur no more than once.

- A Payer Responsibility Four
- B Payer Responsibility Five
- C Payer Responsibility Six
- D Payer Responsibility Seven
- E Payer Responsibility Eight
- F Payer Responsibility Nine
- G Payer Responsibility Ten
- H Payer Responsibility Eleven
- P Primary
- S Secondary
- T Tertiary
- U Unknown

- ☐ This code may only be used in payer to payer COB claims when the original payer determined the presence of this coverage from eligibility files received from this payer or when the original claim did not provide the responsibility sequence for this payer.

SBR-02

1069 Individual Relationship Code

Identifier (ID)

Required

Code indicating the relationship between two individuals or entities

- SBR02 specifies the relationship to the person insured.

- 01 Spouse
- 18 Self
- 19 Child
- 20 Employee
- 21 Unknown
- 39 Organ Donor
- 40 Cadaver Donor
- 53 Life Partner
- G8 Other Relationship

SBR-03 **127 Insured Group or Policy Number** Min 1 Max 50 String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- SBR03 is policy or group number.

Usage notes

- This is not the number uniquely identifying the subscriber. The unique subscriber number is submitted in Loop 2330A-NM109 for this iteration of Loop ID-2320.

SBR-04 **93 Other Insured Group Name** Min 1 Max 60 String (AN) Optional

Free-form name

- SBR04 is plan name.

SBR-05 **1336 Insurance Type Code** Identifier (ID) Optional

Code identifying the type of insurance policy within a specific insurance program

- 12 Medicare Secondary Working Aged Beneficiary or Spouse with Employer Group Health Plan
- 13 Medicare Secondary End-Stage Renal Disease Beneficiary in the Mandated Coordination Period with an Employer's Group Health Plan
- 14 Medicare Secondary, No-fault Insurance including Auto is Primary
- 15 Medicare Secondary Worker's Compensation
- 16 Medicare Secondary Public Health Service (PHS) or Other Federal Agency
- 41 Medicare Secondary Black Lung
- 42 Medicare Secondary Veteran's Administration
- 43 Medicare Secondary Disabled Beneficiary Under Age 65 with Large Group Health Plan (LGHP)
- 47 Medicare Secondary, Other Liability Insurance is Primary

SBR-09 **1032 Claim Filing Indicator Code** Identifier (ID) Optional

Code identifying type of claim

- 11 Other Non-Federal Programs
- 12 Preferred Provider Organization (PPO)
- 13 Point of Service (POS)
- 14 Exclusive Provider Organization (EPO)
- 15 Indemnity Insurance

- 16** Health Maintenance Organization (HMO) Medicare Risk
- 17** Dental Maintenance Organization
- AM** Automobile Medical
- BL** Blue Cross/Blue Shield
- CH** Champus
- CI** Commercial Insurance Co.
- DS** Disability
- FI** Federal Employees Program
- HM** Health Maintenance Organization
- LM** Liability Medical
- MA** Medicare Part A
- MB** Medicare Part B
- MC** Medicaid
- OF** Other Federal Program
 - ☐ Use code OF when submitting Medicare Part D claims.
- TV** Title V
- VA** Veterans Affairs Plan
- WC** Workers' Compensation Health Claim
- ZZ** Mutually Defined
 - ☐ Use Code ZZ when Type of Insurance is not known.

CAS

2950

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > CAS
Max use 5 Optional

Claim Level Adjustments

To supply adjustment reason codes and amounts as needed for an entire claim or for a particular service within the claim being paid

Usage notes

- Required when the claim has been adjudicated by the payer identified in this loop, and the claim has claim level adjustment information. If not required by this implementation guide, do not send.
- Submitters must use this CAS segment to report prior payers' claim level adjustments that cause the amount paid to differ from the amount originally charged.
- Only one Group Code is allowed per CAS. If it is necessary to send more than one Group Code at the claim level, repeat the CAS segment.
- Codes and associated amounts must come from either paper remittance advice or 835s (Electronic Remittance Advice) received on the claim. When the information originates from a paper remittance advice that does not use the standard Claim Adjustment Reason Codes, the paper values must be converted to standard Claim Adjustment Reason Codes.;
- A single CAS segment contains six repetitions of the "adjustment trio" composed of adjustment reason code, adjustment amount, and adjustment quantity. These six adjustment trios are used to report up to six adjustments related to a particular Claim Adjustment Group Code (CAS01). The first non-zero adjustment is reported in the first adjustment trio (CAS02-CAS04). If there is a second non-zero adjustment, it is reported in the second adjustment trio (CAS05-CAS07), and so on through the sixth adjustment trio (CAS17-CAS19).

Example

```
CAS*CR*XX*0000000000000000*00*XXXXX*00*0000*XX*00
0*000000000*XXXX*000*000000000*XXX*00000000000000
0*000000*XXXX*000000000000*0000000000~
```

- If Adjustment Reason Code (CAS-05) is present, then at least one of Adjustment Amount (CAS-06) or Adjustment Quantity (CAS-07) is required
- If Adjustment Amount (CAS-06) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Quantity (CAS-07) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Reason Code (CAS-08) is present, then at least one of Adjustment Amount (CAS-09) or Adjustment Quantity (CAS-10) is required
- If Adjustment Amount (CAS-09) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Quantity (CAS-10) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Reason Code (CAS-11) is present, then at least one of Adjustment Amount (CAS-12) or Adjustment Quantity (CAS-13) is required
- If Adjustment Amount (CAS-12) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Quantity (CAS-13) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Reason Code (CAS-14) is present, then at least one of Adjustment Amount (CAS-15) or Adjustment Quantity (CAS-16) is required

- If Adjustment Amount (CAS-15) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Quantity (CAS-16) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Reason Code (CAS-17) is present, then at least one of Adjustment Amount (CAS-18) or Adjustment Quantity (CAS-19) is required
- If Adjustment Amount (CAS-18) is present, then Adjustment Reason Code (CAS-17) is required
- If Adjustment Quantity (CAS-19) is present, then Adjustment Reason Code (CAS-17) is required

CAS-01 **1033 Claim Adjustment Group Code** ■ Identifier (ID) Required

Code identifying the general category of payment adjustment

- CO** Contractual Obligations
- CR** Correction and Reversals
- OA** Other adjustments
- PI** Payor Initiated Reductions
- PR** Patient Responsibility

CAS-02 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Required

Code identifying the detailed reason the adjustment was made

CAS-03 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Required

Monetary amount

- CAS03 is the amount of adjustment.

CAS-04 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS04 is the units of service being adjusted.

CAS-05 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-06 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS06 is the amount of the adjustment.

CAS-07 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS07 is the units of service being adjusted.

CAS-08 **1034 Adjustment Reason Code** Min 1 Max 5 ■■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-09 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS09 is the amount of the adjustment.

CAS-10 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS10 is the units of service being adjusted.

CAS-11 **1034 Adjustment Reason Code** Min 1 Max 5 ■■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-12 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS12 is the amount of the adjustment.

CAS-13 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS13 is the units of service being adjusted.

CAS-14 **1034 Adjustment Reason Code** Min 1 Max 5 ■■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-15 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS15 is the amount of the adjustment.

CAS-16

380 Adjustment Quantity

Min 1Max 15# Decimal number (R)

Optional

Numeric value of quantity

- CAS16 is the units of service being adjusted.

CAS-17

1034 Adjustment Reason Code

Min 1Max 5Identifier (ID)

Optional

Code identifying the detailed reason the adjustment was made

CAS-18

782 Adjustment Amount

Min 1Max 15# Decimal number (R)

Optional

Monetary amount

- CAS18 is the amount of the adjustment.

CAS-19

380 Adjustment Quantity

Min 1Max 15# Decimal number (R)

Optional

Numeric value of quantity

- CAS19 is the units of service being adjusted.

AMT

3000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > AMT

Max use 1

Optional

Coordination of Benefits (COB) Payer Paid Amount

To indicate the total monetary amount

Usage notes

- Required when the claim has been adjudicated by the payer identified in Loop ID-2330B of this loop.
OR
Required when Loop ID-2010AC is present. In this case, the claim is a post payment recovery claim submitted by a subrogated Medicaid agency.
If not required by this implementation guide, do not send.;

Example

AMT*D*000000000000~

Variants (all may be used)

AMT Remaining Patient Liability

AMT Coordination of Benefits (COB) Total Non-Covered Amount

AMT-01

522 Amount Qualifier Code

Identifier (ID)

Required

Code to qualify amount

D Payor Amount Paid

AMT-02

782 Payer Paid Amount

Min 1

Max 15

#

Decimal number (R)

Required

Monetary amount

Usage notes

- It is acceptable to show "0" as the amount paid.
- When Loop ID-2010AC is present, this is the amount the Medicaid agency actually paid.

AMT

3000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > AMT

Max use 1

Optional

Remaining Patient Liability

To indicate the total monetary amount

Usage notes

- Required when the Other Payer identified in Loop ID-2330B (of this iteration of Loop ID-2320) has adjudicated this claim and provided claim level information only.
OR
Required when the Other Payer identified in Loop ID-2330B (of this iteration of Loop ID-2320) has adjudicated this claim and the provider received a paper remittance advice and the provider does not have the ability to report line item information.
If not required by this implementation guide, do not send.
- In the judgment of the provider, this is the remaining amount to be paid after adjudication by the Other Payer identified in Loop ID-2330B of this iteration of Loop ID-2320.
- This segment is only used in provider submitted claims. It is not used in Payer-to-Payer Coordination of Benefits (COB).
- This segment is not used if the line level (Loop ID-2430) Remaining Patient Liability AMT segment is used for this Other Payer.

Example

AMT*EAF*000000000000~

Variants (all may be used)

- AMT Coordination of Benefits (COB) Payer Paid Amount
- AMT Coordination of Benefits (COB) Total Non-Covered Amount

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	EAF Amount Owed		
AMT-02	782 Remaining Patient Liability	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

Coordination of Benefits (COB) Total Non-Covered Amount

To indicate the total monetary amount

Usage notes

- Required when the destination payer's cost avoidance policy allows providers to bypass claim submission to the otherwise prior payer identified in Loop ID-2330B. If not required by this implementation guide, do not send.
- When this segment is used, the amount reported in AMT02 must equal the total claim charge amount reported in CLM02. Neither the prior payer paid AMT, nor any CAS segments are used as this claim has not been adjudicated by this payer.

Example

AMT * A8 * 00000000000000~

Variants (all may be used)

AMT Coordination of Benefits (COB) Payer Paid Amount

AMT Remaining Patient Liability

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	A8 Noncovered Charges - Actual		
AMT-02	782 Non-Covered Charge Amount	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

Other Insurance Coverage Information

To specify information associated with other health insurance coverage

Usage notes

- All information contained in the OI segment applies only to the payer identified in Loop ID-2330B in this iteration of Loop ID-2320.

Example

OI***W***Y~

OI-03

1073 Benefits Assignment Certification Indicator

Identifier (ID)

Required

Code indicating a Yes or No condition or response

- OI03 is the assignment of benefits indicator. A "Y" value indicates insured or authorized person authorizes benefits to be assigned to the provider; an "N" value indicates benefits have not been assigned to the provider.

Usage notes

- This element answers the question whether or not the insured has authorized the plan to remit payment directly to the provider.
- This is a crosswalk from CLM08 when doing COB.

N No

W Not Applicable

☐ Use code 'W' when the patient refuses to assign benefits.

Y Yes

OI-06

1363 Release of Information Code

Identifier (ID)

Required

Code indicating whether the provider has on file a signed statement by the patient authorizing the release of medical data to other organizations

Usage notes

- The Release of Information response is limited to the information carried in this claim.
- This is a crosswalk from CLM09 when doing COB.

I Informed Consent to Release Medical Information for Conditions or Diagnoses Regulated by Federal Statutes

☐ Required when the provider has not collected a signature AND state or federal laws do not require a signature be collected.

Y Yes, Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim

☐ Required when the provider has collected a signature.

OR

Required when state or federal laws require a signature be collected.

Outpatient Adjudication Information

To convey claim-level data related to the adjudication of Medicare claims not related to an inpatient setting

Usage notes

Required when returned in the remittance advice. If not required by this implementation guide, do not send.

- Required when outpatient adjudication information is reported in the remittance advice
OR
Required when it is necessary to report remark codes.
If not required by this implementation guide, do not send.

Example

MOA*0000000000*000000000*XX*XXXX*X*XXXXXX*XX**000
0000000~

MOA-01

954 Reimbursement Rate

Min 1

Max 10

#

Decimal number (R)

Optional

Percentage expressed as a decimal (e.g., 0.0 through 1.0 represents 0% through 100%)

- MOA01 is the reimbursement rate.

MOA-02

782 HCPCS Payable Amount

Min 1

Max 15

#

Decimal number (R)

Optional

Monetary amount

- MOA02 is the claim Health Care Financing Administration Common Procedural Coding System (HCPCS) payable amount.

MOA-03

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA03 is the Claim Payment Remark Code. See Code Source 411.

MOA-04

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA04 is the Claim Payment Remark Code. See Code Source 411.

MOA-05

127 Claim Payment Remark Code

Min 1

Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA05 is the Claim Payment Remark Code. See Code Source 411.

MOA-06

127 Claim Payment Remark Code

Min 1Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA06 is the Claim Payment Remark Code. See Code Source 411.

MOA-07

127 Claim Payment Remark Code

Min 1Max 50

T

String (AN)

Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- MOA07 is the Claim Payment Remark Code. See Code Source 411.

MOA-09

782 Non-Payable Professional Component Billed Amount

Decimal number (R)

Optional

Min 1Max 15

Monetary amount

- MOA09 is the professional component amount billed but not payable.

2330A Other Subscriber Name Loop

Max 1

Required

- Variants (all may be used)
- Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > NM1

Max use 1

Required

Other Subscriber Name

To supply the full name of an individual or organizational entity

Usage notes

- If the patient can be uniquely identified to the Other Payer indicated in this iteration of Loop ID-2320 by a unique Member Identification Number, then the patient is the subscriber or is considered to be the subscriber and is identified in this Other Subscriber's Name Loop ID-2330A.;
- If the patient is a dependent of the subscriber for this other coverage and cannot be uniquely identified to the Other Payer indicated in this iteration of Loop ID-2320 by a unique Member Identification Number, then the subscriber for this other coverage is identified in this Other Subscriber's Name Loop ID-2330A.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*IL*2*X*XXX*XXXXX**XXX*II*XXXXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

IL Insured or Subscriber

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 1

Person
- 2

Non-Person Entity

NM1-03

1035 Other Insured Last Name

Min 1

Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04 **1036 Other Insured First Name** Min 1 Max 35  String (AN) Optional

Individual first name

NM1-05 **1037 Other Insured Middle Name** Min 1 Max 25  String (AN) Optional

Individual middle name or initial

NM1-07 **1039 Other Insured Name Suffix** Min 1 Max 10  String (AN) Optional

Suffix to individual name

NM1-08 **66 Identification Code Qualifier**  Identifier (ID) Required

Code designating the system/method of code structure used for Identification Code (67)

II Standard Unique Health Identifier for each Individual in the United States

☐ Required if the HIPAA Individual Patient Identifier is mandated use. If not required, use value 'MI' instead.

MI Member Identification Number

☐ The code MI is intended to be the subscriber's identification number as assigned by the payer. (For example, Insured's ID, Subscriber's ID, Health Insurance Claim Number (HIC), etc.)

MI is also intended to be used in claims submitted to the Indian Health Service/Contract Health Services (IHS/CHS) Fiscal Intermediary for the purpose of reporting the Tribe Residency Code (Tribe County State). In the event that a Social Security Number (SSN) is also available on an IHS/CHS claim, put the SSN in REF02.

When sending the Social Security Number as the Member ID, it must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

NM1-09 **67 Other Insured Identifier** Min 2 Max 80  String (AN) Required

Code identifying a party or other code

N3

3320

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > N3

Max use 1

Optional

Other Subscriber Address

To specify the location of the named party

Usage notes

- Required when the information is available. If not required by this implementation guide, do not send.

Example

N3*XXXXX*XX~

<u>N3-01</u>	166 Other Insured Address Line	Min 1	Max 55	T String (AN)	Required
	Address information				
<u>N3-02</u>	166 Other Insured Address Line	Min 1	Max 55	T String (AN)	Optional
	Address information				

N4

3400

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > N4

Max use 1

Optional

Other Subscriber City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the information is available. If not required by this implementation guide, do not send.

Example

N4*XXXX*XX*XXX*XXX~

- Only one of Other Insured State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01

19 Other Insured City Name

Min 2

Max 30

String (AN)

Required

Free-form text for city name

- A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.

N4-02

156 Other Insured State Code

Min 2

Max 2

Identifier (ID)

Optional

Code (Standard State/Province) as defined by appropriate government agency

- N402 is required only if city name (N401) is in the U.S. or Canada.

N4-03

116 Other Insured Postal Zone or ZIP Code

Min 3

Max 15

Identifier (ID)

Optional

Code defining international postal zone code excluding punctuation and blanks (zip code for United States)

N4-04

26 Country Code

Min 2

Max 3

Identifier (ID)

Optional

Code identifying the country

Usage notes

- Use the alpha-2 country codes from Part 1 of ISO 3166.

N4-07

1715 Country Subdivision Code

Min 1

Max 3

Identifier (ID)

Optional

Code identifying the country subdivision

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Subscriber Name Loop > REF

Max use 2Optional

Other Subscriber Secondary Identification

To specify identifying information

Usage notes

- Required when an additional identification number to that provided in NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*SY*XXXXXX~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- SY Social Security Number
- ☐ The Social Security Number must be a string of exactly nine numbers with no separators. For example, sending "111002222" would be valid, while sending "111-00-2222" would be invalid.

REF-02

127 Other Insured Additional Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330A Other Subscriber Name Loop end

2330B Other Payer Name Loop

Max 1

Required

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > NM1

Max use 1

Required

Other Payer Name

To supply the full name of an individual or organizational entity

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*PR*2*X*****PI*XXXX~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

PR Payer

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

NM1-03

1035 Other Payer Last or Organization Name

Min 1

Max 60

String (AN)

Required

Individual last name or organizational name

NM1-08

66 Identification Code Qualifier

Identifier (ID)

Required

Code designating the system/method of code structure used for Identification Code (67)

Usage notes

- On or after the mandated implementation date for the HIPAA National Plan Identifier (National Plan ID), XV must be sent.

Prior to the mandated implementation date and prior to any phase-in period identified by Federal regulation, PI must be sent.

If a phase-in period is designated, PI must be sent unless:

Both the sender and receiver agree to use the National Plan ID,
The receiver has a National Plan ID, and
The sender has the capability to send the National Plan ID.

If all of the above conditions are true, XV must be sent. In this case the Payer Identification Number that would have been sent using qualifier PI can be sent in the corresponding REF segment using qualifier 2U.

PI Payor Identification

XV Centers for Medicare and Medicaid Services PlanID

NM1-09

67 Other Payer Primary Identifier

Min 2 Max 80 **T** String (AN)

Required

Code identifying a party or other code

Usage notes

- When sending Line Adjudication Information for this payer, the identifier sent in SVD01 (Payer Identifier) of Loop ID-2430 (Line Adjudication Information) must match this value.;

N3

3320

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Name Loop > N3

Max use 1Optional

Other Payer Address

To specify the location of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N3*XXXXX*XXXXX~

<u>N3-01</u>	166 Other Payer Address Line	Min 1	Max 55	T String (AN)	Required
	Address information				
<u>N3-02</u>	166 Other Payer Address Line	Min 1	Max 55	T String (AN)	Optional
	Address information				

N4

3400

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > N4

Max use 1

Optional

Other Payer City, State, ZIP Code

To specify the geographic place of the named party

Usage notes

- Required when the payer address is available and the submitter intends for the claim to be printed on paper at the next EDI location (for example, a clearinghouse). If not required by this implementation guide, do not send.

Example

N4*XXXXXX*XX*XXXXX*XX~

- Only one of Other Payer State Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Other Payer City Name	Min 2	Max 30	String (AN)	Required
	Free-form text for city name				
	A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.				
N4-02	156 Other Payer State Code	Min 2	Max 2	Identifier (ID)	Optional
	Code (Standard State/Province) as defined by appropriate government agency				
	N402 is required only if city name (N401) is in the U.S. or Canada.				
N4-03	116 Other Payer Postal Zone or ZIP Code	Min 3	Max 15	Identifier (ID)	Optional
	Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
	Code identifying the country				
	Usage notes				
	Use the alpha-2 country codes from Part 1 of ISO 3166.				
N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
	Code identifying the country subdivision				
	Usage notes				

- Use the country subdivision codes from Part 2 of ISO 3166.



3500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > DTP

Max use 1, Optional

Claim Check or Remittance Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the payer identified in this loop has previously adjudicated the claim and Loop ID-2430, Line Check or Remittance Date, is not used. If not required by this implementation guide, do not send.;

Example

DTP*573*D8*XXXX~

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

573 Date Claim Paid

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Adjudication or Payment Date

Min 1 Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max use 3Optional

Other Payer Secondary Identifier

To specify identifying information

Usage notes

- Required prior to the mandated implementation date for the HIPAA National Plan Identifier when an additional identification number to that provided in the NM109 of this loop is necessary for the claim processor to identify the entity. If not required by this implementation guide, do not send.

Example

REF*FY*XXXXX~

Variants (all may be used)

- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

EI Employer's Identification Number

The Employer's Identification Number must be a string of exactly nine numbers with no separators.

For example, "001122333" would be valid, while sending "001-12-2333" or "00-1122333" would be invalid.

FY Claim Office Number

NF National Association of Insurance Commissioners (NAIC) Code

REF-02

127 Other Payer Secondary Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max used 1Optional

Other Payer Prior Authorization Number

To specify identifying information

Usage notes

- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Required when the payer identified in this loop has assigned a prior authorization number to this claim.
If not required by this implementation guide, do not send.

Example

REF*G1*X~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	G1 Prior Authorization Number		
REF-02	127 Other Payer Prior Authorization Number	Min 1Max 50String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max used: 1Optional

Other Payer Referral Number

To specify identifying information

Usage notes

- Required when the payer identified in this loop has assigned a referral number to this claim.
If not required by this implementation guide, do not send.

Example

REF*9F*XXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Other Payer Referral Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max used 1Optional

Other Payer Claim Adjustment Indicator

To specify identifying information

Usage notes

- Required when the claim is being sent in the payer-to-payer COB model,
AND
the destination payer is secondary to the payer identified in this Loop ID-2330B,
AND
the payer identified in this Loop ID-2330B has re-adjudicated the claim.
If not required by this implementation guide, do not send.

Example

REF*T4*XXXXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Predetermination Identification
- REF Other Payer Claim Control Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	T4 Signal Code		
REF-02	127 Other Payer Claim Adjustment Indicator	Min 1Max 50String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	Usage notes		
	The only valid value for this element is 'Y'.		

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max used: 1Optional

Other Payer Predetermination Identification

To specify identifying information

Usage notes

- Required when the payer identified in this loop has assigned a predetermination identification number to this claim.
If not required by this implementation guide, do not send.

Example

REF*G3*XXXXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Claim Control Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	G3 Predetermination of Benefits Identification Number		
REF-02	127 Other Payer Predetermination of Benefits Identifier	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Min 1	Max 50

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Name Loop > REF

Max used 1Optional

Other Payer Claim Control Number

To specify identifying information

Usage notes

- Required when it is necessary to identify the Other Payer's Claim Control Number in a payer-to-payer COB situation.
OR
Required when the Other Payer's Claim Control Number is available.
If not required by this implementation guide, do not send.

Example

REF*F8*XXXX~

Variants (all may be used)

- REF Other Payer Secondary Identifier
- REF Other Payer Prior Authorization Number
- REF Other Payer Referral Number
- REF Other Payer Claim Adjustment Indicator
- REF Other Payer Predetermination Identification

REF-01128Reference Identification QualifierIdentifier (ID)Required

Code qualifying the Reference Identification

F8Original Reference Number

- This is the payer's internal Claim Control Number for this claim for the payer identified in this iteration of Loop ID-2330. This value is typically used in payer-to-payer COB situations only.

REF-02127Other Payer's Claim Control NumberMin 1Max 50String (AN)Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330B Other Payer Name Loop end

2330C Other Payer Referring Provider Loop

Max 2Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Referring Provider Loop > NM1

Max use 1Required

Other Payer Referring Provider

To supply the full name of an individual or organizational entity

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.
- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.

Example

NM1*DN*1~

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

DN Referring Provider

- ☐ Use on the first iteration of this loop. Use if loop is used only once.

P3 Primary Care Provider

- ☐ Use only if loop is used twice. Use only on second iteration of this loop.

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Referring Provider Loop > REF

Max use 3

Required

Other Payer Referring Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*0B*X~

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

- 0B State License Number
- 1G Provider UPIN Number
 - ☐ UPINs must be formatted as either X99999 or XXX999.
- G2 Provider Commercial Number
 - ☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.

REF-02

127 Other Payer Referring Provider Secondary Identifier

String (AN)

Required

Min 1Max 50

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

2330C Other Payer Referring Provider Loop end

2330D Other Payer Rendering Provider Loop

Max 1 Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Rendering Provider Loop > NM1

Max use 1 Required

Other Payer Rendering Provider

To supply the full name of an individual or organizational entity

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.
- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.

Example

NM1*82*1~

NM1-01	98 Entity Identifier Code	Identifier (ID)	Required
Code identifying an organizational entity, a physical location, property or an individual			
82 Rendering Provider			
NM1-02	1065 Entity Type Qualifier	Identifier (ID)	Required
Code qualifying the type of entity			
• NM102 qualifies NM103.			

1 Person

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Rendering Provider Loop > REF

Max use 3

Required

Other Payer Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*LU*XXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification OB State License Number 1G Provider UPIN Number UPINs must be formatted as either X99999 or XXX999. G2 Provider Commercial Number This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan. LU Location Number		
REF-02	127 Other Payer Rendering Provider Secondary Identifier	String (AN)	Required Min 1Max 50
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

2330D Other Payer Rendering Provider Loop end

2330E Other Payer Supervising Provider Loop

Max 1 Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Supervising Provider Loop > NM1

Max use 1 Required

Other Payer Supervising Provider

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1 * DQ * 1 ~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

- DQ Supervising Physician
- Use this code for the supervising dentist or physician.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Supervising Provider Loop > REF

Max use 3
Required

Other Payer Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*1G*XX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	OB State License Number		
	1G Provider UPIN Number		
	☐ UPINs must be formatted as either X99999 or XXX999.		
	G2 Provider Commercial Number		
	☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.		
	LU Location Number		
REF-02	127 Other Payer Supervising Provider Secondary Identifier	String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	Min 1	Max 50

2330E Other Payer Supervising Provider Loop end

2330F Other Payer Billing Provider Loop

Max 1Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Service Facility Location Loop
 - Other Payer Assistant Surgeon Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Billing Provider Loop > NM1

Max use 1Required

Other Payer Billing Provider

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*85*2~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

85 Billing Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Billing Provider Loop > REF

Max use 2

Required

Other Payer Billing Provider Secondary Identification

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*G2*XXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.			
LU Location Number			
REF-02	127 Other Payer Billing Provider Secondary Identifier	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2330F Other Payer Billing Provider Loop end

2330G Other Payer Service Facility Location Loop

Max 1Optional

- Variants (all may be used)
 Other Subscriber Name Loop
 Other Payer Name Loop
 Other Payer Referring Provider Loop
 Other Payer Rendering Provider Loop
 Other Payer Supervising Provider Loop
 Other Payer Billing Provider Loop
 Other Payer Assistant Surgeon Loop

NM13250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Payer Service Facility Location Loop > NM1

Max use 1Required

Other Payer Service Facility Location

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*77*2~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Service Facility Location Loop > REF

Max use 3

Required

Other Payer Service Facility Location Secondary Identification

To specify identifying information

Example

REF*G2*X~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.			
LU Location Number			
REF-02	127 Other Payer Service Facility Location Identifier	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2330G Other Payer Service Facility Location Loop end

2330H Other Payer Assistant Surgeon Loop

Max 1Optional

- Variants (all may be used)
- Other Subscriber Name Loop
 - Other Payer Name Loop
 - Other Payer Referring Provider Loop
 - Other Payer Rendering Provider Loop
 - Other Payer Supervising Provider Loop
 - Other Payer Billing Provider Loop
 - Other Payer Service Facility Location Loop

NM1

3250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Assistant Surgeon Loop > NM1

Max use 1Required

Other Payer Assistant Surgeon

To supply the full name of an individual or organizational entity

Usage notes

- Required prior to the mandated implementation of the HIPAA National Provider Identifier (NPI) rule when the provider in the corresponding Loop ID-2310 is sent and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
OR
Required after the mandated implementation of the NPI rule for providers who are not Health Care Providers when the provider is sent in the corresponding Loop ID-2310 and one or more additional payer-specific provider identification numbers are required by this non-destination payer (Loop ID-2330B) to identify the provider.
If not required by this implementation guide, do not send.
- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

NM1*DD*1~

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

- 1 Person
- 2 Non-Person Entity

REF

3550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Other Subscriber Information Loop > Other Assistant Surgeon Loop > REF

Max use 3
Required

Other Payer Assistant Surgeon Secondary Identifier

To specify identifying information

Usage notes

- See Crosswalking COB Data Elements section for more information on handling COB in the 837.

Example

REF*1G*XXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
OB State License Number			
1G Provider UPIN Number			
☐ UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
☐ This code designates a proprietary provider number for the non-destination payer identified in the Other Payer Name Loop ID-2330B for this iteration of Loop ID-2320. This is true regardless of whether that payer is Medicare, Medicaid, a Blue Cross Blue Shield plan, a commercial plan, or any other health plan.			
LU Location Number			
REF-02	127 Other Payer Assistant Surgeon Secondary Identifier	String (AN)	Required Min 1 Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

2330H Other Payer Assistant Surgeon Loop end

2320 Other Subscriber Information Loop end

2400 Service Line Number Loop

Max 50 Required

LX

3650

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > LX

Max use 1

Required

Service Line Number

To reference a line number in a transaction set

Usage notes

- The LX functions as a line counter.
- The Service Line LX segment must begin with one and is incremented by one for each additional service line of a claim.
- LX01 is used to indicate bundling in SVD06 in the Line Item Adjudication loop. See Section 1.4.1.2 for more information on bundling and unbundling.

Example

LX*00000~

LX-01

554 Assigned Number

Min 1

Max 6

Numeric (N0)

Required

Number assigned for differentiation within a transaction set

SV3

3800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > SV3

Max use 1

Required

Dental Service

To specify the service line item detail for dental work

Example

SV3*AD>XXXXX>XX>XX>XX>XX*0000000*X*XX>XXX>XX>X
X>XXX*I*00000000*****00>00>00>00~

SV3-01

C003 Composite Medical Procedure Identifier

To identify a medical procedure by its standardized codes and applicable modifiers

Max use 1

Required

C003-01

235 Product or Service ID Qualifier

Identifier (ID)

Required

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

- C003-01 qualifies C003-02 and C003-08.

AD American Dental Association Codes
CDT = Current Dental Terminology

C003-02

234 Procedure Code

Min 1

Max 48

String (AN)

Required

Identifying number for a product or service

- If C003-08 is used, then C003-02 represents the beginning value in the range in which the code occurs.

C003-03

1339 Procedure Modifier

Min 2

Max 2

String (AN)

Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-03 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-04

1339 Procedure Modifier

Min 2

Max 2

String (AN)

Optional

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-04 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-05 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-05 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-06 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-06 modifies the value in C003-02 and C003-08.

Usage notes

- A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-07 **352 Procedure Code Description** Min 1 Max 80 **T** String (AN) **Optional**

A free-form description to clarify the related data elements and their content

- C003-07 is the description of the procedure identified in C003-02.

SV3-02 **782 Line Item Charge Amount** Min 1 Max 15 # Decimal number (R) **Required**

Monetary amount

- SV302 is the submitted service line item amount.

Usage notes

- This is the total charge amount for this service line. The amount is inclusive of the provider's base charge and any applicable tax amounts reported within this line's AMT segments.
- Zero "0" is an acceptable value for this element.

SV3-03 **1331 Place of Service Code** Min 1 Max 2 **T** String (AN) **Optional**

Code identifying where services were, or may be, performed; the first and second positions of the Uniform Bill Type Code for Institutional Services or the Place of Service Codes for Professional or Dental Services.

- SV303 is the place of service code representing the location where the dental treatment was rendered.

Usage notes

- See CODE SOURCE 237: Place of Service Codes for Professional Claims

SV3-04

C006 Oral Cavity Designation

To identify one or more areas of the oral cavity

Max use 1

Optional

Usage notes

Required when the nomenclature associated with the procedure reported in SV301-2 refers to quadrant or arch and the area of the oral cavity is not uniquely defined by the procedure description. Report individual tooth numbers in one or more TOO segments.

C006-01

1361 Oral Cavity Designation Code

Min 1

Max 3

Identifier (ID)

Required

Code Identifying the area of the oral cavity in which service is rendered

C006-02

1361 Oral Cavity Designation Code

Min 1

Max 3

Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-03

1361 Oral Cavity Designation Code

Min 1

Max 3

Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-04

1361 Oral Cavity Designation Code

Min 1

Max 3

Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

C006-05

1361 Oral Cavity Designation Code

Min 1

Max 3

Identifier (ID)

Optional

Code Identifying the area of the oral cavity in which service is rendered

SV3-05

1358 Prosthesis, Crown, or Inlay Code

Identifier (ID)

Optional

Code specifying the placement status for the dental work

I Initial Placement

R Replacement

When SV305 = R, then the DTP segment in the 2400 loop for Prior Placement is Required.

SV3-06

380 Procedure Count

Min 1

Max 15

Decimal number (R)

Optional

Numeric value of quantity

• SV306 is the number of procedures.

Usage notes

- Number of procedures

SV3-11

C004 Composite Diagnosis Code Pointer

To identify one or more diagnosis code pointers

Max use 1 **Optional**

Usage notes

Required when the service relates to that specific diagnosis and is needed to substantiate the medical treatment. If not required by this implementation guide, do not send.

C004-01 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Required**

A pointer to the diagnosis code in the order of importance to this service

- C004-01 identifies the primary diagnosis code for this service line.

C004-02 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-02 identifies the second diagnosis code for this service line.

C004-03 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-03 identifies the third diagnosis code for this service line.

C004-04 **1328 Diagnosis Code Pointer** Min 1 Max 2 # Numeric (N0) **Optional**

A pointer to the diagnosis code in the order of importance to this service

- C004-04 identifies the fourth diagnosis code for this service line.

TOO

3820

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > TOO

Max use 32

Optional

Tooth Information

To identify a tooth by number and, if applicable, one or more tooth surfaces

Usage notes

- Required when reporting tooth information related to this service line. If not required by this implementation guide, do not send.
- Multiple iterations of the TOO segment are allowed only when the quantity reported in Loop ID-2400 SV306 is equal to one.

Example

TOO*JP*XXXX*I>XX>X>X>XX~

TOO-01	1270 Code List Qualifier Code	Identifier (ID)	Required
Code identifying a specific industry code list			
JP Universal National Tooth Designation System			
TOO-02	1271 Tooth Code	Min 1 Max 30 String (AN)	Required
Code indicating a code from a specific industry code list			
Usage notes			
• See Appendix A for code source 135: American Dental Association Codes. • This element may only be used to report individual teeth. It may not be used to report areas of the oral cavity such as quadrants or sextants. Areas of the oral cavity must be reported in one or more of the components of SV304.			
TOO-03	C005 Tooth Surface	Max use 1	Optional
To identify one or more tooth surface codes			
Usage notes			
Required when the procedure code requires tooth surface codes. If not required by this implementation guide, do not send.			
C005-01	1369 Tooth Surface Code	Identifier (ID)	Required
Code identifying the area of the tooth that was treated			

- B Buccal
- D Distal
- F Facial
- I Incisal
- L Lingual
- M Mesial
- O Occlusal

C005-02

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

Usage notes

- Additional tooth surface codes can be carried in TOO03-2 through TOO03-5. The code values are the same as in TOO03-1.

C005-03

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

C005-04

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

C005-05

1369 Tooth Surface Code

Min 1

Max 2

Identifier (ID)

Optional

Code identifying the area of the tooth that was treated

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Service Date

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the service was performed and the service date is different than the date reported in the Service Date segment in the 2300 loop. If not required by this implementation guide, do not send.
- Do not use this DTP segment when submitting a Predetermination of Dental Benefits.
- Do not use this DTP segment when submitting a Treatment Start Date, Treatment Completion Date or both.

Example

DTP*472*D8*X~

Variants (all may be used)

- DTP Date - Prior Placement
- DTP Date - Appliance Placement
- DTP Date - Replacement
- DTP Date - Treatment Start
- DTP Date - Treatment Completion

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
472 Service			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
• DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Service Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

Date - Prior Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the value of SV305 for this iteration of the 2400 loop is R - Replacement. If not required by this implementation guide, do not send.

Example

DTP*139*D8*XX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Appliance Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

- 139 Estimated
- ☐ Required when the exact Prior Placement Date is not known.
- 441 Prior Placement
- ☐ Required when the exact Prior Placement Date is known.

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Prior Placement Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Appliance Placement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when the orthodontic appliance placement date is different than the orthodontic appliance placement date in the DTP segment in the Loop ID-2300 loop. If not required by this implementation guide, do not send.;

Example

DTP*452*D8*XX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

452 Appliance Placement

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Orthodontic Banding Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

Date - Replacement

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date that an orthodontic appliance was replaced. If not required by this implementation guide, do not send.

Example

DTP*446*D8*XXXXX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Appliance Placement

DTP Date - Treatment Start

DTP Date - Treatment Completion

DTP-01

374 Date Time Qualifier

Identifier (ID)

Required

Code specifying type of date or time, or both date and time

446 Replacement

DTP-02

1250 Date Time Period Format Qualifier

Identifier (ID)

Required

Code indicating the date format, time format, or date and time format

- DTP02 is the date or time or period format that will appear in DTP03.

D8 Date Expressed in Format CCYYMMDD

DTP-03

1251 Replacement Date

Min 1

Max 35

String (AN)

Required

Expression of a date, a time, or range of dates, times or dates and times

DTP

4550

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > DTP

Max use 1

Optional

Date - Treatment Start

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting initial impression or preparation for a crown or denture.
OR
Required when reporting initial endodontic treatment.
OR
Required when reporting the implant fixture placement.
If not required by this implementation guide, do not send.
- When the Treatment Start Date is used, the Date of Service must not be used.

Example

DTP*196*D8*XX~

Variants (all may be used)

- DTP Date - Service Date
- DTP Date - Prior Placement
- DTP Date - Appliance Placement
- DTP Date - Replacement
- DTP Date - Treatment Completion

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
196 Start			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Treatment Start Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			

Date - Treatment Completion

To specify any or all of a date, a time, or a time period

Usage notes

- Required when reporting the date that a course of treatment was completed. If not required by this implementation guide, do not send.
- When the Treatment Completion Date is used, the Date of Service must not be used.

Example

DTP*198*D8*XX~

Variants (all may be used)

DTP Date - Service Date

DTP Date - Prior Placement

DTP Date - Appliance Placement

DTP Date - Replacement

DTP Date - Treatment Start

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
	Code specifying type of date or time, or both date and time		
	198 Completion		
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
	Code indicating the date format, time format, or date and time format		
	• DTP02 is the date or time or period format that will appear in DTP03.		
	D8 Date Expressed in Format CCYYMMDD		
DTP-03	1251 Treatment Completion Date	Min 1 Max 35 String (AN)	Required
	Expression of a date, a time, or range of dates, times or dates and times		

Contract Information

To specify basic data about the contract or contract line item

Usage notes

- The developers of this implementation guide note that the CN1 segment is for use only for post-adjudicated claims, which do not meet the definition of a health care claim under HIPAA. Consequently, at the time of this writing, the CN1 segment is for non-HIPAA use only.
- Required when the submitter is contractually obligated to supply this information on post-adjudicated claims. If not required by this implementation guide, do not send.

Example

CN1*09*00*00000*XXXXX*00000*XXXX~

CN1-01	1166 Contract Type Code	Identifier (ID)	Required
	Code identifying a contract type		
	02 Per Diem		
	03 Variable Per Diem		
	04 Flat		
	05 Capitated		
	06 Percent		
	09 Other		
CN1-02	782 Contract Amount	Min 1 Max 15 # Decimal number (R)	Optional
	Monetary amount		
	CN102 is the contract amount.		
CN1-03	332 Contract Percentage	Min 1 Max 6 # Decimal number (R)	Optional
	Percent given in decimal format (e.g., 0.0 through 100.0 represents 0% through 100%)		
	CN103 is the allowance or charge percent.		
CN1-04	127 Contract Code	Min 1 Max 50 String (AN)	Optional
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		
	CN104 is the contract code.		
CN1-05	338 Terms Discount Percentage	Min 1 Max 6 # Decimal number (R)	Optional

Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date

CN1-06

799 Contract Version Identifier

Min 1

Max 30

 String (AN)

Optional

Revision level of a particular format, program, technique or algorithm

- CN106 is an additional identifying number for the contract.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Service Predetermination Identification

To specify identifying information

Usage notes

- Required when sending the Predetermination of Benefits Identification Number for the line item that has been previously predetermined and is now being submitted for payment. If not required by this implementation guide, do not send.
- Reference numbers at this position apply to the current line item only.
- When it is necessary to report one or more non-destination payer Prior Authorization Numbers, the composite data element in REF04 is used to identify the payer which assigned this number.

Example

REF*G3*XXXXXX**2U>XXXXX~

Variants (all may be used)

- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G3 Predetermination of Benefits Identification Number

REF-02

127 Predetermination of Benefits Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Predetermination Identification reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1

Max 50

 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Prior Authorization

To specify identifying information

Usage notes

- This segment must not be used to report the Predetermination of Benefits Identification Number.
- Required when service line involved a prior authorization number that is different than the number reported at the claim level (Loop ID-2300).
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Prior Authorization Numbers, the composite data element in REF04 is used to identify the payer which assigned this number.

Example

REF*G1*XXX**2U>XXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

G1 Prior Authorization Number

REF-02

127 Prior Authorization or Referral Number

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Prior Authorization Number reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1 Max 50

T String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 1

Optional

Line Item Control Number

To specify identifying information

Usage notes

- Required when the submitter needs a line item control number for subsequent communications to or from the payer. If not required by this implementation guide, do not send.
- The line item control number must be unique within a patient control number (CLM01). Payers are required to return this number in the remittance advice transaction (835) if the provider sends it to them in the 837 and adjudication is based upon line item detail regardless of whether bundling or unbundling has occurred.
- Submitters are STRONGLY encouraged to routinely send a unique line item control number on all service lines, particularly if the submitter automatically posts their remittance advice. Submitting a unique line item control number allows the capability to automatically post by service line.

Example

REF*6R*XXXXXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

6R Provider Control Number

REF-02

127 Line Item Control Number

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The maximum number of characters to be supported for this field is 30'. A submitter may submit fewer characters depending upon their needs. However, the HIPAA maximum requirement to be supported by any receiving system is 30'. Characters beyond 30 are not required to be stored nor returned by any 837-receiving system.

Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9A*XXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Adjusted Repriced Claim Number
- REF Referral Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	9A Repriced Claim Reference Number		
REF-02	127 Repriced Claim Reference Number	Min 1 Max 50 String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 1

Optional

Adjusted Repriced Claim Number

To specify identifying information

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.

Example

REF*9C*XXXXX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Referral Number

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
	Code qualifying the Reference Identification		
	9C Adjusted Repriced Claim Reference Number		
REF-02	127 Adjusted Repriced Claim Reference Number	Min 1 Max 50 String (AN)	Required
	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier		

REF

4700

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > REF

Max use 5

Optional

Referral Number

To specify identifying information

Usage notes

- Required when this service line involved a referral number that is different than the number reported at the claim level (Loop-ID 2300).
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Referral Numbers, the composite data element in REF04 is used to identify the payer which assigned this referral number.

Example

REF*9F*XXXXX**2U>XX~

Variants (all may be used)

- REF Service Predetermination Identification
- REF Prior Authorization
- REF Line Item Control Number
- REF Repriced Claim Number
- REF Adjusted Repriced Claim Number

REF-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

9F Referral Number

REF-02

127 Referral Number

Min 1 Max 50 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04

C040 Reference Identifier

To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier

Max use 1

Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the Referral Number reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1

Max 50

 String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

AMT

4750

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > AMT

Max use 1

Optional

Sales Tax Amount

To indicate the total monetary amount

Usage notes

- Required when sales tax applies to the service line and the submitter is required to report that information to the receiver. If not required by this implementation guide, do not send.
- When reporting the Sales Tax Amount (AMT02), the amount reported in the Line Item Charge Amount (SV302) for this service line must include the amount reported in the Sales Tax Amount.

Example

AMT*T*0000000000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	T Tax		
AMT-02	782 Sales Tax Amount	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

K3

4800

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > K3

Max use 10

Optional

File Information

To transmit a fixed-format record or matrix contents

Usage notes

- Required when ALL of the following conditions are met:
- A regulatory agency concludes it must use the K3 to meet an emergency legislative requirement;
- The administering regulatory agency or other state organization has completed each one of the following steps:
contacted the X12N workgroup,
requested a review of the K3 data requirement to ensure there is not an existing method within the implementation guide to meet this requirement
- X12N determines that there is no method to meet the requirement.
If not required by this implementation guide, do not send.
- At the time of publication of this implementation, K3 segments have no specific use.
The K3 segment is expected to be used only when necessary to meet the unexpected data requirement of a legislative authority. Before this segment can be used :
- The X12N Health Care Claim workgroup must conclude there is no other available option in the implementation guide to meet the emergency legislative requirement.
- The requestor must submit a proposal for approval accompanied by the relevant business documentation to the X12N Health Care Claim workgroup chairs and receive approval for the request.
Upon review of the request, X12N will issue an approval or denial decision to the requesting entity. Approved usage(s) of the K3 segment will be reviewed by the X12N Health Care Claim workgroup to develop a permanent change to include the business case in future transaction implementations.
- Only when all of the requirements above have been met, may the regulatory agency require the temporary use of the K3 segment.
- X12N will submit the necessary data maintenance and refer the request to the appropriate data content committee(s).

Example

K3*XXXXXX~

K3-01

449 Fixed Format Information

Min 1

Max 80

String (AN)

Required

Data in fixed format agreed upon by sender and receiver

HCP

4920

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > HCP

Max use 1

Optional

Line Pricing/Repricing Information

To specify pricing or repricing information about a health care claim or line item

Usage notes

- Required when this information is deemed necessary by the repricer. The segment is not completed by providers. The information is completed by repricers only. If not required by this implementation guide, do not send.
- This information is specific to the destination payer reported in Loop ID-2010BB.
- For capitated encounters, pricing or repricing information usually is not applicable and is provided to qualify other information within the claim.

Example

HCP*07*0000000000000000*0000000000*X*00000****AD*XXX
X*UN*0000000000*T6*1*4~

- If either Product or Service ID Qualifier (HCP-09) or Repriced Approved HCPCS Code (HCP-10) is present, then the other is required
- If either Unit or Basis for Measurement Code (HCP-11) or Repriced Approved Service Unit Count (HCP-12) is present, then the other is required

HCP-01

1473 Pricing Methodology

Identifier (ID)

Required

Code specifying pricing methodology at which the claim or line item has been priced or repriced

Usage notes

- Specific code use is determined by Trading Partner Agreement due to the variances in contracting policies in the industry.

- 00 Zero Pricing (Not Covered Under Contract)
- 01 Priced as Billed at 100%
- 02 Priced at the Standard Fee Schedule
- 03 Priced at a Contractual Percentage
- 04 Bundled Pricing
- 05 Peer Review Pricing
- 06 Per Diem Pricing
- 07 Flat Rate Pricing
- 08 Combination Pricing
- 09 Maternity Pricing
- 10 Other Pricing
- 11 Lower of Cost
- 12 Ratio of Cost
- 13 Cost Reimbursed
- 14 Adjustment Pricing

HCP-02

782 Repriced Allowed Amount

Min 1 Max 15 # Decimal number (R)

Required

Monetary amount

- HCP02 is the allowed amount.

HCP-03 **782 Repriced Saving Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- HCP03 is the savings amount.

HCP-04 **127 Repricing Organization Identifier** Min 1 Max 50 T String (AN) Optional

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

- HCP04 is the repricing organization identification number.

HCP-05 **118 Repricing Per Diem or Flat Rate Amount** # Decimal number (R) Optional
Min 1 Max 9

Rate expressed in the standard monetary denomination for the currency specified

- HCP05 is the pricing rate associated with per diem or flat rate repricing.

HCP-09 **235 Product or Service ID Qualifier** ■ Identifier (ID) Optional

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

AD American Dental Association Codes

HCP-10 **234 Repriced Approved HCPCS Code** Min 1 Max 48 T String (AN) Optional

Identifying number for a product or service

- HCP10 is the approved procedure code.

HCP-11 **355 Unit or Basis for Measurement Code** ■ Identifier (ID) Optional

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

UN Unit

HCP-12 **380 Repriced Approved Service Unit Count** # Decimal number (R) Optional
Min 1 Max 15

Numeric value of quantity

- HCP12 is the approved service units or inpatient days.

Usage notes

- Note: When a decimal is needed to report units, include it in this element, for example, "15.6".
- The maximum length for this field is 8 digits excluding the decimal. When a decimal is used, the maximum number of digits allowed to the right of the decimal is three.

HCP-13**901 Reject Reason Code**

■ Identifier (ID)

Optional

Code assigned by issuer to identify reason for rejection

- HCP13 is the rejection message returned from the third party organization.

T1 Cannot Identify Provider as TPO (Third Party Organization) Participant

T2 Cannot Identify Payer as TPO (Third Party Organization) Participant

T3 Cannot Identify Insured as TPO (Third Party Organization) Participant

T4 Payer Name or Identifier Missing

T5 Certification Information Missing

T6 Claim does not contain enough information for re-pricing

HCP-14**1526 Policy Compliance Code**

■ Identifier (ID)

Optional

Code specifying policy compliance

- 1 Procedure Followed (Compliance)
- 2 Not Followed - Call Not Made (Non-Compliance Call Not Made)
- 3 Not Medically Necessary (Non-Compliance Non-Medically Necessary)
- 4 Not Followed Other (Non-Compliance Other)
- 5 Emergency Admit to Non-Network Hospital

HCP-15**1527 Exception Code**

■ Identifier (ID)

Optional

Code specifying the exception reason for consideration of out-of-network health care services

- HCP15 is the exception reason generated by a third party organization.

1 Non-Network Professional Provider in Network Hospital

2 Emergency Care

3 Services or Specialist not in Network

4 Out-of-Service Area

5 State Mandates

6 Other

2420A Rendering Provider Name Loop

Max 1 Optional

- Variants (all may be used)
- Assistant Surgeon Name Loop
- Supervising Provider Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Rendering Provider Name Loop > NM1

Max use 1 Required

Rendering Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider NM1 information is different than that carried in the Loop ID-2310B Rendering Provider and the Assistant Surgeon (Loop ID-2420C) loop is not present
- OR
- Required when each of the following conditions apply:
- the Rendering Provider information is carried at the Billing Provider level (Loop ID-2010AA)
- this particular line item has different Rendering Provider information than that which is carried in the Loop ID-2010AA Billing Provider
- the Assistant Surgeon loop (Loop ID-2420C) is not used.
- If not required by this implementation guide, do not send.
- Used for all types of rendering providers including laboratories. The Rendering Provider is the person or company (laboratory or other facility) who rendered the care. In the case where a substitute provider (locum tenens) was used, enter that provider's information here.

Example

NM1*82*1*XXXXX*XXX*X**XXXXXX*XX*XXXX~

- If either Identification Code Qualifier (NM1-08) or Rendering Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

82 Rendering Provider

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

2 Non-Person Entity

<u>NM1-03</u>	1035 Rendering Provider Last or Organization Name			 String (AN)	Required
	Individual last name or organizational name				Min 1 Max 60
<u>NM1-04</u>	1036 Rendering Provider First Name	Min 1	Max 35	 String (AN)	Optional
	Individual first name				
<u>NM1-05</u>	1037 Rendering Provider Middle Name or Initial	Min 1	Max 25	 String (AN)	Optional
	Individual middle name or initial				
<u>NM1-07</u>	1039 Rendering Provider Name Suffix	Min 1	Max 10	 String (AN)	Optional
	Suffix to individual name				
<u>NM1-08</u>	66 Identification Code Qualifier			 Identifier (ID)	Optional
	Code designating the system/method of code structure used for Identification Code (67)				
	XX Centers for Medicare and Medicaid Services National Provider Identifier				
<u>NM1-09</u>	67 Rendering Provider Identifier	Min 2	Max 80	 String (AN)	Optional
	Code identifying a party or other code				



5050

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Rendering Provider Name Loop > PRV

Max Use 1

Required

Rendering Provider Specialty Information

To specify the identifying characteristics of a provider

Example

PRV*PE*PXC*XXXXXX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
PE Performing			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Rendering Provider Name Loop > REF

Max use 20Optional

Rendering Provider Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*0B*XX**2U>XXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Rendering Provider Secondary Identifier	Min 1 Max 50String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
REF-04	C040 Reference Identifier	Max use 1	Optional
To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
- REF04 contains data relating to the value cited in REF02.			
Usage notes			
Required when the identifier reported in REF02 of this segment is for a non-destination payer.			

C040-01

128

Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127

Other Payer Primary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420A Rendering Provider Name Loop end

2420B Assistant Surgeon Name Loop

Max 1Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Supervising Provider Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Assistant Surgeon Name Loop > NM1

Max use 1Required

Assistant Surgeon Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the Rendering Provider provided these services in the role of the Assistant Surgeon and the Assistant Surgeon information in this loop is different from the Assistant Surgeon information sent in Loop ID-2310D.
If not required by this implementation guide, do not send.;

Example

NM1*DD*1*XXXXX*XXXXX*X**XXX*XX*XXXX~

- If either Identification Code Qualifier (NM1-08) or Assistant Surgeon Primary Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DD Assistant Surgeon

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Assistant Surgeon Last or Organization Name

String (AN)

Required

Min 1Max 60

Individual last name or organizational name

NM1-04

1036 Assistant Surgeon First Name

Min 1Max 35

String (AN)

Optional

Individual first name

NM1-05

1037 Assistant Surgeon Middle Name or Initial

Min 1

Max 25

 String (AN)

Optional

Individual middle name or initial

NM1-07

1039 Assistant Surgeon Name Suffix

Min 1

Max 10

 String (AN)

Optional

Suffix to individual name

NM1-08

66 Identification Code Qualifier

 Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Assistant Surgeon Primary Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

PRV

5050

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Assistant Surgeon Name Loop > PRV

Max: use 1Optional

Assistant Surgeon Specialty Information

To specify the identifying characteristics of a provider

Usage notes

- Required when the Assistant Surgeon specialty information is needed to facilitate reimbursement of the claim. If not required by this implementation guide, do not send.;

Example

PRV*AS*PXC*XX~

PRV-01	1221 Provider Code	Identifier (ID)	Required
Code identifying the type of provider			
AS Assistant Surgeon			
PRV-02	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
PXC Health Care Provider Taxonomy Code			
PRV-03	127 Provider Taxonomy Code	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Assistant Surgeon Name Loop > REF

Max use 20Optional

Assistant Surgeon Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When it is necessary to send provider identifiers that are not payer-specific (e.g. UPIN, State License Number), those identifiers must be sent in the corresponding 2310 loop.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*1G*XXXXXX**2U>XX~

REF-01128Reference Identification QualifierIdentifier (ID)Required

Code qualifying the Reference Identification

0BState License Number

1GProvider UPIN Number

UPINs must be formatted as either X99999 or XXX999.

G2Provider Commercial Number

This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.

LULocation Number

REF-02127Assistant Surgeon Secondary IdentifierMin 1Max 50String (AN)Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

REF-04C040Reference IdentifierTo identify one or more reference numbers or identification numbers as specified by the Reference QualifierMax use 1Optional

- REF04 contains data relating to the value cited in REF02.

Usage notes

Required when the identifier reported in REF02 of this segment is for a non-destination payer.

C040-01

128

Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127

Other Payer Primary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420B Assistant Surgeon Name Loop end

2420C Supervising Provider Name Loop

Max 1Optional

- Variants (all may be used)
- Rendering Provider Name Loop
- Assistant Surgeon Name Loop
- Service Facility Location Name Loop

NM1

5000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Supervising Name Loop > NM1

Max use: 1Required

Supervising Provider Name

To supply the full name of an individual or organizational entity

Usage notes

- Required when the rendering provider is supervised by a physician or dentist and the supervising physician or dentist is different than that listed at the claim level for this service line. If not required by this implementation guide, do not send.

Example

NM1*DQ*1*XXXX*XX*XXXX*X*XX*XXX~

- If either Identification Code Qualifier (NM1-08) or Supervising Provider Identifier (NM1-09) is present, then the other is required

NM1-01

98 Entity Identifier Code

Identifier (ID)

Required

Code identifying an organizational entity, a physical location, property or an individual

DQ Supervising Physician

- ☐ Use this code for the supervising dentist or physician.

NM1-02

1065 Entity Type Qualifier

Identifier (ID)

Required

Code qualifying the type of entity

- NM102 qualifies NM103.

1 Person

NM1-03

1035 Supervising Provider Last Name

Min 1Max 60

String (AN)

Required

Individual last name or organizational name

NM1-04

1036 Supervising Provider First Name

Min 1Max 35

String (AN)

Optional

Individual first name

NM1-05

1037

Supervising Provider Middle Name or Initial

String (AN)

Optional

Min 1Max 25

Individual middle name or initial

NM1-07

1039

Supervising Provider Name Suffix

Min 1Max 10

String (AN)

Optional

Suffix to individual name

NM1-08

66

Identification Code Qualifier

Identifier (ID)

Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67

Supervising Provider Identifier

Min 2Max 80

String (AN)

Optional

Code identifying a party or other code

REF	5250	Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Supervising Provider Name Loop > REF	Max use: 20	Optional

Supervising Provider Secondary Identification

To specify identifying information

Usage notes

- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI Implementation Date when NM109 in this loop is not used and an identification number other than the NPI is necessary for the receiver to identify the provider.
If not required by this implementation guide, do not send.
- When this segment is used, the identifier(s) to be provided are limited to those necessary for the claim processor to identify the entity.
- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.

Example

REF*LU*XXX**2U>XXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
0B State License Number			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Supervising Provider Secondary Identifier	Min 1 Max 50 String (AN)	Required
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
REF-04	C040 Reference Identifier	Max use 1	Optional
To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
- REF04 contains data relating to the value cited in REF02.			
Usage notes			

Required when the identifier reported in REF02 of this segment is for a non-destination payer.

C040-01

128 Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127 Other Payer Primary Identifier

Min 1Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420C Supervising Provider Name Loop end

2420D Service Facility Location Name Loop

Max 1Optional

Variants (all may be used)

Rendering Provider Name Loop

Assistant Surgeon Name Loop

Supervising Provider Name Loop

NM15000

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > NM1

Max use 1Required

Service Facility Location Name

To supply the full name of an individual or organizational entity

Usage notes

- When an organization health care provider's NPI is provided to identify the Service Location, the organization health care provider must be external to the entity identified as the Billing Provider (for example, reference lab). It is not permissible to report an organization health care provider NPI as the Service Location if the entity being identified is a component (for example, subpart) of the Billing Provider. In that case, the subpart must be the Billing Provider.
- Required when the location of health care service for this service line is different than that carried in Loop ID-2010AA Billing Provider or Loop ID-2310C Service Facility Location. If not required by this implementation guide, do not send.

Example

NM1*77*2*XXXX*****XX*XXXXXX~

-  If either Identification Code Qualifier (NM1-08) or Laboratory or Facility Primary Identifier (NM1-09) is present, then the other is required

NM1-0198 Entity Identifier Code

Identifier (ID)Required

Code identifying an organizational entity, a physical location, property or an individual

77 Service Location

NM1-021065 Entity Type Qualifier

Identifier (ID)Required

Code qualifying the type of entity

- NM102 qualifies NM103.
- 2 Non-Person Entity

NM1-031035 Laboratory or Facility Name

Min 1Max 60String (AN)Required

Individual last name or organizational name

NM1-0866 Identification Code Qualifier

Identifier (ID)Optional

Code designating the system/method of code structure used for Identification Code (67)

XX Centers for Medicare and Medicaid Services National Provider Identifier

NM1-09

67 Laboratory or Facility Primary Identifier

Min 2

Max 80

 String (AN)

Optional

Code identifying a party or other code

N3

5140

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Name Loop > N3

Max use 1

Required

Service Facility Location Address

To specify the location of the named party

Usage notes

- If service facility location is in an area where there are no street addresses, enter a description of where the service was rendered (for example, "crossroad of State Road 34 and 45" or "Exit near Mile marker 265 on Interstate 80".)

Example

N3*XXXXX*XXXXXX~

<u>N3-01</u>	166 Laboratory or Facility Address Line	Min 1	Max 55	T String (AN)	Required
	Address information				
<u>N3-02</u>	166 Laboratory or Facility Address Line	Min 1	Max 55	T String (AN)	Optional
	Address information				

N4

5200

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Name Loop > N4

Max use 1

Required

Service Facility Location City, State, ZIP Code

To specify the geographic place of the named party

Example

N4*XXXXXXX*XX*XXXXXX*XX~

- Only one of Laboratory or Facility State or Province Code (N4-02) or Country Subdivision Code (N4-07) may be present
- If Country Subdivision Code (N4-07) is present, then Country Code (N4-04) is required

N4-01	19 Laboratory or Facility City Name	Min 2	Max 30	String (AN)	Required
Free-form text for city name					
A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.					
N4-02	156 Laboratory or Facility State or Province Code			Identifier (ID)	Optional
		Min 2	Max 2		
Code (Standard State/Province) as defined by appropriate government agency					
N402 is required only if city name (N401) is in the U.S. or Canada.					
N4-03	116 Laboratory or Facility Postal Zone or ZIP Code			Identifier (ID)	Optional
		Min 3	Max 15		
Code defining international postal zone code excluding punctuation and blanks (zip code for United States)					
Usage notes					
When reporting the ZIP code for U.S. addresses, the full nine digit ZIP code must be provided.					
N4-04	26 Country Code	Min 2	Max 3	Identifier (ID)	Optional
Code identifying the country					
Usage notes					
Use the alpha-2 country codes from Part 1 of ISO 3166.					
N4-07	1715 Country Subdivision Code	Min 1	Max 3	Identifier (ID)	Optional
Code identifying the country subdivision					

Usage notes

- Use the country subdivision codes from Part 2 of ISO 3166.

REF

5250

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Service Facility Location Name Loop > REF

Max use 20Optional

Service Facility Location Secondary Identification

To specify identifying information

Usage notes

- When it is necessary to report one or more non-destination payer Secondary Identifiers, the composite data element in REF04 is used to identify the payer who assigned this identifier.
- Required prior to the mandated HIPAA National Provider Identifier (NPI) implementation date when an identification number other than the NPI is necessary for the receiver to identify the provider.
OR
Required on or after the mandated NPI implementation date when the entity is not a Health Care provider (a.k.a. an atypical provider), and an identifier is necessary for the claims processor to identify the entity.
If not required by this implementation guide, do not send.

Example

REF*G2*XXXX**2U>XXXX~

REF-01	128 Reference Identification Qualifier	Identifier (ID)	Required
Code qualifying the Reference Identification			
1G Provider UPIN Number			
UPINs must be formatted as either X99999 or XXX999.			
G2 Provider Commercial Number			
This code designates a proprietary provider number for the destination payer identified in the Payer Name loop, Loop ID-2010BB, associated with this claim. This is to be used by all payers including: Medicare, Medicaid, Blue Cross, etc.			
LU Location Number			
REF-02	127 Service Facility Location Secondary Identifier	String (AN)	Required
		Min 1	Max 50
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier			
REF-04	C040 Reference Identifier	Max use 1	Optional
To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier			
- REF04 contains data relating to the value cited in REF02.			
Usage notes			
Required when the identifier reported in REF02 of this segment is for a non-destination payer.			

C040-01

128

Reference Identification Qualifier

Identifier (ID)

Required

Code qualifying the Reference Identification

2U Payer Identification Number

C040-02

127

Other Payer Primary Identifier

Min 1

Max 50

String (AN)

Required

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Usage notes

- The payer identifier reported in this field must match the cooresponding payer identifier reported in Loop ID-2330B NM109.

2420D Service Facility Location Name Loop end

2430 Line Adjudication Information Loop

Max 15

Optional

SVD

5400

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > SVD

Max use 1

Required

Line Adjudication Information

To convey service line adjudication information for coordination of benefits between the initial payers of a health care claim and all subsequent payers

Usage notes

- Required when the claim has been previously adjudicated by payer identified in Loop ID-2330B and this service line has payments and/or adjustments applied to it. If not required by this implementation guide, do not send.
- To show unbundled lines: If, in the original claim, line 3 is unbundled into (for example) 2 additional lines, then the SVD for line 3 is used 3 times: once for the original adjustment to line 3 and then two more times for the additional unbundled lines.

Example

SVD*XXX*0000000000*AD>X>XX>XX>XX>XX>XXXX**00000000
000000*000000~

SVD-01

67 Other Payer Primary Identifier

Min 2

Max 80

String (AN)

Required

Code identifying a party or other code

- SVD01 is the payer identification code.

Usage notes

- This identifier indicates the payer responsible for the reimbursement described in this iteration of the 2430 loop. The identifier indicates the Other Payer by matching the appropriate Other Payer Primary Identifier (Loop ID-2330B, element NM109).

SVD-02

782 Service Line Paid Amount

Min 1

Max 15

Decimal number (R)

Required

Monetary amount

- SVD02 is the amount paid for this service line.

Usage notes

- Zero "0" is an acceptable value for this element.

SVD-03

C003 Composite Medical Procedure Identifier

To identify a medical procedure by its standardized codes and applicable modifiers

Max use 1

Required

- SVD03 represents the medical procedure code upon which adjudication of this service line was based. This may be different than the submitted medical procedure code.

C003-01

235 Product or Service ID Qualifier

Identifier (ID)

Required

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

- C003-01 qualifies C003-02 and C003-08.

AD American Dental Association Codes

ER Jurisdiction Specific Procedure and Supply Codes

C003-02 **234 Procedure Code** Min 1 Max 48 **T** String (AN) **Required**

Identifying number for a product or service

- If C003-08 is used, then C003-02 represents the beginning value in the range in which the code occurs.

C003-03 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-03 modifies the value in C003-02 and C003-08.

Usage notes

- This is the first procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-04 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-04 modifies the value in C003-02 and C003-08.

Usage notes

- This is the second procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-05 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-05 modifies the value in C003-02 and C003-08.

Usage notes

- This is the third procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-06 **1339 Procedure Modifier** Min 2 Max 2 **T** String (AN) **Optional**

This identifies special circumstances related to the performance of the service, as defined by trading partners

- C003-06 modifies the value in C003-02 and C003-08.

Usage notes

- This is the fourth procedure code modifier.

A modifier must be from code source 135 (American Dental Association) found in the 'Code on Dental Procedures and Nomenclature'.

C003-07 **352 Procedure Code Description** Min 1 Max 80 **T** String (AN) **Optional**

A free-form description to clarify the related data elements and their content

- C003-07 is the description of the procedure identified in C003-02.

SVD-05 **380 Paid Service Unit Count** Min 1 Max 15 # Decimal number (R) **Required**

Numeric value of quantity

- SVD05 is the paid units of service.

Usage notes

- This is the number of paid units from the remittance advice. When paid units are not present on the remittance advice, use the original billed units.
- The maximum length for this field is 8 digits excluding the decimal. When a decimal is used, the maximum number of digits allowed to the right of the decimal is three.

SVD-06 **554 Bundled or Unbundled Line Number** Min 1 Max 6 # Numeric (N0) **Optional**

Number assigned for differentiation within a transaction set

- SVD06 is only used for bundling of service lines. It references the LX Assigned Number of the service line into which this service line was bundled.



5450

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjustment Information Loop > CAS

Max use 5 Optional

Line Adjustment

To supply adjustment reason codes and amounts as needed for an entire claim or for a particular service within the claim being paid

Usage notes

- Required when the payer identified in Loop 2330B made line level adjustments which caused the amount paid to differ from the amount originally charged. If not required by this implementation guide, do not send.
- A single CAS segment contains six repetitions of the "adjustment trio" composed of adjustment reason code, adjustment amount, and adjustment quantity. These six adjustment trios are used to report up to six adjustments related to a particular Claim Adjustment Group Code (CAS01). The first non-zero adjustment is reported in the first adjustment trio (CAS02-CAS04). If there is a second non-zero adjustment, it is reported in the second adjustment trio (CAS05-CAS07), and so on through the sixth adjustment trio (CAS17-CAS19).

Example

```
CAS*PR*XXXXX*000000*00000*XXXXX*000000000000*0000
000000*X*0000000*000000000000*XXXX*000000000000
0*00*XX*0000000*0000000*XX*000000000*0000~
```

- If Adjustment Reason Code (CAS-05) is present, then at least one of Adjustment Amount (CAS-06) or Adjustment Quantity (CAS-07) is required
- If Adjustment Amount (CAS-06) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Quantity (CAS-07) is present, then Adjustment Reason Code (CAS-05) is required
- If Adjustment Reason Code (CAS-08) is present, then at least one of Adjustment Amount (CAS-09) or Adjustment Quantity (CAS-10) is required
- If Adjustment Amount (CAS-09) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Quantity (CAS-10) is present, then Adjustment Reason Code (CAS-08) is required
- If Adjustment Reason Code (CAS-11) is present, then at least one of Adjustment Amount (CAS-12) or Adjustment Quantity (CAS-13) is required
- If Adjustment Amount (CAS-12) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Quantity (CAS-13) is present, then Adjustment Reason Code (CAS-11) is required
- If Adjustment Reason Code (CAS-14) is present, then at least one of Adjustment Amount (CAS-15) or Adjustment Quantity (CAS-16) is required
- If Adjustment Amount (CAS-15) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Quantity (CAS-16) is present, then Adjustment Reason Code (CAS-14) is required
- If Adjustment Reason Code (CAS-17) is present, then at least one of Adjustment Amount (CAS-18) or Adjustment Quantity (CAS-19) is required
- If Adjustment Amount (CAS-18) is present, then Adjustment Reason Code (CAS-17) is required
- If Adjustment Quantity (CAS-19) is present, then Adjustment Reason Code (CAS-17) is required

<u>CAS-01</u>	1033 Claim Adjustment Group Code	■ Identifier (ID)	Required
Code identifying the general category of payment adjustment			
CO Contractual Obligations CR Correction and Reversals OA Other adjustments PI Payor Initiated Reductions PR Patient Responsibility			
<u>CAS-02</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Required
Code identifying the detailed reason the adjustment was made			
<u>CAS-03</u>	782 Adjustment Amount	Min 1 Max 15 # Decimal number (R)	Required
Monetary amount			
CAS03 is the amount of adjustment.			
<u>CAS-04</u>	380 Adjustment Quantity	Min 1 Max 15 # Decimal number (R)	Optional
Numeric value of quantity			
CAS04 is the units of service being adjusted.			
<u>CAS-05</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Optional
Code identifying the detailed reason the adjustment was made			
<u>CAS-06</u>	782 Adjustment Amount	Min 1 Max 15 # Decimal number (R)	Optional
Monetary amount			
CAS06 is the amount of the adjustment.			
<u>CAS-07</u>	380 Adjustment Quantity	Min 1 Max 15 # Decimal number (R)	Optional
Numeric value of quantity			
CAS07 is the units of service being adjusted.			
<u>CAS-08</u>	1034 Adjustment Reason Code	Min 1 Max 5 ■ Identifier (ID)	Optional

Code identifying the detailed reason the adjustment was made

CAS-09 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS09 is the amount of the adjustment.

CAS-10 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS10 is the units of service being adjusted.

CAS-11 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-12 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS12 is the amount of the adjustment.

CAS-13 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS13 is the units of service being adjusted.

CAS-14 **1034 Adjustment Reason Code** Min 1 Max 5 ■ Identifier (ID) Optional

Code identifying the detailed reason the adjustment was made

CAS-15 **782 Adjustment Amount** Min 1 Max 15 # Decimal number (R) Optional

Monetary amount

- CAS15 is the amount of the adjustment.

CAS-16 **380 Adjustment Quantity** Min 1 Max 15 # Decimal number (R) Optional

Numeric value of quantity

- CAS16 is the units of service being adjusted.

CAS-17

1034 Adjustment Reason Code

Min 1

Max 5

■ Identifier (ID)

Optional

Code identifying the detailed reason the adjustment was made

CAS-18

782 Adjustment Amount

Min 1

Max 15

Decimal number (R)

Optional

Monetary amount

- CAS18 is the amount of the adjustment.

CAS-19

380 Adjustment Quantity

Min 1

Max 15

Decimal number (R)

Optional

Numeric value of quantity

- CAS19 is the units of service being adjusted.



5500

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Loop > DTP

Max use: 1

Required

Line Check or Remittance Date

To specify any or all of a date, a time, or a time period

Example

DTP*573*D8*XXXX~

DTP-01	374 Date Time Qualifier	Identifier (ID)	Required
Code specifying type of date or time, or both date and time			
573 Date Claim Paid			
DTP-02	1250 Date Time Period Format Qualifier	Identifier (ID)	Required
Code indicating the date format, time format, or date and time format			
DTP02 is the date or time or period format that will appear in DTP03.			
D8 Date Expressed in Format CCYYMMDD			
DTP-03	1251 Adjudication or Payment Date	Min 1 Max 35 String (AN)	Required
Expression of a date, a time, or range of dates, times or dates and times			



5505

Detail > Billing Provider Hierarchical Level Loop > Subscriber Hierarchical Level Loop > Patient Hierarchical Level Loop > Claim Information Loop > Service Line Number Loop > Line Adjudication Information Loop > AMT

Max use 1

Optional

Remaining Patient Liability

To indicate the total monetary amount

Usage notes

- Required when the Other Payer referenced in SVD01 of this iteration of Loop ID-2430 has adjudicated this claim, provided line level information, and the provider has the ability to report line item information. If not required by this implementation guide, do not send.
- In the judgment of the provider, this is the remaining amount to be paid after adjudication by the Other Payer referenced in SVD01 of this iteration of Loop ID-2430.
- This segment is not used if the claim level (Loop ID-2320) Remaining Patient Liability AMT segment is used for this Other Payer.
- This segment is only used in provider submitted claims. It is not used in Payer-to-Payer Coordination of Benefits (COB).

Example

AMT*EAF*0000000000000000~

AMT-01	522 Amount Qualifier Code	Identifier (ID)	Required
	Code to qualify amount		
	EAF Amount Owed		
AMT-02	782 Remaining Patient Liability	Min 1 Max 15 # Decimal number (R)	Required
	Monetary amount		

2430 Line Adjudication Information Loop end

2400 Service Line Number Loop end

2300 Claim Information Loop end

2000C Patient Hierarchical Level Loop end

2000B Subscriber Hierarchical Level Loop end

SE

5550 [Detail > SE](#)

Max use 1

Required

Transaction Set Trailer

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Example

SE*0*0001~

SE-01	96 Transaction Segment Count	Min 1	Max 10	# Numeric (N0)	Required
-------	------------------------------	-------	--------	----------------	----------

Total number of segments included in a transaction set including ST and SE segments

SE-02	329 Transaction Set Control Number	Min 4	Max 9	# Numeric (N)	Required
-------	------------------------------------	-------	-------	---------------	----------

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Usage notes

- The Transaction Set Control Number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA), but can repeat in other interchanges.

Detail end



Max use 1 Required

Functional Group Trailer

To indicate the end of a functional group and to provide control information

Example

GE*00000*00000~

<u>GE-01</u>	97	Number of Transaction Sets Included	Min 1	Max 6	#	Numeric (N0)	Required
--------------	-----------	--	-------	-------	---	--------------	-----------------------

Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element

<u>GE-02</u>	28	Group Control Number	Min 1	Max 9	#	Numeric (N0)	Required
--------------	-----------	-----------------------------	-------	-------	---	--------------	-----------------------

Assigned number originated and maintained by the sender



Max use 1 Required

Interchange Control Trailer

To define the end of an interchange of zero or more functional groups and interchange-related control segments

Example

IEA*000*000000000~

IEA-01	I16 Number of Included Functional Groups	Min 1	Max 5	# Numeric (N0)	Required
--------	--	-------	-------	----------------	----------

A count of the number of functional groups included in an interchange

IEA-02	I12 Interchange Control Number	Min 9	Max 9	# Numeric (N0)	Required
--------	--------------------------------	-------	-------	----------------	----------

A control number assigned by the interchange sender

EDI Samples

Example 1: Commercial Health Insurance

ST*837*3456*005010X224A2~
BHT*0019*00*0123*20061123*1023*CH~
NM1*41*2*PREMIER BILLING SERVICE*****46*TGJ23~
PER*IC*JERRY*TE*7176149999~
NM1*40*2*INSURANCE COMPANY XYZ*****46*66783JJT~
HL*1**20*1~
NM1*85*2*DENTAL ASSOCIATES*****XX*1234567890~
N3*234 SEAWAY ST~
N4*MIAMI*FL*33111~
REF*EI*587654321~
HL*2*1*22*1~
SBR*P*****CI~
NM1*IL*1*SMITH*JANE****MI*111223333~
NM1*PR*2*INSURANCE COMPANY XYZ*****PI*66783JJT~
HL*3*2*23*0~
PAT*19~
NM1*QC*1*SMITH*TED~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
DMG*D8*19920501*M~
CLM*26403774*150***11>B>1*Y*A*Y*I~
DTP*472*D8*20061029~
REF*D9*17312345600006351~
NM1*82*1*KILDARE*BEN*****XX*9876543210~
PRV*PE*PXC*1223G0001X~
LX*1~
SV3*AD>D2150*100****1~
T00*JP*12*M>0~
LX*2~
SV3*AD>D1110*50****1~
SE*31*3456~

Example 2a: Claim From Billing Provider to Payer A

ST*837*0002*005010X224A2~
BHT*0019*00*0123*20061123*1023*CH~
NM1*41*2*PREMIER BILLING SERVICE*****46*567890~
PER*IC*JERRY*TE*7176149999~
NM1*40*2*KEY INSURANCE COMPANY*****46*999996666~
HL*1**20*1~
NM1*85*2*DENTAL ASSOCIATES*****XX*4567890123~
N3*234 SEAWAY ST~
N4*MIAMI*FL*33111~
REF*EI*587654321~
HL*2*1*22*1~
SBR*P*****CI~
NM1*IL*1*SMITH*JANE****MI*JS00111223333~
NM1*PR*2*KEY INSURANCE COMPANY*****PI*999996666~
HL*3*2*23*0~
PAT*19~
NM1*QC*1*SMITH*TED~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
DMG*D8*19920501*M~
CLM*26403774*200***11>B>1*Y*A*Y*I~
DTP*472*D8*20061109~
REF*D9*111222333444~
NM1*82*1*KILDARE*BEN*****XX*6789012345~
PRV*PE*PXC*1223P0221X~
LX*1~
SV3*AD>D3320*200****1~
T00*JP*5~
SE*29*0002~

Example 2b: Claim from Billing Provider to Payer B

ST*837*0123*005010X224A2~
BHT*0019*00*0123*20061123*1023*CH~
NM1*41*2*PREMIER BILLING SERVICE*****46*567890~
PER*IC*JERRY*TE*7176149999~
NM1*40*2*GREAT PRAIRIES HEALTH*****46*123456789~
HL*1**20*1~
NM1*85*2*DENTAL ASSOCIATES*****XX*4567890123~
N3*234 SEAWAY ST~
N4*MIAMI*FL*33111~
REF*EI*587654321~
HL*2*1*22*1~
SBR*S*****CI~
NM1*IL*1*SMITH*JACK****MI*T55TY666~
NM1*PR*2*GREAT PRAIRIES HEALTH*****PI*123456789~
HL*3*2*23*0~
PAT*19~
NM1*QC*1*SMITH*TED~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
DMG*D8*19920501*M~
CLM*26403774*200***11>B>1*Y*A*Y*I~
DTP*472*D8*20061109~
REF*D9*444333222111~
NM1*82*1*KILDARE*BEN*****XX*6789012345~
PRV*PE*PXC*1223P0221X~
SBR*P*19*****CI~
CAS*PR*1*50*1~
AMT*D*150~
OI***Y***I~
NM1*IL*1*SMITH*JANE****MI*JS00111223333~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
NM1*PR*2*KEY INSURANCE COMPANY*****PI*999996666~
DTP*573*D8*20061122~
LX*1~
SV3*AD>D3320*200***1~
T00*JP*5~
SE*38*0123~

Example 3: Predetermination of Benefits

ST*837*0321*005010X224A2~
BHT*0019*00*0123*20061123*1023*CH~
NM1*41*2*ABC CLEARINGHOUSE*****46*ABC123~
PER*IC*JERRY*TE*7176149999~
NM1*40*2*KEY INSURANCE COMPANY*****46*999996666~
HL*1**20*1~
PRV*BI*PXC*1223G0001X~
NM1*85*1*JOHN*DOE****XX*2345678901~
N3*123 TOOTH DRIVE~
N4*MIAMI*FL*33411~
REF*EI*587654321~
HL*2*1*22*0~
SBR*P*18*****CI~
NM1*IL*1*SMITH*JANE****MI*111223333~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
DMG*D8*19430501*F~
NM1*PR*2*KEY INSURANCE COMPANY*****PI*999996666~
CLM*SMITH878*750***11>B>1*Y*A*Y*I*****PB~
PWK*RB*BM***AC*SMITHJANE11122333~
REF*D9*123123123~
LX*1~
SV3*AD>D2750*750***I*1~
T00*JP*13~
SE*25*0321~

Example 4: Orthodontic Treatment Plan

ST*837*0322*005010X224A2~
BHT*0019*00*0123*20061123*1023*CH~
NM1*41*2*JOHN DOE*****46*940001~
PER*IC*SALLY*TE*7175555555~
NM1*40*2*KEY INSURANCE COMPANY*****46*999996666~
HL*1**20*1~
PRV*BI*PXC*1223G0001X~
NM1*85*1*JOHN*DOE****XX*2345678901~
N3*123 TOOTH DRIVE~
N4*MIAMI*FL*33411~
REF*EI*587654321~
HL*2*1*22*1~
SBR*P*****CI~
NM1*IL*1*SMITH*JANE****MI*111223333~
NM1*PR*2*KEY INSURANCE COMPANY*****PI*999996666~
HL*3*2*23*0~
PAT*19~
NM1*QC*1*SMITH*TED~
N3*236 N MAIN ST~
N4*MIAMI*FL*33413~
DMG*D8*19911029*M~
CLM*SMITH788*4000***11>B>1*Y*A*Y*I~
DTP*452*D8*20061115~
DN1*36~
LX*1~
SV3*AD>D8080*4000****1~
SE*27*0322~

Example 5: Sales Tax

ST*837*0001*005010X224A2~
BHT*0019*00*1000002*20140305*0745*CH~
NM1*41*2*XYZ CLEARINGHOUSE*****46*321123~
PER*IC*XYZ CLEARINGHOUSE,
INC.*TE*8005551212*EX*123*EM*PRODUCTIONSUPPORT@XYZCLEARINGHOUSE.COM~
NM1*40*2*ACME DENTAL PAYER*****46*12345~
HL*1**20*1~
NM1*85*2*ANYTOWN DENTAL*****XX*1234567984~
N3*926 MAIN ST~
N4*ANYTOWN*FL*327147244~
REF*EI*22222222~
PER*IC*ANYTOWN DENTAL*TE*4075551213~
HL*2*1*22*0~
SBR*P*18*12345687*****CI~
NM1*IL*1*SUBLAST*SUBFIRST*M***MI*123456~
N3*654 ANYWHERE DR~
N4*ANYTOWN*FL*32000~
DMG*D8*19710101*M~
NM1*PR*2*BLUE EXAMPLE*****PI*11111~
CLM*119033233*293.19***11>B>1*Y*C*Y*Y~
PWK*OZ*EL***AC*NEA123456798~
REF*D9*0001958960000001~
NM1*82*1*RENDERLAST*RENDERFIRST*****XX*1234567893~
PRV*PE*PXC*1223G0001X~
LX*1~
SV3*AD>D7140*150~
T00*JP*31~
REF*6R*01~
LX*2~
SV3*AD>D0140*130~
REF*6R*02~
LX*3~
SV3*AD>D9985*13.19~
REF*6R*03~
SE*34*0001~

Example 6: Multiple Tooth Numbers

ST*837*0001*005010X224A2~
BHT*0019*00*1000002*20140305*0745*CH~
NM1*41*2*XYZ CLEARINGHOUSE*****46*321123~
PER*IC*XYZ CLEARINGHOUSE,
INC.*TE*8005551212*EX*123*EM*PRODUCTIONSUPPORT@XYZCLEARINGHOUSE.COM~
NM1*40*2*ACME DENTAL PAYER*****46*12345~
HL*1**20*1~
NM1*85*2*ANYTOWN DENTAL*****XX*1234567984~
N3*926 MAIN ST~
N4*ANYTOWN*FL*327147244~
REF*EI*22222222~
PER*IC*ANYTOWN DENTAL*TE*4075551213~
HL*2*1*22*0~
SBR*P*18*12345687*****CI~
NM1*IL*1*SUBLAST*SUBFIRST*M***MI*123456~
N3*654 ANYWHERE DR~
N4*ANYTOWN*FL*32000~
DMG*D8*19710101*M~
NM1*PR*2*ACME DENTAL PAYER*****PI*11111~
CLM*1191*900***11>B>1*Y*C*Y*Y~
PWK*OZ*EL***AC*NEA123456798~
REF*D9*0001958960000001~
NM1*82*1*RENDERLAST*RENDERFIRST*****XX*1234567893~
PRV*PE*PXC*1223G0001X~
LX*1~
SV3*AD>D5214*900~
T00*JP*31~
T00*JP*30~
T00*JP*21~
T00*JP*19~
T00*JP*18~
SE*31*0001~

Example 7: Quantity Greater Than 1

```

ST*837*0001*005010X224A2~
BHT*0019*00*1000002*20140305*0745*CH~
NM1*41*2*XYZ CLEARINGHOUSE*****46*321123~
PER*IC*XYZ CLEARINGHOUSE,
INC.*TE*8005551212*EX*123*EM*PRODUCTIONSUPPORT@XYZCLEARINGHOUSE.COM~
NM1*40*2*ACME DENTAL PAYER*****46*12345~
HL*1**20*1~
NM1*85*2*ANYTOWN DENTAL*****XX*1234567984~
N3*926 MAIN ST~
N4*ANYTOWN*FL*327147244~
REF*EI*22222222~
PER*IC*ANYTOWN DENTAL*TE*4075551213~
HL*2*1*22*0~
SBR*P*18*12345687*****CI~
NM1*IL*1*SUBLAST*SUBFIRST*M***MI*123456~
N3*654 ANYWHERE DR~
N4*ANYTOWN*FL*32000~
DMG*D8*19710101*M~
NM1*PR*2*BLUE EXAMPLE*****PI*11111~
CLM*22*44***11>B>1*Y*C*Y*Y~
DTP*472*D8*20140303~
REF*D9*0001958960000001~
HI*BK>5273~
NM1*82*1*RENDERLAST*RENDERFIRST*****XX*1234567893~
PRV*PE*PXC*1223G0001X~
REF*0B*321654~
LX*1~
SV3*AD>D0230*44***I*4~
REF*6R*123456-01~
SE*29*0001~

```

Stedi and the S design mark are registered trademarks of Stedi, Inc. All names, logos, and brands of third parties listed on this page are trademarks of their respective owners (including "X12", which is a trademark of X12 Incorporated). Stedi, Inc. and its products and services are not endorsed by, sponsored by, or affiliated with these third parties. Use of these names, logos, and brands is for identification purposes only, and does not imply any such endorsement, sponsorship, or affiliation.