

AWSome Day

Getting Started on AWS

Version 4.2

Module Layout

- Module 1: **Introduction** and History of AWS
- Module 2: **Foundational Services** – Amazon EC2, Amazon VPC, Amazon S3, Amazon EBS
- Module 3: **Security, Identity, and Access Management** - IAM
- Module 4: **Databases** – Amazon DynamoDB and Amazon RDS
- Module 5: **AWS Elasticity and Management Tools** – Auto Scaling, Elastic Load Balancing, Amazon CloudWatch, and AWS TrustedAdvisor
- Module 6: Course Wrap-Up

Module 1

Introduction and History of AWS

Amazon History



1994: Jeff Bezos incorporated the company.



2005: Amazon Publishing was launched.



2007: Kindle was launched.



2012: Amazon Game Studios was launched.



2014: Amazon Prime Now was launched.

1995: Amazon.com launched its online bookstore.



2006: Amazon Web Services (AWS) was launched.



2011: Amazon Fresh was launched.



2013: Amazon Art was launched.




2015: Amazon Home Services and Amazon Echo were launched.




Amazon Web Services (AWS)

Enable businesses and developers to use web services to build scalable, sophisticated applications.



AWS Pace of Innovation

AWS has been continually expanding its services to support virtually any cloud workload, and it now has more than 90 services that range from compute, storage, networking, database, analytics, application services, deployment, management, developer, mobile, Internet of Things (IoT), Artificial Intelligence (AI), security, hybrid and enterprise applications. AWS has launched a total of 1,017 new features and/or services year to date* - for a total of 2,913 new features and/or services since inception in 2006.



*As of 1 January 2017

2,913

Import/Export Snowball

AWS Storage Gateway

Amazon Cognito

AWS OpsWorks

CodeCommit

EC2

AWS CodeDeploy

Amazon ElastiCache

Amazon Config

Amazon CloudTrail

Amazon SES

Container Service

Amazon Kinesis

CloudHSM

Elasticsearch Service

AWS Elastic Beanstalk

Elastic Transcoder

EC2 Container Registry

Amazon WorkMail

AWS Certificate Manager

Amazon EFS

AWS CodePipeline

Redshift

Amazon Route 53

Lambda

Identity & Access Management

AWS CloudFormation

Amazon AppStream

AWS Device Farm

Dynamo DB

QuickSight

Directory Service

Amazon RDS for Aurora

AWS Data Pipeline

AWS WAF

AWS Mobile Hub

Amazon SWF

RDS for MariaDB

Amazon SNS

Amazon API Gateway

AWS KMS

WorkSpaces

WorkDocs

AWS IoT

CloudWatch Logs

Mobile Analytics

CloudSearch

Amazon Machine Learning

AWS Direct Connect

Amazon Inspector

AWS Service Catalog

amazon web services

Training and Certification


Glacier

*As of 1 January 2017

AWS Customers


Enterprise Customers

Amazon Web Services delivers a mature set of services specifically designed for the unique security, compliance, privacy, and governance requirements of large organizations.



Public Sector

Paving the way for innovation and supporting world-changing projects in government, education and nonprofit organizations.



Startups

From the spark of an idea, to your first customer, to IPO and beyond, let Amazon Web Services help you build and grow your startup.



Advantages and Benefits of AWS Cloud Computing



Trade capital expense for variable expense.




Increase speed and agility.



Benefit from massive economies of scale.



Stop spending money on running and maintaining data centers.



Stop guessing capacity.




Go global in minutes.

AWS Positioned as a Leader in the Gartner Magic Quadrant for Cloud Infrastructure as a Service, Worldwide*

AWS is positioned highest in execution and furthest in vision within the Leaders Quadrant

Figure 1. Magic Quadrant for Cloud Infrastructure as a Service, Worldwide



*Gartner, Magic Quadrant for Cloud Infrastructure as a Service, Worldwide, Leong, Lydia, Petri, Gregor, Gill, Bob, Dorosh, Mike, August 32016

This graphic was published by Gartner, Inc. as part of a larger research document and should be evaluated in the context of the entire document. The Gartner document is available upon request from AWS :

<http://www.gartner.com/doc/reprints?id=1-2G2O5FC&ct=150519&st=sb>

Gartner does not endorse any vendor, product or service depicted in its research publications, and does not advise technology users to select only those vendors with the highest ratings or other designation. Gartner research publications consist of the opinions of Gartner's research organization and should not be construed as statements of fact. Gartner disclaims all warranties, expressed or implied, with respect to this research, including any warranties of merchantability or fitness for a particular purpose.

AWS Core Infrastructure and Services

Traditional Infrastructure



Firewalls

Security



ACLs



Administrators

Security

Amazon Web Services



Security Groups
Security Groups

Security




Network ACLs



AWS IAM



Router



Network Pipeline



Switch

Networking



ELB

Network



VPC



On-Premises Servers

Servers



AMI



Amazon EC2 Instances

Storage and Database



DAS



SAN



NAS



RDBMS



Amazon
EBS



Amazon
EFS












Amazon
S3








Amazon
RDS

AWS Foundation Services






Compute

-  Amazon EC2
-  Amazon EC2 Container Registry
-  Amazon EC2 Container Service
-  Amazon Lightsail
-  Amazon VPC
-  AWS Batch
-  AWS Elastic Beanstalk
-  AWS Lambda
-  Elastic Load Balancing











Network

-  Amazon CloudFront
-  Amazon Route 53
-  Amazon VPC
-  AWS Direct Connect
-  Elastic Load Balancing





Storage

-  Amazon EFS
-  Amazon Glacier
-  Amazon S3
-  AWS Snowball
-  AWS Storage Gateway






































Security & Identity

-  Amazon Inspector
-  AWS Artifact
-  AWS Certificate Manager
-  AWS CloudHSM
-  AWS Directory Service
-  IAM
-  AWS KMS
-  AWS Organizations
-  AWS Shield
-  AWS WAF

Applications

-  Amazon WorkDocs
-  Amazon WorkMail
-  Amazon AppStream
-  Amazon WorkSpaces

AWS Platform Services

| Databases | Analytics | Application Services | Management Tools | Developer Tools | Mobile Services | Internet of Things |
|---|--|---|--|--|---|--|
|  Amazon DynamoDB |  Amazon Athena |  Amazon API Gateway |  Amazon CloudWatch |  AWS CodeBuild |  Amazon API Gateway |  AWS IoT |
|  Amazon ElastiCache |  Amazon CloudSearch |  Amazon AppStream 2.0 |  AWS CloudFormation |  AWS CodeCommit |  Amazon Cognito |  AWS Greengrass |
|  Amazon RDS |  Amazon EMR |  Amazon Elastic Transcoder |  AWS CloudTrail |  AWS CodeDeploy |  Amazon Mobile Analytics | |
|  Amazon Redshift |  Amazon ES |  Amazon SWF |  AWS Config |  AWS CodePipeline |  Amazon Pinpoint | |
| |  Amazon Kinesis |  AWS Step Functions |  AWS Managed Services |  AWS X-Ray |  AWS Device Farm | |
| |  Amazon QuickSight | |  AWS OpsWorks | |  AWS Mobile Hub | |
| |  Amazon Redshift | |  AWS Service Catalog | | | |
| | | |  AWS Trusted Advisor | | | |

AWS Global Infrastructure


Regions

- Geographic locations
- Consist of **at least two** Availability Zones

Availability Zones

- Clusters of data centers
- **Isolated from failures** in other Availability Zones

AWS Global Infrastructure




AWS Global Infrastructure

At least 2 Availability Zones per region.

Examples:


- US East (N. Virginia)

- us-east-1a
- us-east-1b
- us-east-1c
- us-east-1d
- us-east-1e



- Asia Pacific (Tokyo)

- ap-northeast-1a
- ap-northeast-1b
- ap-northeast-1c



Note: Conceptual drawing only. The number of Availability Zones (AZ) may vary.

AWS Global Infrastructure – Edge Locations

- 70* edge locations
- Local points of presence that support AWS services like:



*as of March 2017

Module 2

AWS Foundational Services

Module 2 Layout

- Amazon Elastic Compute Cloud (EC2)
- Amazon Virtual Private Cloud (VPC)
- Amazon Storage Services
 - Amazon Simple Storage Service (S3)
 - Amazon Elastic Block Store (EBS)

Amazon Elastic Compute Cloud (EC2)


Amazon Elastic Compute Cloud (EC2)



Amazon
EC2


- **Resizable** compute capacity
- Complete control of your computing resources
- **Reduced time required** to obtain and boot new server instances

Amazon EC2 Facts




- **Scale capacity** as your computing requirements change
- Pay only for capacity that you actually use
- Choose **Linux** or **Windows**
- Deploy across **AWS Regions** and **Availability Zones** for reliability
- Use **tags** to help manage your Amazon EC2 resources

Launching an Amazon EC2 Instance via the Management Console




1. **Determine the AWS Region** in which you want to launch the Amazon EC2 instance.
2. **Launch** an Amazon EC2 instance from a pre-configured Amazon Machine Image (AMI).
3. **Choose an instance type** based on CPU, memory, storage, and network requirements.
4. **Configure** network, IP address, security groups, storage volume, tags, and key pair.

Instances and AMIs





Select an AMI based on:


- Region
- Operating system
- Architecture (32-bit or 64-bit)
- Launch permissions
- Storage for the root device



Amazon EC2 Instances



Instance Lifecycle



AWS Marketplace – IT Software Optimized for the Cloud



- Online store to discover, purchase, and deploy IT software on top of the AWS infrastructure.
- Catalog of **2700+** IT software solutions including Paid, BYOL, Open Source, SaaS, and free-to-try options.
- Pre-configured to operate on AWS.
- Software checked by AWS for security and operability.
- Deploys to AWS environment in minutes.
- Flexible, usage-based billing models.
- Software charges billed to AWS account.

Includes [AWS Test Drive](#).

<https://aws.amazon.com/marketplace>



Choosing the Right Amazon EC2 Instance



AWS uses Intel® Xeon® processors to provide customers with high performance and value. EC2 instance types are optimized for different use cases, workload requirements and come in multiple sizes.

Consider the following when choosing your instances:

- Core count
- Memory size
- Storage size and type
- Network performance
- CPU technologies


X1 Instance - Tons of Memory

The X1 instance:

- Features up to 2TB of memory and 100 vCPU.
- Uses Intel E7 v3 Haswell processors.
- Is designed for demanding enterprise workloads, including production installations of SAP HANA, Microsoft SQL Server, Apache Spark, and Presto.




Current Generation Instances




| Instance Family | Some Use Cases |
|------------------------------|--|
| General purpose (t2, m4, m3) | <ul style="list-style-type: none">• Low-traffic websites and web applications• Small databases and mid-size databases |
| Compute-optimized (c4, c3) | <ul style="list-style-type: none">• High performance front-end fleets• Video-encoding |
| Memory-optimized (r3) | <ul style="list-style-type: none">• High performance databases• Distributed memory caches |
| Storage-optimized (i2, d2) | <ul style="list-style-type: none">• Data warehousing• Log or data-processing applications |
| GPU instances (g2) | <ul style="list-style-type: none">• 3D application streaming• Machine learning |

Instance Metadata




- Is **data** about your **instance**.
- Can be used to **configure or manage** a running instance.

Instance User Data



- Can be passed to the instance **at launch**.
- Can be used to perform common **automated configuration tasks**.
- Runs scripts after the instance starts.

User Data Example Linux




```
#!/bin/sh
```

User data shell scripts must start with the #!
characters and the path to the interpreter you
want to read the script.

```
yum -y install httpd  
chkconfig httpd on  
/etc/init.d/httpd start
```

Install Apache web server
Enable the web server
Start the web server

User Data Example Windows



```
<powershell>
```

```
Import-Module ServerManager
```


Import the Server Manager module
for Windows PowerShell.

```
Install-WindowsFeature web-server, web-webserver  
Install-WindowsFeature web-mgmt-tools
```

```
</powershell>
```

Install IIS
Install Web Management Tools

Amazon EC2 Purchasing Options



On-Demand Instances

Pay by the hour.

Reserved Instances

Purchase, at a significant discount, instances that are always available

1-year to 3-year terms.

Scheduled Instances

Purchase instances that are always available on the specified recurring schedule, for a one-year term.

Spot Instances

Bid on unused instances, which can run as long as they are available and your bid is above the Spot price.

Dedicated Instances

Pay, by the hour, for instances that run on single-tenant hardware.

Dedicated Hosts

Pay for a physical host that is fully dedicated to running your instances.

Networking Amazon VPC

Amazon Virtual Private Cloud (VPC)



Amazon
VPC


- Provision a **private, isolated virtual network** on the AWS cloud.
- Have complete control over your virtual networking environment.

VPCs and Subnets




- A **subnet** defines a range of IP addresses in your VPC.
- You can launch AWS resources into a subnet that you select.
- A **private subnet** should be used for resources that won't be accessible over the Internet.
- A **public subnet** should be used for resources that will be accessed over the Internet.
- Each subnet must reside entirely within one Availability Zone and cannot span zones.

Amazon VPC Example



Security in Your VPC

- Security groups
- Network access control lists (ACLs)
- Key Pairs



VPN Connections



| VPN Connectivity option | Description |
|---------------------------|---|
| AWS Hardware VPN | You can create an IPsec hardware VPN connection between your VPC and your remote network. |
| AWS Direct Connect | AWS Direct Connect provides a dedicated private connection from a remote network to your VPC. |
| AWS VPN CloudHub | You can create multiple AWS hardware VPN connections via your VPC to enable communications between various remote networks. |
| Software VPN | You can create a VPN connection to your remote network by using an Amazon EC2 instance in your VPC that's running a software VPN appliance . |

Storage Services

Amazon S3 and Amazon EBS


Amazon Simple Storage Service (S3)



Amazon S3


- Storage for the Internet
- Natively online, HTTP access
- Storage that allows you to store and retrieve **any amount of data**, any time, from anywhere on the web
- **Highly scalable**, reliable, fast and durable

Amazon S3 Facts





- Can store an **unlimited number of objects** in a bucket
- Objects can be **up to 5 TB**; no bucket size limit
- Designed for **99.999999999%** durability and **99.99%** availability of objects over a given year
- Can use **HTTP/S** endpoints to store and retrieve any amount of data, at any time, from anywhere on the web
- Is highly scalable, reliable, fast, and inexpensive
- Can use optional server-side **encryption** using AWS or customer-managed provided client-side encryption
- Auditing is provided by access logs
- Provides standards-based **REST** and SOAP interfaces

Common Use Scenarios




- Storage and backup
- Application file hosting
- Media hosting
- Software delivery
- Store AMIs and snapshots

Amazon S3 Concepts



- Amazon S3 stores data as objects within **buckets**
- An object is composed of a file and optionally any **metadata** that describes that file
- You can have **up to 100 buckets** in each account
- You can **control access** to the bucket and its objects

Object Keys



An object key is the unique identifier for an object in a bucket.

<http://doc.s3.amazonaws.com/2006-03-01/AmazonS3.html>


Bucket



Object/Key




Amazon S3 Security



- You can **control access** to buckets and objects with:
 - Access Control Lists (ACLs)
 - Bucket policies
 - Identity and Access Management (IAM) policies
- You can upload or download data to Amazon S3 via **SSL** encrypted endpoints.
- You can **encrypt data** using AWS SDKs.


Amazon S3 Object Lifecycle



Lifecycle management defines how Amazon S3 manages objects during their lifetime. Some objects that you store in an Amazon S3 bucket might have a well-defined lifecycle:

- Log files
- Archive documents
- Digital media archives
- Financial and healthcare records
- Raw genomics sequence data
- Long-term database backups
- Data that must be retained for regulatory compliance

Amazon S3 Pricing



- Pay only for what you use
- No minimum fee
- Prices based on location of your Amazon S3 bucket
- Estimate monthly bill using the **AWS Simple Monthly Calculator**
- Pricing is available as:
 - Storage Pricing
 - Request Pricing
 - Data Transfer Pricing: data transferred out of Amazon S3



Amazon Glacier



- Long term low-cost archiving service
- Optimal for infrequently accessed data
- Designed for 99.999999999% durability
- Three to five hours' retrieval time*
- Less than \$0.004 per GB/month (depending on region)


Amazon Elastic Block Store (EBS)




Amazon
EBS

- **Persistent block level storage** volumes offer consistent and low-latency performance.
- Stored data is automatically replicated within its Availability Zone.
- Snapshots are stored durably in Amazon S3.

Amazon EBS Lifecycle




Amazon EBS Volume Types




- SSD-backed volumes are
 - Optimized for **transactional** workloads that involve **frequent read/write** operations with **small I/O** size.
 - Dominant in **IOPS** performance.
- HDD-backed volumes are
 - Optimized for **large streaming** workloads.
 - Dominant in **throughput** (measured in MiB/s).

Amazon EBS Facts




- EBS is recommended when data must be **quickly accessible** and requires **long-term persistence**.
- You can launch your EBS volumes as **encrypted** volumes – data stored at rest on the volume, disk I/O, and snapshots created from the volume are all encrypted.
- You can create **point-in-time snapshots** of EBS volumes, which are persisted to Amazon S3.

Amazon EBS Use Cases



- **OS:** Use for boot/root volume, secondary volumes
- **Databases:** Scales with your performance needs
- **Enterprise applications:** Provides reliable block storage to run mission-critical applications
- **Business continuity:** Minimize data loss and recovery time by regularly backing up using EBS Snapshots
- **Applications:** Install and persist any application

Amazon EBS Pricing




Pay for what you provision:


- Pricing based on region
- Review Pricing Calculator online
- Pricing is available as:
 - Storage
 - IOPS

** Check Amazon EBS Pricing page for current pricing for all regions.*

Amazon EBS Scope



Amazon EBS volumes are in a single Availability Zone



Volume data is replicated across multiple servers in an Availability Zone.

Amazon EC2 Instance Storage

- Is local, complimentary **direct attached block storage**.
- Includes availability, number of disks, and size **based on EC2 instance type**.
- Is optimized for **up to 365,000 Read IOPS** and 315,000 First Write IOPS.
- Is SSD or magnetic.
- Has **no persistence**.
- **Automatically deletes** data when an EC2 instance stops, fails or is terminated.

Amazon EBS vs. Amazon EC2 Instance Store

Amazon EBS

- Data stored on an Amazon EBS volume can persist independently of the life of the instance.
- Storage is **persistent**.

Amazon EC2 Instance Store

- Data stored on a local instance store persists only as long as the instance is alive.
- Storage is **ephemeral**.

Module 3

Security, Identity, and Access Management

AWS Shared Responsibility Model

Customers

Customer Applications & Content

Platform, Applications, Identity, and Access Management

Operating System, Network, and Firewall Configuration

Client-side Data
Encryption

Server-side Data
Encryption

Network Traffic
Protection

Customers are responsible for security **IN** the cloud

AWS Foundation Services

Compute

Storage

Database

Networking

AWS Global
Infrastructure

Availability Zones

Regions


Edge Locations

AWS is responsible for the security **OF** the cloud




Physical Security

- 24/7 trained **security staff**
- AWS data centers in **nondescript** and **undisclosed** facilities
- **Two-factor authentication** for authorized staff
- **Authorization** for data center access



Hardware, Software, and Network

- Automated **change-control** process
- Bastion servers that **record all access attempts**
- **Firewall** and other **boundary devices**
- **AWS monitoring** tools



Certifications and Accreditations



ISO 9001, ISO 27001, ISO 27017, ISO 27018, IRAP (Australia), MLPS Level 3 (China), MTCS Tier 3 Certification (Singapore) and more ...

SSL Endpoints

| SSL Endpoints | Security Groups | VPC |
|--|---|--|
| Secure Transmission Use secure endpoints to establish secure communication sessions (HTTPS). | Instance Firewalls Use security groups to configure firewall rules for instances. | Network Control Use public and private subnets, NAT, and VPN support in your virtual private cloud to create low-level networking constraints for resource access. |

Security Groups

| SSL Endpoints | Security Groups | VPC |
|--|---|--|
| Secure Transmission Use secure endpoints to establish secure communication sessions (HTTPS). | Instance Firewalls Use security groups to configure firewall rules for instances. | Network Control Use public and private subnets, NAT, and VPN support in your virtual private cloud to create low-level networking constraints for resource access. |

Amazon Virtual Private Cloud (VPC)

| SSL Endpoints | Security Groups | VPC |
|--|---|--|
| Secure Transmission Use secure endpoints to establish secure communication sessions (HTTPS). | Instance Firewalls Use security groups to configure firewall rules for instances. | Network Control Use public and private subnets, NAT, and VPN support in your virtual private cloud to create low-level networking constraints for resource access. |

AWS Identity and Access Management (IAM)



AWS IAM Authentication



- Authentication
- AWS Management Console
 - User Name and Password



IAM User

Account:

User Name:

Password:

MFA users, enter your code on the next screen.

Sign In



AWS IAM Authentication



- Authentication
- AWS CLI or SDK API
 - Access Key and Secret Key



IAM User

Access Key ID: AKIAIOSFODNN7EXAMPLE
Secret Access Key: wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY

AWS CLI

```
~$ aws configure
AWS Access Key ID [*****O22A]:
AWS Secret Access Key [*****4m8i]:
Default region name [ap-southeast-1]:
Default output format [json]:
```

AWS SDK & API



Java




Python



.NET

AWS IAM User Management - Groups



AWS IAM Authorization



Authorization

- Policies:
 - Are JSON documents to describe permissions.
 - Are assigned to users, groups or roles.



IAM User



IAM Group



IAM Roles

AWS IAM Policy Elements




```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Stmt1453690971587",
      "Action": [
        "ec2:Describe*",
        "ec2:StartInstances",
        "ec2:StopInstances"
      ],
      "Effect": "Allow",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "54.64.34.65/32"
        }
      }
    },
    {
      "Sid": "Stmt1453690998327",
      "Action": [
        "s3:GetObject*"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:s3:::example_bucket/*"
    }
  ]
}
```




IAM Policy

AWS IAM Policy Assignment



AWS IAM Policy Assignment



AWS IAM Roles




- An IAM role uses a policy.
- An IAM role has no associated credentials.
- IAM users, applications, and services may assume IAM roles.



IAM Roles

AWS IAM Policy Assignment



Example: Application Access to AWS Resources



- Python application hosted on an Amazon EC2 Instance needs to interact with Amazon S3.
- AWS credentials are required:
 - ~~Option 1: Store AWS Credentials on the Amazon EC2 instance.~~
 - Option 2: Securely distribute AWS credentials to AWS Services and Applications.



IAM Roles

AWS IAM Roles - Instance Profiles

Amazon EC2



1

Create Instance

Step 3: Configure Instance Details
Configure the instance to suit your requirements. You can launch multiple instances from the same AMI, request Spot instances to take advantage of the lower pricing, assign an access management role to the instance, and more.

Number of instances: 1 [Launch into Auto Scaling Group](#)

Purchasing option: ☐ On-Demand ☐ Request Spot instances

Network: [Create new VPC](#)

Subnet: [Create new subnet](#)

Auto-assign Public IP: [Create new VPC](#)

Domain join directory: [Create new directory](#)

IAM role: [Create new IAM role](#)

Shutdown behavior: [Create new IAM role](#)

Enable terminating protection: [Create new IAM role](#)

Monitoring: ☐ Enable CloudWatch detailed monitoring. Additional charges apply.

Tenancy: [Additional charges will apply for dedicated tenancy.](#)

Select IAM Role

2



App &



3

EC2 MetaData Service

<http://169.254.169.254/latest/meta-data/iam/security-credentials/rolename>

Amazon S3




Application interacts with S3

4




AWS IAM Roles – Assume Role



AWS CloudTrail



- Records AWS API calls for accounts.
- Delivers log files with information to an Amazon S3 bucket.
- Makes calls using the AWS Management Console, AWS SDKs, AWS CLI and higher-level AWS services.



Module 4: Databases

SQL and NoSQL Databases

| | SQL | NoSQL |
|--------------|------------------|------------------------------------|
| Data Storage | Rows and Columns | Key-Value |
| Schemas | Fixed | Dynamic |
| Querying | Using SQL | Focused on collection of documents |
| Scalability | Vertical | Horizontal |

SQL

| ISBN | Title | Author | Format |
|---------------|--------------------------|--------------|-----------|
| 9182932465265 | Cloud Computing Concepts | Wilson, Joe | Paperback |
| 3142536475869 | The Database Guru | Gomez, Maria | eBook |


NoSQL

```
{
  ISBN: 9182932465265,
  Title: "Cloud Computing Concepts",
  Author: "Wilson, Joe",
  Format: "Paperback"
}
```

Data Storage Considerations

- No one size fits all.
- Analyze your data requirements by considering:
 - ✓ Data formats
 - ✓ Data size
 - ✓ Query frequency
 - ✓ Data access speed
 - ✓ Data retention period

AWS Managed Database Services



Amazon Relational Database Service (RDS)



Amazon
RDS

- Cost-efficient and **resizable capacity**
- Manages time-consuming **database administration** tasks
- Access to the full capabilities of **Amazon Aurora, MySQL, MariaDB, Microsoft SQL Server, Oracle, and PostgreSQL** databases

Amazon RDS



- Simple and **fast to deploy**
- Manages common database administrative tasks
- **Compatible** with your applications
- Fast, predictable performance
- Simple and **fast to scale**
- Secure
- Cost-effective



How Amazon RDS Backups Work



Automatic Backups:

- Restore your database to a point in time.
- Are enabled by default.
- Let you choose a retention period up to 35 days.



Manual Snapshots:

- Let you build a new database instance from a snapshot.
- Are initiated by the user.
- Persist until the user deletes them.
- Are stored in Amazon S3.


Cross-Region Snapshots



- Are a **copy** of a **database** snapshot stored in a **different AWS Region**.
- Provide a backup for disaster **recovery**.
- Can be used as a **base** for **migration** to a different region.




Amazon RDS Security



- Run your DB instance in an **Amazon VPC**.
- Use **IAM policies** to grant access to RDS resources.
- Use **Security Groups**.
- Use Secure Socket Layer (**SSL**) connections with DB instances (Amazon Aurora, Oracle, MySQL, MariaDB, PostgreSQL, Microsoft SQL Server).
- Use RDS **encryption** to secure instances and snapshots at rest.
- Use network encryption and transparent data encryption (**TDE**) with Oracle DB and Microsoft SQL Server instances.
- Use security features of your DB engine to **control access** to DB instance.

A Simple Application Architecture




Multi-AZ RDS Deployment



- With **Multi-AZ** operation, your database is **synchronously replicated to another Availability Zone** in the same AWS Region.
- **Failover** to the standby **automatically** occurs in case of master database failure.
- Planned maintenance is applied first to standby databases.

A Resilient, Durable Application Architecture



Elastic Load Balancing
load balancer instance

Application, in Amazon
EC2 instances

Amazon RDS database instances:
Master and Multi-AZ standby

DB snapshots in
Amazon S3


Amazon DynamoDB



Amazon
DynamoDB

- Allows you to store any amount of data with **no limits**.
- Provides fast, predictable performance using **SSDs**.
- Allows you to easily provision and change the **request capacity** needed for each table.
- Is a **fully managed, NoSQL** database service.

DynamoDB Data Model



Primary Keys




Table: Music
Partition Key: Artist
Sort Key: Song Title

(DynamoDB maintains a sorted index for both keys)

Provisioned Throughput




- You specify how much **provisioned throughput capacity** you need for reads and writes.
- Amazon DynamoDB allocates the necessary machine resources to meet your needs.

Supported Operations






- **Query:**
 - Query a table using the partition key and an optional sort key filter.
 - If the table has a secondary index, query using its key.
 - It is the **most efficient way to retrieve items** from a table or secondary index.
- **Scan:**
 - You can scan a table or secondary index.
 - Scan reads every item – **slower than querying**.
- You can use conditional expressions in both Query and Scan operations.

Simple Application Architecture




Database Considerations

| If You Need | Consider Using |
|---|---|
| A relational database service with minimal administration | Amazon RDS <ul style="list-style-type: none">• Choice of Amazon Aurora, MySQL, MariaDB, Microsoft SQL Server, Oracle, or PostgreSQL database engines• Scale compute and storage• Multi-AZ availability  |
| A fast, highly scalable NoSQL database service | Amazon DynamoDB <ul style="list-style-type: none">• Extremely fast performance• Seamless scalability and reliability• Low cost  |
| A database you can manage on your own | Your choice of AMIs on Amazon EC2 and Amazon EBS that provide scale compute and storage, complete control over instances, and more.  |

Module 5

AWS Elasticity and Management Tools

Triad of Services



Elastic Load Balancing




Elastic Load
Balancing

- **Distributes** traffic across multiple EC2 instances, in multiple Availability Zones
- Supports **health checks** to detect unhealthy Amazon EC2 instances
- Supports the **routing and load balancing** of HTTP, HTTPS, SSL, and TCP traffic to Amazon EC2 instances

Classic Load Balancer - How It Works




Register instances with your load balancer.



Application Load Balancer – How It Works



Register instances as targets in a target group, and route traffic to a target group.




Amazon CloudWatch





Amazon
CloudWatch

- A **monitoring service** for AWS cloud resources and the applications you run on AWS
- **Visibility into** resource utilization, operational performance, and overall demand patterns
- **Custom application-specific** metrics of your own
- **Accessible** via AWS Management Console, APIs, SDK, or CLI



Amazon CloudWatch Facts




- Monitor other AWS resources
 - View graphics and statistics
- Set Alarms



Amazon CloudWatch Architecture





Auto Scaling



Auto
Scaling

- **Scale** your Amazon EC2 capacity **automatically**
- Well-suited for applications that experience **variability in usage**
- Available at no additional charge


Auto Scaling Benefits



**Better
Availability**




Launch Configurations




- A **launch configuration** is a template that an Auto Scaling group uses to launch EC2 instances.
- When you create a launch configuration, you can specify:
 - AMI ID
 - Instance type
 - Key pair
 - Security groups
 - Block device mapping
 - User data




Auto Scaling Groups



- Contain a collection of EC2 instances that share similar characteristics.
- Instances in an Auto Scaling group are treated as a **logical grouping** for the purpose of instance scaling and management.





Dynamic Scaling



- You can create a scaling policy that uses **CloudWatch alarms** to determine:
 - When your Auto Scaling group should **scale out**.
 - When your Auto Scaling group should **scale in**.
- You can use alarms to monitor:
 - Any of the metrics that AWS services send to Amazon CloudWatch.
 - Your own **custom metrics**.

Auto Scaling Basic Lifecycle




AWS Trusted Advisor



AWS Trusted
Advisor

- **Best practice** and recommendation engine.
- Provides AWS customers with performance and security recommendations in four categories:
 - **Cost optimization**
 - **Security**
 - **Fault tolerance**
 - **Performance improvement.**

Cost Optimization



- Amazon EC2 Reserved Instance Optimization
- Low-utilization Amazon EC2 Instances
- Idle load balancers
- Underutilized Amazon EBS volumes
- Unassociated Elastic IP addresses
- Amazon RDS idle DB instances

Cost Optimization




2  4 

0 

0 excluded items

Security



- Security groups
- AWS IAM use
- Amazon S3 bucket permissions
- MFA on Root Account
- AWS IAM password policy
- Amazon RDS security group access risk

Security




4 ✓ 2 ⚠

3 !

1 excluded items

Fault Tolerance



- Amazon EBS Snapshots
- Load balancer optimization
- Auto Scaling Group Resources
- Amazon RDS Multi-AZ
- Amazon Route 53 name server delegations
- ELB connection draining

Fault Tolerance




9 ✓ 2 ⚠

2 ⚠

1 excluded items

Performance Improvement



- High-utilization Amazon EC2 instances
- Service limits
- Large number of rules in EC2 security group
- Over-utilized Amazon EBS magnetic volumes
- Amazon EC2 to EBS throughput optimization
- Amazon CloudFront alternate domain names

Performance



8 ✓ 0 !

0 !


0 excluded items

Module 6

Course Wrap-Up

Expand Your Cloud Skills with AWS


Online videos and labs



Start working with an AWS service in minutes with free online instructional videos and labs

aws.amazon.com/training/self-paced-labs


Instructor-led courses



Learn how to design, deploy, and operate highly available, cost-effective, and secure applications on AWS

aws.amazon.com/training

Certification



Validate your proven technical expertise with the AWS platform and gain recognition for your skills

aws.amazon.com/certification



Self-Paced Labs

- Learn an individual [AWS Service topic](#)
- [Follow a Learning Quest by AWS Service Area or Use Case](#)
- Practice working with AWS as you [prepare for an exam](#)



For more information, see aws.amazon.com/training/self-paced-labs/.

AWS ILT Training Courses



Introductory courses

AWS Technical Essentials

1 day

Intermediate courses

Architecting on AWS

3 days

Developing on AWS

3 days

Systems Operations on AWS

3 days

Advanced courses

Advanced Architecting on AWS

3 days

DevOps Engineering on AWS

3 days

Security Operations on AWS

3 days

Specialty courses

Migrating to AWS

2 days

Big Data on AWS

3 days

Data Warehousing on AWS

3 days

<https://aws.amazon.com/training/>

AWS Certification




AWS Certified Solutions
Architect - Associate

AWS Certified Solutions
Architect - Professional



AWS Certified
Developer - Associate

AWS Certified DevOps Engineer - Professional



AWS Certified SysOps
Administrator - Associate

For more information, see aws.amazon.com/certification.

Preparing for AWS Certification

For resources to help you prepare for the certification exam, see

aws.amazon.com/certification.

**Exam Guides &
Sample Questions**

AWS-Authored Study Guide

Self-Paced Labs on qwikLABS

AWS Technical Training

**AWS Whitepapers &
FAQs**

**AWS Documentation &
Reference Architectures**

Practice Exams

AWS Support

Support Comparison

| | Enterprise | Business | Developer | Basic |
|---|---|--|---------------------------------------|--------------------------------------|
| Customer Service 24x7x365 | ✔ | ✔ | ✔ | ✔ |
| Support Forums | ✔ | ✔ | ✔ | ✔ |
| Documentation, White Papers, Best Practice Guides | ✔ | ✔ | ✔ | ✔ |
| AWS Trusted Advisor | Full Checks | Full Checks | Basic Checks | Basic Checks |
| Access to Technical Support | Phone, chat, email, live screen sharing, TAM (24/7) | Phone, chat, email, live screen sharing | Email (local business hours) | Support for Health Checks |
| Primary Case Handling | Sr. Cloud Support Engineer | Cloud Support Engineer | Cloud Support Associate | Technical Customer Service Associate |
| Users who can create Technical Support cases | Unlimited (IAM supported) | Unlimited (IAM supported) | 1 (account credentials only) | |
| Case Severity/Response Times | Critical: < 15 minutes Urgent: < 1 hour High: < 4 hours Normal: < 12 hours Low: < 24hours | Urgent: < 1 hour High: < 4hours Normal: < 12 hours Low: < 24hours | Normal: < 12 hours Low: < 24 hours | |
| Architecture Support | Application Architecture | Use case guidance | Building blocks | |
| Best Practice Guidance | ✔ | ✔ | ✔ | |
| Client-Side Diagnostic Tools | ✔ | ✔ | ✔ | |
| AWS Support API | ✔ | ✔ | | |
| Third-Party Software Support | ✔ | ✔ | | |
| Infrastructure Event Management | ✔ | Available at additional cost | | |
| AWS Concierge | ✔ | | | |
| Direct access to Technical Account Manager (TAM) | ✔ | | | |
| Prioritized Case Routing | ✔ | | | |
| Management Business Reviews | ✔ | | | |

Instructor Demo

© 2017, Amazon Web Services, Inc. or its affiliates. All rights reserved.

This work may not be reproduced or redistributed, in whole or in part, without prior written permission from Amazon Web Services, Inc. Commercial copying, lending, or selling is prohibited.

Errors or corrections? Email us at aws-course-feedback@amazon.com.

Other questions? Contact us at
<https://aws.amazon.com/contact-us/aws-training/>.

All trademarks are the property of their owners.