

What changed in production.


A before-and-after guide to the quotation, invoice and request-workflow release deployed on 24 September 2026.

Production deployment succeeded

Release PR #235

8 workflow areas

Growth can choose the origin warehouse, keep quotation rounds separate, publish reviewed customer content, and issue invoices tied to the exact quoted version. Request editing and escalation evidence are clearer, with safeguards against stale edits and misleading status.



Scope: previous production 1f319b4 → deployed cfaa697; 126 changed files, grouped here by user impact. Merged 24 September, 06:59 IST. Release PR · Successful production deployment. This is a source-reviewed release guide, not a claim that every live customer journey has been replayed.

Build a quotation without losing your choices

Change	Before this release	Now in the deployed code
Choose the origin warehouse	Growth could not explicitly change Sourcy's origin/consolidation warehouse in the quotation builder.	Select the origin warehouse and use its available freight rates. This is Sourcy's warehouse, not the customer's delivery address.
Keep saved logistics visible during an outage	An unavailable logistics catalogue could make saved warehouse/rate selections disappear from the available choices.	Saved selections remain visible during catalogue outages. Rates from different origin warehouses are not mixed.
Keep terms and navigation stable	Overlapping saves could temporarily clear selected terms and move the wizard backwards. Permanent term loss was not reproduced.	Pending edits are reconciled with saved responses so older responses do not undo newer choices.
Enter sample inbound charges in CNY	Sample-price currency conversion already worked, but sample inbound charges still used a USD input flow.	Enter sample inbound fees in CNY; the application converts them into its internal USD calculation basis. The sample price keeps its own currency selection.
Recheck logistics after editing a request	A reset could clear selected routes but keep an old freight mode, allowing a built-in fallback estimate.	The old freight mode is cleared too. Review and select logistics again after changing the request.

What to do now: Choose the correct origin before choosing freight. Review the sample price currency separately from the CNY inbound-fee field.

PR #231 · PR #232
[src/features/requests/quote-page.tsx](#) · [src/queries/requests.ts](#) · [src/features/requests/components/sample-product-details.tsx](#) · [server/service/quote.ts](#)

Make delivery prices comparable

Change	Before this release	Now in the deployed code
Compare routes independently	Legacy route selections could be treated as combined legs rather than separate delivery offers.	Air, Sea and Land choices are priced independently. Each choice retains its own last-mile charge and external costs.
Match sea-freight calculation	Sea billing did not fully match S-Cube's minimum, heavy-goods and volume-rounding rules.	Sea CBM rates use a minimum of 1 CBM, account for weight ÷ 500, and round billable volume upward to 0.1 CBM.
Apply markups to the intended costs	Product, inbound, outbound, QC and BNPL treatment differed from the S-Cube reference calculation.	Product markup covers goods + inbound. Logistics markup covers outbound freight. QC is added without logistics markup; eligible Philippines 60-day BNPL adds 3.62%.
Preserve small prices and currency totals	Premature unit or freight rounding could change the payable total, especially for large quantities of low-priced items.	Currency conversion and rounding follow the S-Cube calculation. Sub-cent unit prices are retained; payable amounts are rounded at the appropriate total level.

Illustrative example: goods of \$1,000 + Sea delivery of \$100 = \$1,100; goods + Air delivery of \$300 = \$1,300. These are two alternatives—not a combined \$1,400 quote. Example excludes markups, discounts and other fees.

What to do now: Compare each delivery option's own total. "Margin" controls follow the implemented S-Cube markup calculation; they are not a cost ÷ (1 – margin) formula. QC is excluded for FOB and products-only quotes.

PR #221
[shared/quote.ts](#) · [shared/___tests___/quote-scube-parity.test.ts](#) · [server/worksheets/sheet-pricing.ts](#)

Keep the customer quotation clean

Change	Before this release	Now in the deployed code
Separate internal notes from customer copy	Internal sourcing summaries and escalation wording could reach customer-facing content.	Customer selling points are explicitly authored. Internal admin/escalation wording is filtered from supported customer text fields; the published document keeps only allowed fields.
Use the photo Growth approved	Source galleries could supply the displayed image, including evidence images.	The customer document uses Growth's explicit customer-photo selection. Known screenshot/chat-image filenames are rejected. This is not automatic visual detection of every possible screenshot.
Hide supplier identity	Supplier names and marketplace IDs could remain in the published quotation data.	Customer options use neutral names and IDs such as Option 1. Marketplace product links and sourcing provenance are omitted; private source information remains available internally.
Compare the same customer requirements	Supplier-specific details could displace the shared requirements used to compare options.	Keep the shared customer requirements and show each supplier's own answers or differences alongside them.
Retain commercial facts through publication	Reviewed fields could be lost or overwritten as quotation data was published or enriched.	Preserve reviewed content and commercial terms. The document displays each item's quoted quantity and payable pricing, including unit-price precision.

What to do now: Choose the customer photo, review selling points, check each quantity and total, and review the PDF before sending. A missing approved photo can leave the image blank.

PR #233 · PR #235
[server/quote/customer-document.ts](#) · [shared/quote-customer-content.ts](#) · [shared/quotation-document.ts](#) · [src/features/requests/published-quote-document.tsx](#)

Publish once, then track delivery

Change	Before this release	Now in the deployed code
Publish and send together	Publishing made a quotation available, but the previous publish flow did not notify the customer.	Publish and send stores the reviewed quotation and asks Brain to send that exact published version.
Retry without making a new revision	Sending was not integrated into the publish flow with a retry tied to the saved version.	A failed send leaves the quotation intact. Retry sending the same version instead of publishing again.
Distinguish sent from unconfirmed	An acknowledgement or an uncertain response could be mistaken for completed delivery.	The UI distinguishes sent, pending and failed. Pending is not proof of delivery; its publish toast does not offer a retry shortcut. Check notification history first.
Preserve a successful send result	A cache-refresh error after a successful send could turn the request response into an error.	Cache invalidation failure is logged without replacing the delivery result.

Delivery result → next action

Sent

Customer notification confirmed

Pending

Check notification history first

Failed

Retry the same saved version


These are three possible outcomes after publication. Sending again does not require a new quotation revision.

What to do now: If delivery fails, resend the saved quotation. If delivery is pending, check notification history before retrying. Publishing does not pause agents or transfer Brain ownership.

PR #224 · PR #235
[server/brain/commands.ts](#) · [server/routes/requests.ts](#) · [src/queries/requests.ts](#) · [docs/squad-brain-handoff.md](#)

Keep Initial, Sample and Bulk separate

Change	Before this release	Now in the deployed code
Independent quotation workspaces	The application did not preserve fully independent drafts for Initial, every Sample round and Bulk.	Each stage/round keeps its own saved products, specifications, selection, prices and terms.
Start another sample round safely	A new sample iteration lacked its own preserved predecessor and independent publication history.	New sample round copies the latest saved sample round, preserves the old one and clears publication/final-settlement markers. Review the copied values before publishing.
Use the matching Google Sheet	A shared draft/sheet model could not safely isolate work across quotation rounds.	Each stage/round has its own Sheet. Automatic sync works on the active round; inactive-sheet edits are imported when that round becomes active again.
Protect against stale tabs and wrong-round writes	Concurrent operations could finish after the active quotation context changed.	Stale saves, imports and cross-round writes are rejected. Reload a stale tab rather than overwriting the current round.
Give Growth a visual Sheets guide	The team lacked the new consolidated visual guide for the worksheet flow.	A Growth Google Sheets guide is included in the release, alongside stage/round instructions and acceptance steps.



What to do now: Sync Sheet edits before copying a round. Select the intended stage/round before editing, restoring history or generating an invoice. Existing sample data is treated as round 1.

Make issued invoices stay accurate

Change	Before this release	Now in the deployed code
Use the exact published quotation	Invoice pricing/selection did not consistently enforce the exact published quotation identity and pricing.	Create invoices from eligible published Sample/Bulk versions. Use that quotation's ID, revision, quantities, prices and saved currency data—not the current draft.
Block incomplete pricing	Missing prices, quantities, exchange rates or unexplained totals could produce unreliable invoice output.	Incomplete or inconsistent published pricing blocks creation instead of silently becoming a zero-price invoice.
Choose billing and delivery details	Invoice rendering relied on fixed/default billing details rather than an invoice-specific saved snapshot.	Choose bill-to and ship-to addresses belonging to the customer. Review the payment profile matched to the published entity and currency.
Freeze the issued document	Later changes to customer details or configuration could affect how invoice information was rendered.	New invoices freeze seller, addresses, payment instructions and the priced document. Later edits do not rewrite that invoice; payment/void status can still change.

What to do now: Check the selected round/revision, both addresses and the payment instructions before issuing. Older invoices are not retroactively given billing snapshots; legacy documents keep their compatibility behavior.

PR #222 · PR #223
[shared/invoice.ts](#) · [server/service/invoice-billing.ts](#) · [server/service/invoices.ts](#) · [docs/invoice-billing.md](#)

Edit, close and repeat requests

Change	Before this release	Now in the deployed code
Edit the full request	Squad lacked this full request-management editor.	Eligible requests can be edited for customer/contact, delivery address, owner, date, brief and item requirements, including quantities, target prices, specifications and reference images.
Keep list and detail views aligned	Shadow edit rows could leave old or removed item names in the list; products linked to edited specs could disappear from detail output.	The list uses the latest applicable edit/removal. Products attached to excluded edited-spec rows remain visible in the unassigned/extension product group.
Close requests with a reason	The new native close-as-lost action was unavailable.	Close eligible requests as lost with a recorded reason. Existing quotations and invoices remain available.
Copy or reorder without stale approvals	There was no equivalent native copy/reorder workflow for these product references.	Copy selected items from a request or past order into a new request or an eligible request for the same customer. Keep references, but clear old pricing and approvals for fresh review.
Respect the source and target round	Copying within the same SR could read source facts under the target round.	Source facts are read under the source round; destination changes remain scoped to the target. Manual reorders can be published without waiting for Brain to create a request.

What to do now: Editing/closing remains blocked when Brain controls the request or ownership cannot be confirmed. Recheck stock, MOQ, prices and delivery on copied items.

[PR #226](#) · [PR #227](#) · [PR #235](#)

[src/features/requests/edit-request-page.tsx](#) · [server/service/request-management.ts](#) · [server/legacy/requests.ts](#) · [server/adapt/request.ts](#)

Understand why a request is blocked

Change	Before this release	Now in the deployed code
See progress per item	Escalation status was less explicit about which item was blocked and what type of blocker applied.	Show item-level progress, blocker kinds and the relevant option target in the brief/escalation view.
See which options counted	Growth had less visibility into qualification evidence behind a quotation-stage block.	Show qualification traces where Brain provides them: counted options, rejected candidates, duplicate variants and missing identity evidence. A trace-only escalation now renders its context.
Use accurate coverage labels	Requested-spec counts were labelled as must-have counts in some views.	Requested specs and mandatory specs are labelled separately, so a general coverage ratio is not presented as confirmed must-haves.
Do not guess evidence provenance	Missing provenance from older Brain responses was shown as a definite legacy-strategy fallback.	Missing/unrecognized provenance is unknown. Neutral wording replaces a claim that the UAS execution record was not retained.

What to do now: Use the item-level evidence to decide the next action. Trace availability depends on Brain’s recorded data; the UI does not invent evidence for older runs or before quotation.

[PR #229](#) · [PR #235](#)
[server/escalations/squad-routes.ts](#) · [server/adapt/request.ts](#) · [src/features/requests/components/agent-activity-dialog.tsx](#) · [src/features/requests/components/escalation-resolution-panel.tsx](#)

READ BEFORE USING THE RELEASE

What is—and is not—new.

Earlier fixes retained

The earlier quotation audit also checked logistics progression, Single versus Carton validation, reuse of saved sample quantity/price/packing, per-item quantity and payable-total display. These should not all be described as features first introduced on 24 September.

This release specifically adds or strengthens save reconciliation, CNY sample inbound entry, warehouse selection, customer content isolation and pricing precision.

The Google Sheet dimension-correction fix was already on the previous production version and was backmerged before this release. It is not a new change in this comparison.

Limits that still apply

- Brain ownership takeover/handback and agent pausing are not delivered here.
- Editing/closing Brain-controlled or unconfirmed requests remains blocked.
- Older invoices do not receive inferred historical billing snapshots.
- A supplier screenshot with an unrecognizable filename still needs Growth's review; no image-classification guarantee is made.
- Production deployment success does not independently prove live Sheets sync or customer notification delivery for every account.

Growth's final review checklist

1. Select the intended quotation stage and sample round.
2. Check each selected product's quantity, sample details and chosen packing mode.
3. Select Sourcy's origin warehouse and review each delivery option's own total.
4. Review the customer photo, selling points, shared requirements and terms.
5. Publish once; check delivery status before considering a resend.
6. For invoices, select the exact published Sample/Bulk version and review billing details.

Source: shipped code and the release's earlier audit context. For operational instructions, see [stages and rounds](#), [invoice billing](#), and [Growth's Sheets guide](#).

How this guide was checked.

- Compared the release file/commit inventory with the preceding production commit; grouped application, database, tests and guide changes by workflow.
- Verified key behaviors against deployed source and regression tests, including pricing, private/public data separation, independent rounds, stale saves, source/target copying and invoice snapshots.
- The release includes the final CR fixes and the small single-route pricing simplification. That simplification has no intended user-visible behavior change.
- Pre-push checks: 1,162 passing tests, 60 skipped; type-check, build and formatting passed. A targeted local PostgreSQL check covered edited, removed and new item names. Existing configuration/large-file and bundle-size warnings remained.
- GitHub's production deployment for `cfaa697` succeeded. No new live customer notification was sent while preparing this guide.

Rollout dependencies

The release requires Squad migrations `0045_invoice_billing_snapshot.sql` and `0046_quote_stage_rounds.sql`. Sending uses the configured Brain service secret. This document verifies the deployment result, not the live database's migration records or secret values.

About the visuals

The three flowcharts explain the implemented workflows. They are not screenshots of customer records or evidence of live UAT.

[Full release comparison](#) · [Final review fixes](#) · [Deployment record](#)

Prepared 24 September 2026 · Internal team guide · S-Quad release #235
This file works offline. Source links require GitHub access.