

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Find the dealers and verify	57.294 s	1	0	1	0	5	4	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Find the dealers and verify	Find the dealers and verify the dealers are in list

TAG	Scenario			Feature					
Name T P F S		T	P	F	S				
@regression	1	0	1	0	1	0	1	0	
@sanity	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Find the dealers and verify	1	0	1	0	57.294 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Find the dealers and verify	Find the dealers and verify the dealers are in list	5	4	1	0	57.290 s

DETAILED SECTION -- 7 -

Find the dealers and verify



Find the dealers and verify the dealers are in list



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	2.744 s
2	And I mouse hover on "buy + sell" tab	PASSED	0.274 s
3	When I click "Find a Dealer" link	PASSED	1.030 s
4	Then I navigate to "https://www.carsguide.com.au/car-dealers" url page	PASSED	0.021 s
5	And I should see the dealer names displayed on page	FAILED	48.306 s
	dealersName 5 Star Auto Trade		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//p[@class='paginationarrow'])[2]"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [611642aea1875b3ee77bc6cd6b68ea8c, findElement {value=(//p[@class='paginationarrow'])[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a, userDataDir: C:\Users\jayen\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61103/devtoo, se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		

!	Step / Hook Details	Status	Duration
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 611642aea1875b3ee77bc6cd6b68ea8c		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at au.com.carsguide.utility.Utility.clickOnElement(Utility.java:53)		
	at au.com.carsguide.pages.FindDealersResultPage.isDealerDisplayed(FindDealersResultPage.java:55)		
	at au.com.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDisplayedOnPage(FindDealersSteps.java:22)		
	at ?.I should see the dealer names displayed on page(file:///C:/Users/jayen/PrimeTesting/currentbatch/cars-guide-cucumber/src/test/		
	resources/featurefiles/finddealers.feature:12)		
	* Not displayable characters are replaced by '?'.		
	AFTER - au.com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.617 s
	Find the dealers and verify the dealers are in list		
	Gort a question? Shoot us an email. Land user granding to a set fail, but has to the set of the base of the set of the s		