

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Search functionality	45.960 s	1	0	1	0	11	10	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search functionality	Search the buy car with model


TAG		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Search functionality	1	0	1	0	45.960 s

SCENARIOS SUMMARY -- 6 --




#	-	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	11	10	1	0	45.956 s

DETAILED SECTION -- 7 --

Search functionality

FAILED	DURATION - 45.960 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 12:28:08.419 pm //	/ 12:28:54.379 pm /	Pass - 0	1	Pass - 10	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	3.227 s
2	And I mouse hover on "buy + sell" tab	PASSED	0.264 s
3	When I click "Used" link	PASSED	1.316 s
4	Then I navigate to "Used Cars" page	PASSED	0.089 s
5	And I select make "BMW"	PASSED	5.741 s
6	And I select model "3.0"	PASSED	10.188 s
7	And I select location "Queensland"	PASSED	0.085 s
8	And I select min price "\$5,000"	PASSED	0.109 s
9	And I select max price "\$50,000"	PASSED	0.089 s
10	And I click on Find My Next Car tab	PASSED	0.263 s
11	Then I should see the make "BMW" in results	FAILED	20.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h1[contains(@class,'searchtitle')]"} (Session info: chrome=131.0.6778.140) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [b39beacb4a49355bc8915b7f25a01714, findElement {using=xpath, value=//h1[contains(@class, contains)]}		

DETAILED SECTION -- 8 --

	Step / Hook Details	Status	Duration
1	'searchtitle')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.140, chrome: {chromedriverVersion: 131.0.6778.204 (52183f9e99a, userDataDir: C:\Users\jayen\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61462}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61462/devtoo, se:cdpVersion: 131.0.6778.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b39beacb4a49355bc8915b7f25a01714		
'	webautim.virtualAuthenticators: true; Session ID: b39beacb4a49355bc8915b7l25a01714 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/juk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.DelegatingConstructorAccessoringt.newinstance(DelegatingConstructorAccessoringt.java.43) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at java.base/java.lang.renect.Constructor.newmstance(Constructor.java.460) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.w3cHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.entpcommandExecutor.execute(httpcommandExecutor.java.190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocationsElement(ElementLocation.java:103)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java.366) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java.362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at au.com.carsguide.pages.SearchCarsResultPage.verifySearchFilter(SearchCarsResultPage.java:28)		
	at au.com.carsguide.steps.SearchCarsSteps.iShouldSeeTheMakeInResults(SearchCarsSteps.java:55)		
	at ?.I should see the make "BMW" in results(file:///C:/Users/jayen/PrimeTesting/currentbatch/cars-guide-cucumber/src/test/resources/		
	featurefiles/buy.feature:19)		
-	* Not displayable characters are replaced by '?'.		
Ŀ	AFTER - au.com.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.472 s
	Search the buy car with model		
	Carrie glade The control of the con		