

First run: the reference book

Every stage of getting somebody from a sealed box to a live air reading, and then to a household — with what five smart-home apps do at each stage, what to take from each, and what to refuse. Read alongside `docs/features/first-run/prd.md`.

5

APPS READ

17

STAGES

85

REFERENCE SCREENS

~130

SCREENS REVIEWED

Before you read this

About the reference tiles

84 of the 85 tiles reference a real competitor screen. 69 of them are the actual Mobbin capture, pulled through Mobbin's own MCP connector and saved into `docs/research/refs/`. The remaining 15 are **hand-drawn wireframes**, labelled as such under the image: they carry the real layout, hierarchy and verbatim copy, but the screen was not reachable through the connector's search. The 85th tile is ours — stage M has no competitor equivalent.

Every tile names its app, flow and screen, so any of them can be opened on Mobbin directly. To replace a remaining wireframe, save the capture as `docs/research/refs/<slug>.png` and re-run `python3 docs/research/build-refs.py` — a slug with a real file present always wins. `docs/research/refs-map.json` lists all 85 slugs with their source and current state, and `fetch-refs.py` is the pipeline that fetched them.

What is still redrawn, and why. These fifteen sit in flows the MCP search did not return — mostly account-creation and settings screens, which are less well indexed than setup flows:

STAGE	APP	SCREEN
A, C	Google Home, Amazon Alexa	Welcome home · Sign in (both apps' account screens)
C, D	SmartThings	Create your Samsung account · Optional opt-ins · One account. Any device.
D, J	Google Home	Removing saved WiFi and home address · Saved WiFi
F, K	Google Home	Choose a device · Devices, groups and rooms
K	IKEA Home smart, Apple Home	Create a room · Choose Icon
N, O	IKEA Home smart	Common issues and solutions · Guest requests access from a host
Q	Google Home	Deleting Home

Three captions were corrected once the real screens arrived: IKEA's analytics consent uses *checkboxes*, not radio buttons; Google Home has no standalone Device access screen, so stage Q now shows the *Invite sent* state instead; and SmartThings' device-added screen does not exist as such — stage M now shows the Favorites grid that setup both starts and ends in. Where a real capture contradicted a note, the note lost.

The one decision in here

The brief suggested the household before the device. Every reference app does the opposite, and so does this book. **Five out of five put device before people.** Not one asks for a household member during first run; members always live in Settings, reached later, deliberately.

The reason is structural rather than fashionable. **An invitation to a home with nothing in it is an invitation to nothing** — no device to scope, no permission worth granting, and no way for the invitee to tell whether accepting did anything. And the ask lands completely differently once the reveal has happened: somebody who has just seen “*your bedroom is 34, the street is 168*” has a reason to add their family. The same screen, ninety seconds earlier, is a chore.

APP	ORDER IT ACTUALLY SHIPS	WHERE MEMBERS LIVE
Google Home	Sign in → create home (name, address skippable) → choose home → what's new → favourites → devices empty state → add device	Settings → Invite person
Apple Home	A Home already exists → + → Add Accessory → room	Same + menu, never prompted

SmartThings	4 value slides (3 OS prompts) → Samsung account (13 screens) → location name + geolocation → scan → pair (22 screens)	No member flow captured at all
IKEA Home smart	Region → privacy → analytics consent → editorial welcome → hub setup (22 screens) → name home	No invite flow — guests <i>request</i> access from a host
Amazon Alexa	Account → device setup → Wi-Fi (28-screen onboarding)	Profile → Add Someone Else, much later

One more thing the set agrees on: one question per screen. No app in the five puts two decisions on one setup screen.

And one gap none of them fills. All five end setup with a device tile in a list. Nobody has a reveal. Air is invisible, so that final screen is the whole opportunity — see stage M.

A The first screen

Earn one tap. Nothing else.

At this moment the user is thinking “Is this going to be a whole evening?”




IKEA Home smart

Onboarding › Splash

No headline at all — a lit room, a lamp, the logo.

Take. Sets a domestic register before a single word of UI.




REDRAWN WIREFRAME

Google Home

Onboarding › Welcome home

“Control your content and devices from one place.”

Take the brevity. The illustration is generic; ours should be a room.




REDRAWN WIREFRAME

SmartThings

Onboarding › Control your devices

“View and control all your devices here. You can connect TVs, light bulbs, appliances, and more.”

Avoid — a feature list masquerading as a welcome, and it fires an OS permission dialog on top of itself.




REDRAWN WIREFRAME

Amazon Alexa

Onboarding › Sign in

Account first, before any statement of value.

Avoid. 28 screens follow.



REDRAWN WIREFRAME

IKEA Home smart

Onboarding › Let's start with your region

“We'll provide local Terms & Conditions so you know what to expect from the app.”

Take the pattern, not the question: the very first ask already says why it is being asked.

WHAT NOMA DOES

1.1 Welcome — a warm room photograph, not a product shot. The purifier is furniture in the frame, not the subject. One line, one button, terms at the foot.

The only screen in the flow allowed a full-bleed image and no explanation.


RULES THIS SETS

- A room, not a device. The product is the calm, not the box.
- One button. No secondary path competing with it.
- Terms as a footnote, never a modal.

B Value slides

Three claims, skippable, and never a promise we cannot render.

At this moment the user is thinking “Just let me get on with it.”



WHAT NOMA DOES

1.2 Three slides — *One app, whole home · It runs itself · Your data stays home.*
Dots plus a persistent Skip.

Slide 4 is cut. The prototype promises *Home Score* here, before any device exists, and no zero-device Score state has ever been designed. Design that state or stop promising it.

Your data stays home comes third on purpose — it lands immediately before the consent screens, so consent reads as confirmation rather than ambush.

RULES THIS SETS


- Never promise a surface whose empty state does not exist.
- Skip is visible on every slide, from the first.
- Three, not four. Every app in the set that ran four or more used the extras for features, not for reasons.



Account

Identity with the smallest possible surface.

At this moment the user is thinking “What are you going to do with this?”




REDRAWN WIREFRAME

Google Home

Onboarding › Sign in

Google account, in an in-app browser at accounts.google.com.

Platform-account shortcut. Not available to us, and it puts a browser chrome bar in the middle of onboarding.




REDRAWN WIREFRAME

SmartThings

Creating an account › Create your Samsung account

A wall of consent checkboxes inside account creation: service terms, specific terms, notice of financial incentives, plus three optional opt-ins.

Avoid. Consent bundled into signup is consent nobody reads. See stage D.




REDRAWN WIREFRAME

SmartThings

Onboarding › One account. Any device.

“One account. Any device. Just for you. Sign in to get started.”

Copy is good. The flow behind it is thirteen screens.




Amazon Alexa

Adding a family member › Welcome, Sam

“Let's get started. First, agree to the profile terms and conditions below to begin.”

Take for stage O — the new member consents for themselves, on the same handset.



Apple Home

Home settings › No account step at all

Home lives inside the Apple ID the phone already has.

The ceiling: zero account screens. We cannot reach it, but it is the direction to push — fewest screens between install and a live reading.

WHAT NOMA DOES

1.3 Phone number — “We’ll text you a code. Your number is how you get back in — nothing else.” India default, country selector present.

1.4 OTP — auto-advances on the sixth digit. The resend timer runs from t=0, not from the first failure.

Finding: not one of the five reference apps uses phone + OTP. All five are email-and-password account systems, three of them tied to a platform account (Google, Samsung, Amazon). For an Indian consumer product that is simply the wrong shape — phone-and-OTP is the local default and it removes the password entirely. We are deliberately unlike all five here, so there is no reference to copy: the bar is set by Indian fintech and commerce apps, not by these.

RULES THIS SETS


- The number is for sign-in and nothing else — say so on the screen.
- Resend visible immediately. A hidden resend turns a delayed SMS into a dead end.
- No password anywhere in the flow.



Consent

Satisfy the DPDP Act 2023 honestly, on its own screens, with nothing pre-ticked.

At this moment the user is thinking “Am I signing something?”



WHAT NOMA DOES

1.5 Privacy — scrollable, and **Continue** stays disabled until the reader reaches the bottom.

It must state the narrowing that `memory/architecture/ai-integration.md` §10 flags as unresolved: personal and biometric data stays on the device; *public ambient data — outdoor AQL and forecast — is fetched from the network*. “Your data never leaves home” without that sentence is a compliance exposure, not a tagline.

1.6 Analytics — two options, **neither pre-selected**, each with a Read more expander. Declining degrades nothing. ⚠ Blocked by C-11: until it closes, ship this screen with the analytics option *absent*, not defaulted.


RULES THIS SETS

- Consent gets its own screen. Never bundled into signup.
- Nothing pre-ticked, and refusal costs the user nothing.
- Gate Continue on having reached the bottom — it is the only honest way to claim it was read.

E Naming the home

Get a label without making the user compose one.

At this moment the user is thinking “I don’t know what to call it.”



WHAT NOMA DOES

1.7 Name your home — “Give your home a name — so you can tell it apart later.”

Chips: Home · My home · Mumbai flat · Mum & Dad’s. 0/25 counter.

The chips are the interface; the text field is the fallback. Mum & Dad’s is there for P1, who is often setting up a home she does not live in.

No address. Google asks for one before any device exists. We have no use for a street address at this point and asking for it spends trust we have not earned.


RULES THIS SETS

- Offer names, don’t demand one.
- Never ask for anything we cannot immediately justify — especially an address.
- A character counter, so a long name fails before it is submitted, not after.

F Choosing what to set up

Show the four device types we actually support and get out of the way.

At this moment the user is thinking “Will it even recognise my thing?”




Google Home

Adding a device › Devices — empty

“When any household member adds a device, it appears here.” + Add device.

Take the sentence. It explains the emptiness and hints that the home is shared.




REDRAWN WIREFRAME

Google Home

Adding a device › Choose a device

Three routes: Matter-enabled device · Google Nest or partner device · Works with Google Home.

Avoid for us. Three abstractions the user must self-diagnose before they can start.




Amazon Alexa

Adding a device (speaker) › Which device would you like to set up?

Brand shortcuts (echo, ring, blink, matter, kasa) then All Devices by type.

Marketplace shape. Correct for Amazon, wrong for a single-brand product.




Apple Home

Adding an accessory (Bridge) › Add Accessory

“Scan code or hold iPhone near the accessory.” Two how-to rows: Scan a Setup Code · Hold iPhone Near Accessory.

Take the two-route framing — one visual, one proximity — and the fact that both are explained on the same screen.



Apple Home

Home › The + menu

Add Accessory · Add Scene · Add Automation · Add Room · Add People · Add New Home.

Note where Add People sits: a peer of Add Room, in a menu, reached when the user goes looking. Never in first run.

WHAT NOMA DOES

2.1 Which device? — Camera · Lock · Purifier · Vacuum (`firstRunDeviceTypes`). Purifier is highlighted, not pre-selected: P4 arrives with a camera.

No brand search, no partner directory, no “works with” taxonomy. We make the hardware; a search field here would imply an ecosystem we do not have and cannot support.

RULES THIS SETS


- Four types, as tiles. Not a searchable list.
- Never show a category we cannot complete.
- The empty Devices state must invite, not apologise.



Before the first instruction

Answer the question nobody asks out loud: do I have everything I need?

At this moment the user is thinking “Am I about to get stuck halfway?”



WHAT NOMA DOES

2.2 Here's what you'll need — a 2x2 grid of line drawings: **Purifier · Power socket · Your Wi-Fi password · About 5 minutes.** Then *I've got these.*

This is the single most important screen in the flow, and it is the one most likely to be cut as “an extra tap”. Putting the Wi-Fi password and the five minutes in the same grid as the physical objects is deliberate: those are the two things people discover they do not have three screens too late.

Only IKEA does this. It is the cheapest anxiety reduction available to us.

RULES THIS SETS


- Inventory before instruction. Always.
- Include the non-physical prerequisites — credentials and time — as items.
- The button confirms readiness (“I've got these”), it does not just advance.

H

The physical steps

One instruction per screen, and let the user set the pace.

At this moment the user is thinking “I’m going to do this wrong.”



WHAT NOMA DOES

2.3 Plug it in — “Plug the purifier in and switch it on.”

2.4 Wait for the light — “The ring on top will pulse slowly when it’s ready to pair. It can take up to a minute.” Then **[The light is pulsing]** — the user confirms, never a timer.

With an inline note on 2.4 and nowhere else: **“Already set up by someone else?”** — “If the ring is steady instead of pulsing, it’s already paired to another home.”

A persistent four-dot stepper runs across the connect phase, and **there is only one stepper**. SmartThings resets its progress indicator twice inside one flow, which makes progress unreadable.


RULES THIS SETS

- One instruction, one illustration, at most two lines of body.
- The user confirms the physical world. A timer that advances on its own is a guess.
- One progress indicator per flow, never re-based.
- Divergent situations get one inline note, on the screen where they diverge.

Discovery and the permission

Ask for Bluetooth at the exact moment it is used, with the reason visible behind the dialog.

At this moment the user is thinking “Why does it want that?”



WHAT NOMA DOES

2.5 Looking for your purifier — “Hold your phone close — this takes a moment.”

The Bluetooth prompt fires here and nowhere earlier, one beat before the search, with the reason on screen behind it. Notification priming moves to 2.11, where there is something to be notified about.

2.6 Found it — “Is this the one?” with **Identify** alongside, which blinks the ring. This matters the moment a household owns two purifiers. △ O-9: no document confirms the hardware can do this.


RULES THIS SETS

- Permission at the point of use, never in a fixed onboarding slot.
- The reason stays visible behind the system dialog.
- Confirm identity before naming. Identify, then name.

J Wi-Fi

Remove the single most common smart-home setup failure before it happens.

At this moment the user is thinking “This is where it always breaks.”



WHAT NOMA DOES

2.7 Pick your Wi-Fi — “Live air data and automations need a connection.” **5 GHz SSIDs are hidden, and the app says so:** a line under the list reads “Only 2.4 GHz networks are shown. Your purifier can’t use 5 GHz.”

Hiding without explaining is a defect, not a simplification — a user who cannot find their network name needs to know why.

2.8 Password — show/hide toggle. **No “save my password to the cloud” checkbox.** That is Alexa’s pattern and it contradicts the privacy posture.

RULES THIS SETS


- Hide what the hardware cannot join, and say that you did.
- Never offer to store a Wi-Fi password off-device.
- A wrong password is an inline error that keeps the SSID and the focus — never a full-screen failure.



Where it lives

One tap, with India-appropriate options.

At this moment the user is thinking **none** — this is the easy one, don't make it hard



WHAT NOMA DOES

2.9 Where is it? — room presets including **Pooja Room**, with free text below the chips. “Naming the room lets us compare against the right outdoor sensor.”

⚠ **C-12 is open:** two room-preset lists exist in the prototypes — 8 items and 11 items. The 11-item list is the India-appropriate one; the 8-item list omits Pooja Room. This screen cannot be finalised until that closes.


RULES THIS SETS

- Presets first, free text second.
- The list must be written for Indian homes, not translated into them.
- State why the room matters — ours actually changes the data.

L Waiting, and the update

Name the wait, bound it, and release the user from it.

At this moment the user is thinking “Is it frozen? Can I put the phone down?”



WHAT NOMA DOES

2.10 Connecting — progress with named stages: **Joining your Wi-Fi** → **Taking a first reading** → **Almost there**. Never a bare spinner.

2.11 Updating (conditional) — “This takes a few minutes — please leave the purifier plugged in. **You’re welcome to close the app while it finishes; we’ll notify you when it’s done.**”

That last sentence is where notification permission earns itself, which is why priming moved here from **J-ONBOARD-06**.

RULES THIS SETS


- A spinner with no label is a bug.
- State the duration before the wait, not during it.
- Release the user. If they can leave, tell them they can leave.

M

The reveal

Deliver J-WEEK-01. One number, the street's number, one sentence.

At this moment the user is thinking **gone** — this is the payoff




Google Home

Creating home › Choose your favourites

"Favourites are personal and only appear in your app." A checklist, then Home.

Avoid as an ending. Setup finishes on a configuration chore.




Apple Home

Home › My Home — after adding

A device tile appears in a grid over a wallpaper.

The category default: setup ends and you are looking at a switch. Nothing has been revealed.




IKEA Home smart

Connecting to a hub › Welcome home — hub added

The hub appears; the app returns to Home.

Same shape. Excellent journey, flat ending.




SmartThings

Adding a device › Favorites — where setup begins and ends

A QR-code prompt and an empty grid. Setup starts here and returns here.

Same again, five for five: the arc closes on a grid of controls. Nothing about the home has been revealed.



REDRAWN WIREFRAME

NOMA — proposed

F-SETUP · 2.12 › First reading

"Your bedroom is at 34. Outside, it's 168. It's already cleaning."

Ours. The one screen in this document with no reference behind it, because nobody in the category has anything to reveal.

WHAT NOMA DOES

2.12 First reading — no confetti, no "Setup complete!", no feature tour. "Your bedroom is at 34. Outside, it's 168. It's already cleaning." Then the agent's first and only Day-1 line, and nothing else.

Motion: the card arrives on **M0-POP**, the dial settles with **standard** — **never spring**, because it is an ambient reading (.claude/rules/motion.md gate 4) — and **M0-BREATHE** starts only after the number has settled.

No competitor has an equivalent screen. All five end setup with a device tile in a list. That is the whole opportunity: air is invisible, so the first reading is the product's only chance at a visceral moment.

RULES THIS SETS


- End on evidence, not on congratulations.
- The number is the hero. Nothing else on the screen competes.
- Ambient data never bounces.

N

When it breaks

Eight designed failures. The device is always the subject of the sentence.

At this moment the user is thinking “I’ve bought a brick.”



WHAT NOMA DOES

Absent from all four NOMA prototypes and from the scope ledger's own admission. **A setup flow without a not-found state is not a setup flow.**

The eight: **not found** · ring never pulses · already paired elsewhere · only 5 GHz found · wrong password · on Wi-Fi but no internet · timeout · Bluetooth declined.

Full copy for each is in `docs/features/first-run/prd.md` §2e. Two structural rules from the references: the primary action is always *Try again*, and the secondary is always *help* — never *Cancel*, which strands the user with an unpaired device.

△ **O-6:** `colors.status` is `null` and green cannot carry “bad”, so these screens ship neutral until a warning token exists.

RULES THIS SETS


- Name the device, never blame the user.
- Numbered tips, ordered by likelihood.
- Try again is primary; help is secondary; Cancel is not an option.
- Every failure has a route forward that is not “start over”.



Offering the household

Offer it at the moment of pride, never as a gate. Then handle both the person in the room and the person who isn't.

At this moment the user is thinking “Am I about to give someone control of my house?”



WHAT NOMA DOES

3.0 The offer — a dismissible card on Home, after the reveal: “Who else lives here? Add the people at home so they can see the air and control the purifier — *without your phone.*” [Add someone] · Later.

Framed as the other person’s convenience, not as an admin task. For P2 (Ravi & Lakshmi) this is the point of the product: they should not have to ask Asha to turn the fan down.

3.1 Are they here right now? — [They’re with me] → hand-the-phone path · [Send them a link] → remote path. P1 is in Bangalore; P2 is in the room. Both, on one screen.

3.7 On the co-present path the new member **accepts their own terms and sets their own sign-in on the same handset**. Their consent is theirs; the owner cannot give it for them.


RULES THIS SETS

- Never a gate. Dismissible, and it does not return in the same session.
- Two enrolment paths, co-present first.
- The member consents for themselves, always.

P Saying what will be shared

The missing step. Disclose the real consequence before the invite is sent.

At this moment the user is thinking “What can they actually see?”



WHAT NOMA DOES

3.5 What they'll be able to see — three plain cards, **generated from the grants actually chosen** in 3.3/3.4, not static marketing copy: ① **The devices** · ② **The people here** · ③ **Camera and activity**.

Card ③ must name **video and audio** explicitly, and must appear whenever a camera is in scope. A disclosure that does not match the scope is a defect.

3.2 Who is it? — each role reads as a **consequence**, not a title: “Sees everything, changes everything” beats “Admin”. △ **C-3**: three incompatible role models exist and the prototype rebuilt this flow three times, so the options stay as data until it closes.

3.4 For how long — household help defaults to **time-boxed and expiring**. That is a permissions requirement (P3), not a preference.

RULES THIS SETS

- Disclose before send, in the user's words, generated from the actual grants.
- Name cameras, video and audio explicitly. Never “activity”.
- A role is a sentence about consequences.
- Scoped and expiring by default for anyone who is not family.



Send, and afterwards

A review that tells the truth, and a roster that stays reachable forever.

At this moment the user is thinking “Can I undo this?”

Google Home

Inviting a person › Send an invite to “Home”?

“Review this person’s access before inviting them.” Person, Device access ›, and “Everyone in this home will be notified when you send this invitation.”

Take wholesale, especially the last line — it tells the user the invite is not private from the household.

Google Home

Inviting a person › Invite sent

A toast, and the pending member appears in the household avatar row immediately.

Take. The invite is acknowledged in place rather than on a success screen, and the roster updates before the person has accepted.

Apple Home

Home settings › People roster

Household members listed under People, with the owner marked.

Take. Owner clearly marked; ours must also refuse to remove the last one.

Amazon Alexa

Adding a family member › Your Family — after

“Sam”, “Jane Smith (Kid)” listed on the profile screen.

Take. Roles visible in the roster, so scope is legible at a glance without opening anything.

Google Home

Support › Deleting Home

A destructive action, confirmed, in settings.

Relevant to a DPDP obligation we have no surface for: account deletion and data export (scope ledger).

WHAT NOMA DOES

3.6 Review and send — name, scope summary, expiry, and “Everyone at home will be told when you add someone.” Then **[Send invite]**.

3.8 Everyone at home — each person, their scope, their expiry, and **Remove**. Reachable in two taps from Home for the life of the account.

States required: invite pending (with resend and revoke) · expired · declined · member removed · last-remaining-owner (cannot be removed) · offline (queue it, and say so).

RULES THIS SETS

- The review screen states the side effects, including who else gets told.
- Every grant is revocable from one list, forever.
- Removal is a first-class action, not buried in a detail sheet.

What is still holding this up

Nothing in this book is blocked on research. It is blocked on decisions, listed in `memory/decisions.md`.

- C-2** **Five names are in circulation** for the product and the assistant. Every headline in stage A and the agent's line in stage M contains one, so no string here is final. The interaction design does not wait on it; the copy does.
- C-3** **Three incompatible role models.** Stages P and Q are built shape-only. 3.1, 3.5, 3.6 and the roster are role-agnostic and can be built now; 3.2's options stay as data.
- C-11** **No analytics can exist yet.** On-device privacy versus any SDK is unresolved, so this flow ships unmeasurable — and per-screen drop-off is the only way to know whether any of it works. That is the real cost of leaving C-11 open.
- C-12** **Two room-preset lists.** 8 items vs 11. The 11-item list is the India-appropriate one; the 8-item list omits Pooja Room. Stage K cannot be finalised until this closes.
- 0-6** **No status colours.** `colors.status` is `null` and green cannot carry “bad”, so the eight failure screens in stage N ship neutral. Flagged rather than invented.
- 0-8** **Two of the three feature ids do not exist.** The registry has thirteen features and none is “get a new customer to a working first device”. `F-FIRST-RUN` and `F-SETUP` are proposed, not assigned.
- 0-9** **Identify and the ring-LED vocabulary are unconfirmed.** Stages H and I depend on hardware behaviour no document says the purifier has: a remote blink, and a ring state that distinguishes pairing from already-paired from error.

Sources

Mobbin (iOS), read 2026-08-05 on the owner's account: Google Home (35 flows) · Apple Home (34) · SmartThings (44) · IKEA Home smart (59) · Amazon Alexa (76). Nine flows read screen by screen, about 130 screens.

Mobbin carries no air-purifier or air-quality app at all — no Dyson, Levoit, Molekule or Airthings — and no Aqara, Ring, Nest, Wyze, Eufy, Tuya or Philips Hue either. The five above are the entire smart-home set available. There is no incumbent to be measured against. IKEA's DIRIGERA hub, also a physical object you plug in and watch a light on, is the closest analogue and the best flow in the set by a distance.

Companion documents: `docs/research/2026-08-05-setup-teardown.md` (the teardown) · `docs/features/first-run/prd.md` (the specification, with full copy and all eight failure states). Regenerate this book with `python3 docs/research/build-refs.py`. Set in Google Sans Flex; palette from `src/tokens/design.tokens.js`.