
A geological map of Dimorphos in ten steps

You draw the **contacts** and say **which unit** lies where. PRo3D builds the units from that, draped on the full relief of the body. Reference: GeologicalMap.md.

The pictures are generated by `tests-ui/tests/geological-map-story.spec.ts` *, which runs this story on the Dimorphos test model.*


---

1. Start: an empty annotation group




One annotation group, *Dimorphos geology*, made active in the Annotations panel. Everything of the map - contacts and unit labels - lives in it.

2. A new map




Geological Maps panel → **New map from group**. The map is active: what you draw from now on belongs to it.

3. The first contact




The outline of a smooth lowland, drawn as a polygon. The body now consists of **two units** - inside and outside the contact. Both are hatched: no unit assigned yet.

4. The legend




New unit twice: code and name for each (`Lo` smooth lowland, `Hi` rough highland), a colour suggested.

5. Assigning units




Paint brush tool, pick `Lo` in the legend, click into the lowland; pick `Hi`, click outside. One click per unit - the colour and the code follow at once.

6. Refining: a new contact, snapped




The lowland has an ejecta blanket on its western side. Drawing its contact: near the existing outline a **green marker** shows where the click will land - exactly on the contact, so the two meet.

7. The preview




While drawing, the new contact is shown in yellow, the unit it cuts **lights up**, and both ends are **green**: attached, the cut will close.

8. The unit is split




Enter. The lowland is split in two; the new part is hatched - it needs a unit.

9. A third unit




New unit `Ej` *Ejecta blanket*, one click into the new part.

10. Checking the map



A contact that ends in nothing separates nothing: its ends are marked **red**...



...and listed in the panel. Click an entry to fly there, or press **N** for the next one. Close the contact, or delete it.

What you never do: draw or edit a unit's outline. Units are derived from the contacts - every boundary is drawn once, and changing a contact updates the units on both sides. Save the scene and everything is back next time; older PRo3D versions still open it, with contacts and label points as ordinary annotations.