


HORY BEAM





RUDHIL CONSTRUCTION & ENT. INC.
TechWise Engineering
ACH GLOBAL
RGB CONSTRUCTION SERVICES
TL CONSTRUCTION CO
SEDAN
Biometrix Systems & Trading Corp.
HAMM-ASIA GLOBAL BUILDERS CORPORATION
DEL VIEJO CONSTRUCTION
PRIMARY STRUCTURES CORPORATION
ALBATECH CONSTRUCTION
VCDC Since 1980
DEVCON STRUCTURES
SALER CONSTRUCTION CORPORATION
SHALOM CONSTRUCTION INCORPORATED
PHILKONST GLOBAL CORPORATION
abalos design+construction
seventyseven LIVING SPACES

Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21
PHILIPPINES
CORPORATION

CONSTRUCTION CONSUMABLES

CONSTRUCTION MATERIALS

CONSTRUCTION CONSULTATION

VISION

"Be a Pioneer in the world"
To be a corporate to provide solutions
when they face problems or barriers

MISSION

Be the supportive provider to Business Partners
Be the good organization to Society
Be the trusted corporate to People


GOAL

Being a solution provider to the customers in
nationwide and worldwide market with productive
construction materials and consumable items

COMPANY INTRODUCTION

ProGM21 PH Corporation is a domestic corporation registered with the Securities and Exchange Commission (SEC) and with the Bureau of Internal Revenue(BIR) on March 6, 2017, with its primary purpose to acquire by purchase, lease, donation and/or other modes of acquisition, real properties or interests therein; to own, hold, improve, develop and manage any real property so acquired and to erect on any land owned held or occupied by the corporation.


The Company provides sub-materials/consumable items for construction and Euroform system needed in the structural buildings with its vision to provide clients of a highly innovative, cost efficiency and quality infrastructure of a low to high-rise building. The company has established an excellent record for the past 4 years with the history background of being the first provider in the country of a Korean based product using share wall technology.



Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION





CONSTRUCTION MATERIALS

Euroform is a Form system it is customized for the site, so the workability and concrete surface are cleaner than conventional methods, and panels can be used easily depending on the situation

1. Easy to build sheathing board by combination of Euroform to meet structure type- does not require special tools.
2. Less construction workers and less time for construction (cost less)
3. Reused for numerous times (cost less)
4. Excellent durability of frame
5. Various size of Euroform are available for different types and sizes of constructions.


Top Rebar Spacer



Bottom Rebar Spacer


Doughnut Type Spacer


Concrete Spacer


Level Stick


Conduit Pipe


Drip Mould

CONSTRUCTION CONSULTING

1. Construction Advice for Better Decision
2. Value Engineering: Systematic, organized approach providing necessary functions in a project at the lowest cost
3. Technical Studies and Support
4. Process (Schedule) Management

CONSTRUCTION CONSUMABLES | **CONSTRUCTION MATERIALS** | **CONSTRUCTION CONSULTATION**

CONSTRUCTION CONSUMABLES

1. Top Rebar Spacer
2. Bottom Rebar Spacer
3. Doughnut Type Spacer
4. Concrete Spacer
5. Level Stick
6. Conduit Pipe
7. Drip Mould

Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION


PRODUCT APPLICATIONS EUROFORM SYSTEM: WALL INSTALLATION

EURO FORM PANEL






BALCONY & STAIR RAILINGS



STAIRS





Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION

RENTAL

ITEM	SIZE	BASE PRICE	(1) Day Price Php	(30) Days Price Php	(60) Days Price Php	(90) Days Price Php	(120) Days Price Php	(150) Days Price Php	(180) Days Price Php
Euro Form [Refurbished]	600 X 1200	104	8.7	365.00	626.00	887.00	1,148.00	1,409.00	1,670.00
	500 X 1200	104	8.7	365.00	626.00	887.00	1,148.00	1,409.00	1,670.00
	450 X 1200	96	6.96	304.80	513.60	722.40	931.20	1,140.00	1,348.80
	400 X 1200	96	6.96	304.80	513.60	722.40	931.20	1,140.00	1,348.80
	350 X 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
	300 X 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
	250 X 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
	200 X 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
Inside Corner Angle	L 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
Outside Corner Angle	L 1200	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
	L 2400	87	10.35	397.50	708.00	1,018.50	1,329.00	1,639.50	1,950.00
Reinforced Plastic	606 X 1820 X12	87	6.09	269.70	452.40	635.10	817.80	1,000.50	1,183.20
Hory Beam	1450X1800	100	5.00	250.00	400.00	550.00	700.00	850.00	1,000.00
	1800X2500	100	6.67	300.10	500.20	700.30	900.40	1,100.50	1,300.60
	2500X3200	100	7.78	333.40	566.80	800.20	1,033.60	1,267.00	1,500.40
	3200X3900	100	8.89	366.70	633.40	900.10	1,166.80	1,433.50	1,700.20
	3900X4600	100	12.08	462.40	824.80	1,187.20	1,549.60	1,912.00	2,274.40
	4600X5300	100	14.03	520.90	941.80	1,362.70	1,783.60	2,204.50	2,625.40
Shoring V2	2010 – 3390	87	6.98	296.40	505.80	715.20	924.60	1,134.00	1,327.20
Shoring Holder		50	2.00	110.00	170.00	230.00	290.00	350.00	410.00
Column Band	400-900	50	3.00	140.00	230.00	320.00	410.00	500.00	590.00
Cross Bar		50	3.00	140.00	230.00	320.00	410.00	500.00	590.00

NOTE:

- ***(Number of Days Used X Price Per Day + Base Price) X Quantity***
- ***For missing or damaged items, the selling price will be charged***

REINFORCED PLASTIC PANEL





Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com



CONSTRUCTION CONSUMABLES

DOUGHNUT TYPE SPACER




The donut spacer features a specially designed spoke wheel structure that facilitates the smooth flow of concrete during the pouring process. Additionally, it includes tweezers in the center capable of holding various diameters of steel reinforcement. The spokes are equipped with outer ribs that minimize contact with the cast/mold.

CONDUIT PIPE



It is convenient to transport as it is lightweight and made in rolls, facilitating easy handling even under difficult field conditions. Each roll is over 100m in length, which makes it economical due to fewer connection points. It can be used with confidence in various temperatures as there is no shrinkage, even in high or low conditions. Additionally, it is strong against chemical products because it consists of PE and PVC. The inner pipe's fractured design makes it easy to insert wires, aided by its low coefficient of friction.

DRIP MOULD




One property of water movement is its ability to move using surface tension. If there are parts that extend down to the wall and bend below 90 degrees, the Drip Mold will prevent water from leaking and moving on the surface of the wall. By easily installing it with nails under the eaves of the upper slab, the ceiling of the balcony, and the top of the window before pouring concrete, you can effectively prevent water leakage.

Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com


ProGM 21 PHILIPPINES CORPORATION

EURO FORM SYSTEM






A / B	1200mm
200mm	11.1kg
250mm	11.9kg
300mm	12.8kg
350mm	13.7kg
400mm	14.6kg
450mm	15.5kg
500mm	16.9kg
600mm	19.0kg



PROGM21 a Company that rents or sells Euroform systems that can be applied to all kinds of structural forms, customized using 3D modeling.
We have assigned staff to the sales site to provide technical and theoretical support

WHAT IS THE EURO FORM SYSTEM?

EuroForm is a formwork made by mixing the advantages of a wooden formwork and a metal formwork. It is a type of mold classification as an ingredient. Since it consists of water-resistant plywood and light weight, it is easy to dismantle the assembly and shorten the construction period. The frame is made of metal and the plate is made of wood. Compared to wood formulations, it has more reuse and is competitive. Euroform is standardized and modularized, making it easy to manage materials.



Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION

PRICELIST

ITEM	ITEM SPECIFICATIONS		UNIT PRICE	
Flat Ties	SIZE (mm)	L100	Php	31.17
		L120	Php	39.67
		L150	Php	40.38
		L180	Php	41.09
		L200	Php	43.21
		L250	Php	45.74
		L300	Php	53.13
		L350	Php	56.93
		L400	Php	60.92
		L500	Php	72.26
		L600	Php	78.43
		L800	Php	109.10
Wedge Pin	-	-	Php	11.85
Pipe Hook	SIZE (mm)	Short	Php	42.22
Pipe Hook		Long	Php	49.62
Doughnut Spacer (10-13mm opening)	Diameter (mm)	30	Php	6.05
		40	Php	7.04
		60	Php	7.79
Concrete Spacer (2,3,4)	Sizes (mm)	20 x 30 x 40	Php	8.50
Concrete Spacer (3,4,5)		30 x 40 x 50	Php	12.05
Conduit Pipe (22mmØ)	Length (m)	100	Php	3,366.32
Conduit Pipe (28mmØ)		50	Php	2,580.70
Tie Wire (L350)	Thickness (mm) Length (m/box) Weight (kg/box	0.8 - 0.9 5000 10	Php	1,488.34
Drip Mould	Length (m)	50	Php	2,381.64
Filler	Sizes (mm)	10 X 1200	Php	150.41
		20 X 1200	Php	311.19
Filler Pin	-	-	Php	16.19
Level Stick	Height (mm)	150	Php	148.76
Squid Ink			Php	165.00
Top Bar Spacer	Height (mm)	110	Php	12.75
		75	Php	11.33
Bottom Bar Spacer	Height (mm)	30	Php	5.67
Blind Rivet	Sizes (mm)	0.5X25	Php	5.42

(PRICE VAT – INCLUSIVE)

Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION

PRICELIST


ITEM	ITEM SPECIFICATIONS		UNIT PRICE [BRAND NEW]	UNIT PRICE [REFURBISHED]
Euro Form	SIZE (mm)	600 X 1200	Php 4,972.44	Php 3,828.90
		500 X 1200	Php 4,451.77	Php 3,584.50
		450 X 1200	Php 4,210.02	Php 3,503.04
		400 X 1200	Php 4,154.24	Php 3,462.31
		350 X 1200	Php 3,972.00	Php 3,421.57
		300 X 1200	Php 3,841.08	Php 3,340.11
		250 X 1200	Php 3,600.09	Php 3,258.64
		200 X 1200	Php 3,378.42	Php 3,226.06
Inside Corner Angle	SIZE (mm)	L 1200	Php 2,975.28	Php 2,443.98
Outside Corner Angle	SIZE (mm)	L 1200	Php 1,564.99	Php 1,466.39
		L 2400	Php 2,973.49	Php 2,654.89
Reinforced Plastic Panel	Size (mm) Weight Specific Gravity Tensile Strength Impact Strength Heat Elasticity Reusability	606 X 1820 X12	Php 2,973.49	
COLUMN BAND	SIZE (mm)	400-900		Php 4,179.56
CROSS BAR				Php 708.40
SHORING V2	SIZE (mm)	2010-3990	Php 2,277.00	Php 1,204.28
CIRCULAR FORM	SIZE (mm)	1000X1200		
		1200X1200		

(PRICE VAT – INCLUSIVE)

Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION


REINFORCED PLASTIC PANEL




Size: 606x1820x12
Weight : 9.50 kg.
Specifi Gravity : 1.17

Tensile Strength: 78 kj/m^3
Heat Elasticity: 9.50 kg.
Reusability: 40 times









Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com

ProGM 21 PHILIPPINES CORPORATION

CONSTRUCTION CONSUMABLES

The position of the reinforcement in the structural member is very important, and only when the position of the reinforcement is correct can the reinforcement concrete structure secure not only structural performance but also durable performance.

Concrete spacers are used to properly maintain the position of the rebar. Concrete spacers are used to maintain the gap between rebar and formwork or rebar and rebar, and are easy to overlook during construction, but they play a very important function in reinforced concrete structures. For this reason, the product created is Magic Spacer

CONCRETE SPACER



Top rebar has four separated legs and open structure which guarantees perfect filling of concrete. Specially designed clip type top holds rebar more tightly than ever. Customize raw material is used for its strength. Top rebar spacer covers various range from 75 mm to 220 mm.

TOP REBAR SPACER



The bottom rebar spacer, which extends across a range of 30 mm, is smaller than the top rebar spacer. Nevertheless, it also possesses four distinct legs and an open structure, ensuring an ideal concrete fill. A specifically engineered clip type securely fastens the rebar with increased tightness, and customized raw materials are employed to enhance its strength.

BOTTOM REBAR SPACER



Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com



CONSTRUCTION CONSUMABLES

LEVEL STICK

If there is a severe deviation in the floor after concrete pouring work, the high area should be cut off at the normal level, and the low area should be covered with more concrete. Eventually, the construction cost will increase if you use the level stick, you can check the reference point with your eyes and accurately work according to the slab level, so you can reduce base cost by ordering the proper amount of concrete quantitively. When it does not fit the finishing level, it happens to remove unnecessary concrete parts like chipping with extra labor cost. Level stick will reduce those unecessary labor cost.



EURO FORM SYSTEM



EURO FORM ACCESORIES



Office Address: Square One Bldg. Unit-2C, Lopez Jaena St. Tipolo
Mandaue City, Philippines, 6014
Tel: (032)427-8217 / 09661541528
Email: progm21sales@gmail.com