1 Reproducibility

The provenance appendix of the 16 October draft (Oct/0120) holds Roel Schuurkes's results-to-inputs table, placed there by him (Oct/0162) and corrected in Oct/0163. This section gives each row's rerun command, the platforms it is rerun on, and the reruns people posted by hand.

One command per row. Every row with a command reruns from its pins with `python rerun.py <row>`, and all of them with `python rerun.py -all`, in `https://github.com/probityai/agent-evidence-vectors/tree/main/interop/w3c-v01-appendix`. The harness fetches each commit by its full SHA and compares the checkout with the pin, fetches each list attachment and compares its sha256 with the posted digest, installs the interpreter and package versions the producer named, runs the posted command, and compares what comes out with the digests posted on the list. Nothing is adjusted to make a row match. Two rows have no posted command, in their owner's words: R10 is "the measurements in 0038 and 0046; no single command" and R15's checker is "not stated in Sep/0080" (Oct/0162). For R10 the appendix adds `rows/r10_minus_zero.py`, which writes the one value with the Python and Go readers at v0.17.4 and v0.18.1 and compares the bytes with those posted in Oct/0038; it is offered for the row, not substituted for the posted measurement. For R15 the appendix only tallies the census file's own state fields; the classifier behind them is not rerun.

Platforms and schedule. A workflow in the same repository reruns every row with a command on each change to the appendix, on demand, and weekly (Mondays, 05:35 UTC), on three runners: Linux x86_64 (`ubuntu-24.04`), Linux arm64 (`ubuntu-24.04-arm`) and macOS arm64 (`macos-15`). Each result file names the platform it ran on, and a pin that stops resolving upstream turns the run red.

What "reproduced" means here. A row reproduces when every posted digest comes out of the rerun: byte-identical files, except files the producer said carry the runner or the environment, which are listed with that reason and still reported with both digests. These runs are an automated rerun from the pins, operated by the appendix's author. They are not reproductions in O8's sense, which in the group's use is "the producer's implementation, run by another operator" (Oct/0163): for R1 and R9 the appendix's author is the producer, and for every row the expected outputs are in view. The reproductions in O8's sense are the reruns people posted, listed below and cited by message; the workflow repeats them on a schedule and does not replace them.

Reruns posted by hand. Each is credited to whoever ran it, with what they reported matching.

Table 1: Reruns posted on the list, by row.

Row	Who	What they reported	Message
R1	Nicolás Rocchia	`report.json` and `conformance-report.json` byte-identical	Oct/0171
R1	Prasanna Bableshwar	`report.json` sha256 37288d8d…, in a clean directory	Oct/0170
R2	Roel Schuurkes	all 89 vectors and 70 declarations; reports, fixtures and isolation file byte-identical	Oct/0064
R3	Roel Schuurkes	51 of 52 files	Oct/0061
R3	Nicolás Rocchia	52 of 52 files; the 44 controls recounted from the raw traces with his own code	Oct/0062
R4	Nicolás Rocchia	76/76, 67/67 and 16/16 checks; 11 of 13 files identical, the other two carry the runner	Oct/0101
R5	Roel Schuurkes	the emitter rebuilds the published bytes	Oct/0083
R5	Nicolás Rocchia	the published bytes, and the root recomputed with his own code	Oct/0084
R6	Nicolás Rocchia	28 controls rejected as stated; the 6 `test_claim_boundary` tests pass	Oct/0018
R6	Roel Schuurkes	the report re-encoded and read: conforms; no approval test re-run, his own run on one machine	Nov/0006
R7	Roel Schuurkes	all 21 selected outcomes	Oct/0085
R7	Guigui Wang	18 of 18 tests, 21 of 21 outcomes, both file digests, in a different environment	Oct/0088, Oct/0184
R8	Roel Schuurkes	`verdicts.tsv` and `not-selected.tsv`, Linux arm64	Oct/0104
R8	Nicolás Rocchia	the same two files, Linux x86_64	Oct/0105
R8	Michael Blake	the 92-of-96 comparison repeated from the frozen output (a comparison, not a rerun of the reader)	Oct/0188
R8	Michael Blake	the same comparison with `-exclude-family w3c-f-22`: the same figures	Nov/0004
R12	Roel Schuurkes	the per-member verdicts, Linux arm64	Oct/0141

Row	Who	What they reported	Message
R13	Nicolás Rocchia	the first three cases at 69819ec	Oct/0123
R13	Yasha Khandelwal	the five cases at 98366047, byte comparison against the committed `results.json` passed	Oct/0179

R12 is also rerun in the scorer repository's own CI, which belongs to its author, Lars Kersten Kroehl (15 jobs, PR 836, Oct/0162).