# CYBER SECURITY

1. What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

2.Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

3. The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

4. Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

5. AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

6. RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

7. Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

8. Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

9. Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

10. SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

11. Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

12. A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

13. Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

14. Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

15. Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

16.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

17.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

18.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

19.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

20.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

21.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

22.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

23.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

24.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

25.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

26.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

27.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

28.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

29.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

30.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

31.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

32.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

33.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

34.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

35.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

36.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

37.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

38.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

39.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

40.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

41.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

42.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

43.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

44.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

45.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

46.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

47.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

48.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

49.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

50.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

51.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

52.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

53.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

54.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

55.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

56.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

57.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

58.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

59.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

60.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

61.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

62.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

63.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

64.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

65.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

66.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

67.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

68.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

69.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

70.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

71.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

72.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

73.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

74.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

75.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

76.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

77.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

78.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

79.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

80.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

81.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

82.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

83.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

84.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

85.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

86.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

87.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

88.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

89.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

90.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

91.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

92.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

93.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

94.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

95.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

96.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

97.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

98.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

99.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

100.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

101.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

102.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

103.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

104.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

105.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

106.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

107.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

108.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

109.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

110.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

111.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

112.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

113.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

114.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

115.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

116.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

117.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

118.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

119.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

120.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

121.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

122.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

123.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

124.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

125.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

126.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

127.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

128.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

129.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

130.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

131.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

132.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

133.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

134.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

135.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

136.

What is the primary goal of cybersecurity?

A. Increase internet speed

B. Protect systems, networks, and data from attacks

C. Reduce hardware cost

D. Improve programming skills

Answer: B

137.

Which term refers to weakness in a system?

A. Threat

B. Vulnerability

C. Policy

D. Patch

Answer: B

138.

The CIA triad stands for:

A. Control Integrity Access

B. Confidentiality Integrity Availability

C. Cyber Internet Architecture

D. Central Internet Access

Answer: B

139.

Encryption converts:

A. Ciphertext to plaintext

B. Plaintext to ciphertext

C. Key to password

D. Hash to key

Answer: B

140.

AES is an example of:

A. Symmetric encryption

B. Asymmetric encryption

C. Hash function

D. Digital certificate

Answer: A

141.

RSA is based on:

A. Prime factorization

B. Sorting algorithms

C. Matrix multiplication

D. Hash tables

Answer: A

142.

Which device connects multiple networks?

A. Router

B. Switch

C. Hub

D. Repeater

Answer: A

143.

Which protocol secures web communication?

A. HTTP

B. HTTPS

C. FTP

D. Telnet

Answer: B

144.

Which Linux command changes file permissions?

A. chmod

B. ls

C. pwd

D. cat

Answer: A

145.

SQL Injection targets:

A. Database queries

B. Operating systems

C. Network cables

D. Hardware

Answer: A

146.

Cross-Site Scripting (XSS) injects:

A. Malicious scripts into webpages

B. SQL queries

C. Network packets

D. BIOS code

Answer: A

147.

A virus spreads by:

A. Attaching to files

B. Routing packets

C. Updating BIOS

D. Firewall rules

Answer: A

148.

Ransomware does what?

A. Encrypts files and demands payment

B. Deletes routers

C. Improves performance

D. Compresses disks

Answer: A

149.

Authentication verifies:

A. User identity

B. Network traffic

C. CPU usage

D. Disk size

Answer: A

150.

Authorization determines:

A. Access rights

B. Password length

C. Network speed

D. File compression

Answer: A

**Secure Software Development**

151.

Secure Software Development Life Cycle (SSDLC) integrates:

A. Security into every development phase

B. Only testing

C. Only coding

D. Only deployment

Answer: A

152.

Static code analysis is performed:

A. Without executing code

B. During runtime

C. After deployment

D. On network devices

Answer: A

153.

Dynamic analysis tests:

A. Running applications

B. Hardware

C. Network cables

D. Disk drives

Answer: A

154.

Buffer overflow occurs when:

A. Program writes beyond memory bounds

B. Disk becomes full

C. CPU overheats

D. Network disconnects

Answer: A

155.

Secure coding aims to:

A. Reduce vulnerabilities

B. Increase graphics

C. Reduce CPU speed

D. Remove logs

Answer: A

156.

Secure Software Development Life Cycle (SSDLC) integrates:

A. Security into every development phase

B. Only testing

C. Only coding

D. Only deployment

Answer: A

157.

Static code analysis is performed:

A. Without executing code

B. During runtime

C. After deployment

D. On network devices

Answer: A

158.

Dynamic analysis tests:

A. Running applications

B. Hardware

C. Network cables

D. Disk drives

Answer: A

159.

Buffer overflow occurs when:

A. Program writes beyond memory bounds

B. Disk becomes full

C. CPU overheats

D. Network disconnects

Answer: A

160.

Secure coding aims to:

A. Reduce vulnerabilities

B. Increase graphics

C. Reduce CPU speed

D. Remove logs

Answer: A

161.

Secure Software Development Life Cycle (SSDLC) integrates:

A. Security into every development phase

B. Only testing

C. Only coding

D. Only deployment

Answer: A

162.

Static code analysis is performed:

A. Without executing code

B. During runtime

C. After deployment

D. On network devices

Answer: A

163.

Dynamic analysis tests:

A. Running applications

B. Hardware

C. Network cables

D. Disk drives

Answer: A

164.

Buffer overflow occurs when:

A. Program writes beyond memory bounds

B. Disk becomes full

C. CPU overheats

D. Network disconnects

Answer: A

165.

Secure coding aims to:

A. Reduce vulnerabilities

B. Increase graphics

C. Reduce CPU speed

D. Remove logs

Answer: A

166.

Secure Software Development Life Cycle (SSDLC) integrates:

A. Security into every development phase

B. Only testing

C. Only coding

D. Only deployment

Answer: A

167.

Static code analysis is performed:

A. Without executing code

B. During runtime

C. After deployment

D. On network devices

Answer: A

168.

Dynamic analysis tests:

A. Running applications

B. Hardware

C. Network cables

D. Disk drives

Answer: A

**Wireless & Mobile Security**

169.

WPA3 is used for:

A. Wireless network security

B. Database encryption

C. Email security

D. Disk compression

Answer: A

170.

An Evil Twin attack involves:

A. Fake wireless access point

B. Malicious email

C. DNS poisoning

D. Password cracking

Answer: A

171.

Bluetooth attacks exploit:

A. Wireless device communication

B. Hard disks

C. USB cables

D. Routers

Answer: A

172.

Mobile malware targets:

A. Smartphones and tablets

B. Routers

C. Printers

D. Switches

Answer: A

173.

IMEI identifies:

A. Mobile device

B. Network cable

C. Router

D. Server

Answer: A

174.

WPA3 is used for:

A. Wireless network security

B. Database encryption

C. Email security

D. Disk compression

Answer: A

175.

An Evil Twin attack involves:

A. Fake wireless access point

B. Malicious email

C. DNS poisoning

D. Password cracking

Answer: A

176.

Bluetooth attacks exploit:

A. Wireless device communication

B. Hard disks

C. USB cables

D. Routers

Answer: A

177.

Mobile malware targets:

A. Smartphones and tablets

B. Routers

C. Printers

D. Switches

Answer: A

178.

IMEI identifies:

A. Mobile device

B. Network cable

C. Router

D. Server

Answer: A

179.

WPA3 is used for:

A. Wireless network security

B. Database encryption

C. Email security

D. Disk compression

Answer: A

180.

An Evil Twin attack involves:

A. Fake wireless access point

B. Malicious email

C. DNS poisoning

D. Password cracking

Answer: A

181.

Bluetooth attacks exploit:

A. Wireless device communication

B. Hard disks

C. USB cables

D. Routers

Answer: A

182.

Mobile malware targets:

A. Smartphones and tablets

B. Routers

C. Printers

D. Switches

Answer: A

183.

IMEI identifies:

A. Mobile device

B. Network cable

C. Router

D. Server

Answer: A

184.

WPA3 is used for:

A. Wireless network security

B. Database encryption

C. Email security

D. Disk compression

Answer: A

185.

An Evil Twin attack involves:

A. Fake wireless access point

B. Malicious email

C. DNS poisoning

D. Password cracking

Answer: A

186.

Bluetooth attacks exploit:

A. Wireless device communication

B. Hard disks

C. USB cables

D. Routers

Answer: A

**Cloud & Virtualization Security**

187.

IaaS stands for:

A. Infrastructure as a Service

B. Internet as Security

C. Internal Access System

D. Integrated Application Software

Answer: A

188.

Hypervisor manages:

A. Virtual machines

B. Routers

C. Printers

D. Databases

Answer: A

189.

Cloud misconfiguration may cause:

A. Data leakage

B. Faster CPU

C. More RAM

D. Better graphics

Answer: A

190.

Multi-tenancy means:

A. Multiple customers share resources

B. Multiple CPUs in system

C. Multiple disks

D. Multiple routers

Answer: A

191.

Virtualization allows:

A. Running multiple OS on one machine

B. Deleting OS

C. Removing memory

D. Replacing CPU

Answer: A

192.

IaaS stands for:

A. Infrastructure as a Service

B. Internet as Security

C. Internal Access System

D. Integrated Application Software

Answer: A

193.

Hypervisor manages:

A. Virtual machines

B. Routers

C. Printers

D. Databases

Answer: A

194.

Cloud misconfiguration may cause:

A. Data leakage

B. Faster CPU

C. More RAM

D. Better graphics

Answer: A

195.

Multi-tenancy means:

A. Multiple customers share resources

B. Multiple CPUs in system

C. Multiple disks

D. Multiple routers

Answer: A

196.

Virtualization allows:

A. Running multiple OS on one machine

B. Deleting OS

C. Removing memory

D. Replacing CPU

Answer: A

197.

IaaS stands for:

A. Infrastructure as a Service

B. Internet as Security

C. Internal Access System

D. Integrated Application Software

Answer: A

198.

Hypervisor manages:

A. Virtual machines

B. Routers

C. Printers

D. Databases

Answer: A

199.

Cloud misconfiguration may cause:

A. Data leakage

B. Faster CPU

C. More RAM

D. Better graphics

Answer: A

200.

Multi-tenancy means:

A. Multiple customers share resources

B. Multiple CPUs in system

C. Multiple disks

D. Multiple routers

Answer: A

201.

Virtualization allows:

A. Running multiple OS on one machine

B. Deleting OS

C. Removing memory

D. Replacing CPU

Answer: A

202.

IaaS stands for:

A. Infrastructure as a Service

B. Internet as Security

C. Internal Access System

D. Integrated Application Software

Answer: A

203.

Hypervisor manages:

A. Virtual machines

B. Routers

C. Printers

D. Databases

Answer: A

204.

Cloud misconfiguration may cause:

A. Data leakage

B. Faster CPU

C. More RAM

D. Better graphics

Answer: A

**Digital Forensics**

205.

Digital forensics investigates:

A. Digital evidence

B. Network cables

C. CPUs

D. Software bugs

Answer: A

206.

Chain of custody ensures:

A. Evidence integrity

B. Faster internet

C. Hardware upgrade

D. File deletion

Answer: A

207.

Disk imaging creates:

A. Exact copy of storage

B. Compressed archive

C. Encrypted email

D. Network packet

Answer: A

208.

Write blockers prevent:

A. Evidence modification

B. Encryption

C. Compression

D. Packet loss

Answer: A

209.

Forensic analysis helps:

A. Investigate cybercrime

B. Increase RAM

C. Improve speed

D. Install OS

Answer: A

210.

Digital forensics investigates:

A. Digital evidence

B. Network cables

C. CPUs

D. Software bugs

Answer: A

211.

Chain of custody ensures:

A. Evidence integrity

B. Faster internet

C. Hardware upgrade

D. File deletion

Answer: A

212.

Disk imaging creates:

A. Exact copy of storage

B. Compressed archive

C. Encrypted email

D. Network packet

Answer: A

213.

Write blockers prevent:

A. Evidence modification

B. Encryption

C. Compression

D. Packet loss

Answer: A

214.

Forensic analysis helps:

A. Investigate cybercrime

B. Increase RAM

C. Improve speed

D. Install OS

Answer: A

215.

Digital forensics investigates:

A. Digital evidence

B. Network cables

C. CPUs

D. Software bugs

Answer: A

216.

Chain of custody ensures:

A. Evidence integrity

B. Faster internet

C. Hardware upgrade

D. File deletion

Answer: A

217.

Disk imaging creates:

A. Exact copy of storage

B. Compressed archive

C. Encrypted email

D. Network packet

Answer: A

218.

Write blockers prevent:

A. Evidence modification

B. Encryption

C. Compression

D. Packet loss

Answer: A

219.

Forensic analysis helps:

A. Investigate cybercrime

B. Increase RAM

C. Improve speed

D. Install OS

Answer: A

220.

Digital forensics investigates:

A. Digital evidence

B. Network cables

C. CPUs

D. Software bugs

Answer: A

221.

Chain of custody ensures:

A. Evidence integrity

B. Faster internet

C. Hardware upgrade

D. File deletion

Answer: A

222.

Disk imaging creates:

A. Exact copy of storage

B. Compressed archive

C. Encrypted email

D. Network packet

Answer: A

**Incident Response & Management**

223.

First phase of incident response:

A. Preparation

B. Eradication

C. Recovery

D. Containment

Answer: A

224.

Containment phase aims to:

A. Limit damage

B. Delete backups

C. Upgrade CPU

D. Remove firewall

Answer: A

225.

Eradication removes:

A. Root cause of attack

B. Security logs

C. Network cables

D. Hard disks

Answer: A

226.

Recovery phase restores:

A. Normal operations

B. Router firmware

C. Network topology

D. Firewall rules

Answer: A

227.

Lessons learned phase helps:

A. Improve future response

B. Delete evidence

C. Hide logs

D. Ignore attacks

Answer: A

228.

First phase of incident response:

A. Preparation

B. Eradication

C. Recovery

D. Containment

Answer: A

229.

Containment phase aims to:

A. Limit damage

B. Delete backups

C. Upgrade CPU

D. Remove firewall

Answer: A

230.

Eradication removes:

A. Root cause of attack

B. Security logs

C. Network cables

D. Hard disks

Answer: A

231.

Recovery phase restores:

A. Normal operations

B. Router firmware

C. Network topology

D. Firewall rules

Answer: A

232.

Lessons learned phase helps:

A. Improve future response

B. Delete evidence

C. Hide logs

D. Ignore attacks

Answer: A

233.

First phase of incident response:

A. Preparation

B. Eradication

C. Recovery

D. Containment

Answer: A

234.

Containment phase aims to:

A. Limit damage

B. Delete backups

C. Upgrade CPU

D. Remove firewall

Answer: A

235.

Eradication removes:

A. Root cause of attack

B. Security logs

C. Network cables

D. Hard disks

Answer: A

236.

Recovery phase restores:

A. Normal operations

B. Router firmware

C. Network topology

D. Firewall rules

Answer: A

237.

Lessons learned phase helps:

A. Improve future response

B. Delete evidence

C. Hide logs

D. Ignore attacks

Answer: A

238.

First phase of incident response:

A. Preparation

B. Eradication

C. Recovery

D. Containment

Answer: A

239.

Containment phase aims to:

A. Limit damage

B. Delete backups

C. Upgrade CPU

D. Remove firewall

Answer: A

240.

Eradication removes:

A. Root cause of attack

B. Security logs

C. Network cables

D. Hard disks

Answer: A

**Security Monitoring & Auditing**

241.

SIEM stands for:

A. Security Information and Event Management

B. System Internet Encryption Model

C. Security Interface Event Monitor

D. Secure Internet Email Manager

Answer: A

242.

Log monitoring helps:

A. Detect suspicious activity

B. Increase speed

C. Upgrade memory

D. Delete malware automatically

Answer: A

243.

Security audits verify:

A. Compliance with policies

B. CPU speed

C. Disk size

D. Screen resolution

Answer: A

244.

Continuous monitoring means:

A. Real-time security observation

B. Monthly backups

C. Weekly updates

D. Annual audit

Answer: A

245.

Alerting systems notify:

A. Security incidents

B. CPU overheating

C. Disk defragmentation

D. Printer errors

Answer: A

246.

SIEM stands for:

A. Security Information and Event Management

B. System Internet Encryption Model

C. Security Interface Event Monitor

D. Secure Internet Email Manager

Answer: A

247.

Log monitoring helps:

A. Detect suspicious activity

B. Increase speed

C. Upgrade memory

D. Delete malware automatically

Answer: A

248.

Security audits verify:

A. Compliance with policies

B. CPU speed

C. Disk size

D. Screen resolution

Answer: A

249.

Continuous monitoring means:

A. Real-time security observation

B. Monthly backups

C. Weekly updates

D. Annual audit

Answer: A

250.

Alerting systems notify:

A. Security incidents

B. CPU overheating

C. Disk defragmentation

D. Printer errors

Answer: A

251.

SIEM stands for:

A. Security Information and Event Management

B. System Internet Encryption Model

C. Security Interface Event Monitor

D. Secure Internet Email Manager

Answer: A

252.

Log monitoring helps:

A. Detect suspicious activity

B. Increase speed

C. Upgrade memory

D. Delete malware automatically

Answer: A

253.

Security audits verify:

A. Compliance with policies

B. CPU speed

C. Disk size

D. Screen resolution

Answer: A

254.

Continuous monitoring means:

A. Real-time security observation

B. Monthly backups

C. Weekly updates

D. Annual audit

Answer: A

255.

Alerting systems notify:

A. Security incidents

B. CPU overheating

C. Disk defragmentation

D. Printer errors

Answer: A

256.

SIEM stands for:

A. Security Information and Event Management

B. System Internet Encryption Model

C. Security Interface Event Monitor

D. Secure Internet Email Manager

Answer: A

257.

Log monitoring helps:

A. Detect suspicious activity

B. Increase speed

C. Upgrade memory

D. Delete malware automatically

Answer: A

258.

Security audits verify:

A. Compliance with policies

B. CPU speed

C. Disk size

D. Screen resolution

Answer: A

**Cyber Laws & Ethics**

259.

Cyber law deals with:

A. Legal issues in cyberspace

B. Hardware design

C. Programming syntax

D. Network cables

Answer: A

260.

Unauthorized system access is:

A. Cybercrime

B. Maintenance

C. Backup

D. Programming

Answer: A

261.

Ethical hackers work:

A. With permission

B. Secretly

C. Without knowledge

D. Randomly

Answer: A

262.

Privacy laws protect:

A. User data

B. CPU speed

C. Disk capacity

D. Network cables

Answer: A

263.

Intellectual property laws protect:

A. Digital creations

B. Network cables

C. Disk sectors

D. RAM modules

Answer: A

264.

Cyber law deals with:

A. Legal issues in cyberspace

B. Hardware design

C. Programming syntax

D. Network cables

Answer: A

265.

Unauthorized system access is:

A. Cybercrime

B. Maintenance

C. Backup

D. Programming

Answer: A

266.

Ethical hackers work:

A. With permission

B. Secretly

C. Without knowledge

D. Randomly

Answer: A

267.

Privacy laws protect:

A. User data

B. CPU speed

C. Disk capacity

D. Network cables

Answer: A

268.

Intellectual property laws protect:

A. Digital creations

B. Network cables

C. Disk sectors

D. RAM modules

Answer: A

269.

Cyber law deals with:

A. Legal issues in cyberspace

B. Hardware design

C. Programming syntax

D. Network cables

Answer: A

270.

Unauthorized system access is:

A. Cybercrime

B. Maintenance

C. Backup

D. Programming

Answer: A

271.

Ethical hackers work:

A. With permission

B. Secretly

C. Without knowledge

D. Randomly

Answer: A

272.

Privacy laws protect:

A. User data

B. CPU speed

C. Disk capacity

D. Network cables

Answer: A

273.

Intellectual property laws protect:

A. Digital creations

B. Network cables

C. Disk sectors

D. RAM modules

Answer: A

274.

Cyber law deals with:

A. Legal issues in cyberspace

B. Hardware design

C. Programming syntax

D. Network cables

Answer: A

275.

Unauthorized system access is:

A. Cybercrime

B. Maintenance

C. Backup

D. Programming

Answer: A

276.

Ethical hackers work:

A. With permission

B. Secretly

C. Without knowledge

D. Randomly

Answer: A

**Emerging Trends in Cyber Security**

277. Zero Trust security assumes:

A. No implicit trust

B. All users trusted

C. Only admins trusted

D. Only LAN trusted

Answer: A

278. IoT security protects:

A. Connected devices

B. Printers only

C. Servers only

D. Routers only

Answer: A

279. AI in cybersecurity helps:

A. Threat detection

B. Cable manufacturing

C. Disk formatting

D. Hardware design

Answer: A

280. Quantum computing may impact:

A. Cryptography

B. Disk storage

C. Network cables

D. Printer drivers

Answer: A

281. Blockchain improves:

A. Data integrity

B. CPU speed

C. Network bandwidth

D. Display resolution

Answer: A

282. Zero Trust security assumes:

A. No implicit trust

B. All users trusted

C. Only admins trusted

D. Only LAN trusted

Answer: A

283. IoT security protects:

A. Connected devices

B. Printers only

C. Servers only

D. Routers only

Answer: A

284. AI in cybersecurity helps:

A. Threat detection

B. Cable manufacturing

C. Disk formatting

D. Hardware design

Answer: A

285. Quantum computing may impact:

A. Cryptography

B. Disk storage

C. Network cables

D. Printer drivers

Answer: A

286. Blockchain improves:

A. Data integrity

B. CPU speed

C. Network bandwidth

D. Display resolution

Answer: A

287. Zero Trust security assumes:

A. No implicit trust

B. All users trusted

C. Only admins trusted

D. Only LAN trusted

Answer: A

288. IoT security protects:

A. Connected devices

B. Printers only

C. Servers only

D. Routers only

Answer: A

289. AI in cybersecurity helps:

A. Threat detection

B. Cable manufacturing

C. Disk formatting

D. Hardware design

Answer: A

290. Quantum computing may impact:

A. Cryptography

B. Disk storage

C. Network cables

D. Printer drivers

Answer: A

291. Blockchain improves:

A. Data integrity

B. CPU speed

C. Network bandwidth

D. Display resolution

Answer: A

292. Zero Trust security assumes:

A. No implicit trust

B. All users trusted

C. Only admins trusted

D. Only LAN trusted

Answer: A

293. IoT security protects:

A. Connected devices

B. Printers only

C. Servers only

D. Routers only

Answer: A

294. AI in cybersecurity helps:

A. Threat detection

B. Cable manufacturing

C. Disk formatting

D. Hardware design

Answer: A

295. Quantum computing may impact:

A. Cryptography

B. Disk storage

C. Network cables

D. Printer drivers

Answer: A

296. Blockchain improves:

A. Data integrity

B. CPU speed

C. Network bandwidth

D. Display resolution

Answer: A

297. Zero Trust security assumes:

A. No implicit trust

B. All users trusted

C. Only admins trusted

D. Only LAN trusted

Answer: A

298. IoT security protects:

A. Connected devices

B. Printers only

C. Servers only

D. Routers only

Answer: A

299. AI in cybersecurity helps:

A. Threat detection

B. Cable manufacturing

C. Disk formatting

D. Hardware design

Answer: A

300. Quantum computing may impact:

A. Cryptography

B. Disk storage

C. Network cables

D. Printer drivers

Answer: A