




### Service Parts APV Mixproof Valves Delta DFplusX24 Tube Sizes



					DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	
Pos.	O+	Beso	chreibung	Source	FH-A12 X	FH-A12 X	FH-A12 X	FH-A12 X	FH-A12 X	
Item	Qty	Des	scription	Source	12S-1,5"	12S-1,5"	12S-1,5"	12S-2,5"	12S-3,0"	
			·		34S-2,0"	34S-2,5"	34S-3,0"	34S-3,0"	34S-4,0"	
		Ventil kpl.		WS-Nr.	3A019-03-706/59			3A019-03-715/59		
		Valve cpl.		H-Nr.	H319381	H319382	H319383	H319384	H319387	
		Gehäusedeckel	<u> </u>	WS-Nr.	3A015-00-291/47	3A015-00-292/47	34015-00-203/47	3A015-00-293/47	3A015-00-294/47	
1	1	Housing Cover		H-Nr.	H319525	H319526	H319527	H319527	H319528	
		Housing Cover		m-ivi.	H319323	H319320	H319321	H313327	H319326	
				WS-Nr.	3A016-44-200/47					
			12S-1,5"+34S2,0"	H-Nr.	H319435					
		Gehäuse Housing	12S-1,5"+34S2,5"	WS-Nr.		3A016-44-201/47				
				H-Nr.		H319436				
2	1		12S-1,5"+34S3,0"	WS-Nr.			3A016-44-202/47			
_	'			H-Nr.			H319437			
			12S-2.5"+34S3.0"	WS-Nr.				3A016-44-203/47		
				H-Nr.				H319438		
			12S-30,"+34S4,0"	WS-Nr.					3A016-44-204/47	
				H-Nr.					H319439	
		ı		WS-Nr.	000 50 22 442/22	000 50 22 402/22	000-58-33-567/33	000 50 22 567/22	000 50 22 642/22	
		Gehäuse- dichtung Housing Seal	HNBR	H-Nr.	H168714	H169759	H170013	H170013	H170074	
			ntung FPM (Viton™)		000-58-33-442/73		000-58-33-567/73			
3	4			H-Nr.	H77487	H77511	H77557	H77557	H77582	
				WS-Nr.	000-58-33-442/93	000-58-33-492/93	000-58-33-567/93			
			EPDM	H-Nr.	H77488	H77512	H77558	H77558	H77583	
4	1	Schaft DFXplus		WS-Nr.	3A016-22-994/42	3A016-22-993/42	3A016-22-992/42	3A016-22-995/42	3A016-22-996/42	
4	'	Lower Valve Sh	naft	H-Nr.	H319460	H319461	H319462	H319459	H319463	
		T					T		1	
			VMQ (Silicone)				000-58-33-571/13			
		<b>-</b>		H-Nr.	H77425	H77522	H77568	H77568	H77593	
		Teller- dichtung unten	HNBR	WS-Nr. H-Nr.	000-58-33-193/33 H168717	000-58-33-496/33 H168757	000-58-33-571/33 H170008	H170008	000-58-33-646/33	
5	1	Seat Seal for					000-58-33-571/73		H170015	
		Lower Shaft	FPM (Viton™)	WS-Nr. H-Nr.	H77426	H77523	H77569	H77569	H77594	
		LOWEI SHAIL			000-58-33-193/93		000-58-33-571/93			
		EPDM	EPDM	H-Nr.	H77427	H77524	H77570	H77570	H77595	
				IIFINI.	11//46/	11//324	11/75/0	11//3/0	11//383	





## Service Parts APV Mixproof Valves Delta DFplusX24 Tube Sizes

Pos. Item	Qty	Beschreibung Description		Source	DFPLUSX24 FH-A12 X 12S-1,5" 34S-2,0"	DFPLUSX24 FH-A12 X 12S-1,5" 34S-2,5"	DFPLUSX24 FH-A12 X 12S-1,5" 34S-3,0"	DFPLUSX24 FH-A12 X 12S-2,5" 34S-3,0"	DFPLUSX24 FH-A12 X 12S-3,0" 34S-4,0"	
6	1	Schaft DFXplus2 oben Upper Valve Shaft		WS-Nr. H-Nr.	000-16-22-105/42 H319448	000-16-22-106/42 H319450	000-16-22-107/42 H319451	000-16-22-108/42 H319452	000-16-22-109/42 H319453	
		Teller- dichtung	VMQ (Silicone)	H-Nr.	H77489	H77513	H77559	H77559	000-58-33-643/13 H77584	
7	1		HNBR	WS-Nr. H-Nr.	000-58-33-443/33 H166085	000-58-33-493/33 H166678	000-58-33-568/33 H166679	000-58-33-568/33 H166679	000-58-33-643/33 H166682	
'	'	Seat Seal for Upper Shaft	FPM (Viton™)	WS-Nr. H-Nr.	000-58-33-443/73 H77490	000-58-33-493/73 H77514	000-58-33-568/73 H77560	000-58-33-568/73 H77560	000-58-33-643/73 H77585	
		oppor chair	EPDM						000-58-33-643/93 H77586	
8	1	Zugstange					ı		000-16-23-170/42	
٥	'	Guide Rod		H-Nr.	H319444	H319441	H319442	H319443	H319440	
9	1	Sprengring D2 Retaining Ring		WS-Nr. H-Nr.	000-08-39-083/13 H14883	000-08-39-083/13 H14883	000-08-39-083/13 H14883	000-08-39-083/13 H14883	000-08-39-083/13 H14883	
10	1	Ventilsitz Valve Seat		WS-Nr. H-Nr.	3A016-37-473/43 H206143	3A016-37-523/43 H206183	3A016-37-573/43 H206184	3A016-37-573/43 H206184	3A016-37-673/43 H206185	
11	1	6ktSchraube Hex Screw	M8 x 6	WS-Nr. H-Nr.	000-65-01-099/15 H78795	000-65-01-099/15 H78795	000-65-01-099/15 H78795	000-65-01-099/15 H78795	000-65-01-099/15 H78795	
12	1	6ktSchraube Hex Screw	M8 x 16	WS-Nr. H-Nr.	000-65-01-081/15 H78772	000-65-01-081/15 H78772	000-65-01-081/15 H78772	000-65-01-081/15 H78772	000-65-01-081/15 H78772	
13	1	Schaltnocke Operating Cam		WS-Nr. H-Nr.	3A008-60-231/13 H206497	3A008-60-231/13 H206497	3A008-60-231/13 H206497	3A008-60-231/13 H206497	3A008-60-231/13 H206497	
14	1	Kupplung Coupling		WS-Nr. H-Nr.	000-08-52-110/13 H15938	000-08-52-110/13 H15938	000-08-52-110/13 H15938	000-08-52-110/13 H15938	000-08-52-110/13 H15938	
15	4	6kt. Schraube Hex Screw	M8 x 14	WS-Nr. H-Nr.	000-65-01-079/15 H78768	000-65-01-079/15 H78768	000-65-01-079/15 H78768	000-65-01-079/15 H78768	000-65-01-079/15 H78768	
16	1	Laterne Yoke		WS-Nr. H-Nr.	00016-40-435/17 H40511	00016-40-485/17 H40529	00016-40-560/17 H40547	00016-40-560/17 H40547	00016-40-635/17 H40565	
17	2	Stützring Support Ring		WS-Nr. H-Nr.	3A0-58-01-048/93 H320448	3A0-58-01-048/93 H320448	3A0-58-01-048/93 H320448	3A0-58-01-048/93 H320448	3A0-58-01-048/93 H320448	
18	1	O-Ring O-Ring		WS-Nr. H-Nr.	000-58-06-041/64 H320477	000-58-06-041/64 H320477	000-58-06-041/64 H320477	000-58-06-041/64 H320477	000-58-06-041/64 H320477	
19	2	O-Ring O-Ring		WS-Nr. H-Nr.	000-58-06-078/64 H121794	000-58-06-078/64 H121794	000-58-06-078/64 H121794	000-58-06-078/64 H121794	000-58-06-078/64 H121794	
20	1	Führungsbuchs Bushing	e 20x9	WS-Nr. H-Nr.	3A008-01-178/23 H315800	3A008-01-178/23 H315800	3A008-01-178/23 H315800	3A008-01-178/23 H315800	3A008-01-178/23 H315800	
21	1	Führungsbuchs Bushing	е	WS-Nr. H-Nr.	000-08-01-181/12 H148192	000-08-01-179/12 H156220	000-08-01-179/12 H156220	000-08-01-179/12 H156220	000-08-01-179/12 H156220	
			M8 x 16		000-65-01-081/15					
22	8	6kt. Schraube Hex Screw	M10 x 16	H-Nr. WS-Nr. H-Nr.	H78772 	H78772 	H78772 	H78772 	 000-65-01-130/15 H78806	
23	1	Schaftdichtung Shaft Seal		•	3A058-33-151/23 H206004	3A058-33-151/23 H206004	3A058-33-151/23 H206004	3A058-33-151/23 H206004	3A058-33-151/23 H206004	
			VMQ (Silicone						000-58-33-293/13 H77440	
		Sitz-	HNBR	WS-Nr. H-Nr.		000-58-33-293/33 H170176			000-58-33-293/33 H170176	
24	1	dichtung Seat Seal	FPM (Viton™)	WS-Nr.	000-58-33-293/73	000-58-33-293/73	000-58-33-293/73	000-58-33-293/73	000-58-33-293/73	
			EPDM		H77441 000-58-33-293/93				H77441 000-58-33-293/93	
				H-Nr.	H77442	H77442	H77442	H77442	H77442	
25	1	Führungsring Guide Ring		WS-Nr. H-Nr.	3A0-08-39-080/93 H320447	3A0-08-39-080/93 H320447	3A0-08-39-080/93 H320447	3A0-08-39-080/93 H320447	3A0-08-39-080/93 H320447	
26	1	Ring Düse Ring Jet		WS-Nr. H-Nr.	000-09-40-065/33 H310978	000-09-40-065/33 H310978	000-09-40-065/33 H310978	000-09-40-065/33 H310978	000-09-40-065/33 H310978	





## Service Parts APV Mixproof Valves Delta DFplusX24 Tube Sizes


					DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	
Pos.	_	Beschreibung Description			FH-A12 X					
Item	Qty			Source	12S-1,5"	12S-1,5"	12S-1,5"	12S-2,5"	12S-3,0"	
itoiii		D00	onplon		34S-2,0"	34S-2,5"	34S-3,0"	34S-3.0"	34S-4.0"	
					343-2,0	343-2,3	343-3,0	343-3,0	343-4,0	
		ı		MC Nr	000-58-33-109/13	000 E0 22 E42/12	000-58-33-543/13	000 50 00 540/10	000-58-33-643/13	
			VMQ (Silicone)	H-Nr.	H170664	H77544	H77544	H77544	H77584	
					000-58-33-109/33		000-58-33-543/33			
		Sitz-	HNBR							
27	1	dichtung		H-Nr.	H170658	H166681	H166681	H166681	H166682	
		Seat Seal	FPM (Viton™)		000-58-33-109/73		000-58-33-543/73		000-58-33-643/73	
			, , ,	H-Nr.	H170663	H77545	H77545	H77545	H77585	
			EPDM	-		000-58-33-543/93	000-58-33-543/93	000-58-33-543/93	000-58-33-643/93	
			LI DIVI	H-Nr.	H170662	H77546	H77546	H77546	H77586	
28	4	Schaftdichtung		WS-Nr.	3A058-33-201/23	3A058-33-202/23	3A058-33-203/23	3A058-33-203/23	3A058-33-204/23	
20	'	Shaft Seal		H-Nr.	H206281	H206282	H206283	H206283	H206284	
		PTFE Führungs	PTFE Führungsband		3A0-08-39-294/93	3A0-08-39-266/93	3A0-08-39-295/93	3A0-08-39-295/93	3A0-08-39-296/93	
29	1	PTFE Driving B		H-Nr.	H206387	H317078	H206388	H206388	H206389	
				1						
		Hut Mutter Cap Nut		WS-Nr.	000-65-56-066/13	000-65-56-066/13	000-65-56-066/13	000-65-56-066/13	000-65-56-066/13	
30	1			H-Nr.	H206736	H206736	H206736	H206736	H206736	
		Οαρ Ναι		111111.	11200700	11200700	11200700	11200700	11200700	
		Steuerkopf kpl. Actuator (complete)		WS-Nr	000-16-31-031/17	000-16-31-056/17	000-16-31-081/17	000-16-31-081/17	000-16-31-106/17	
31	1			H-Nr.	H39617	H39636	H39641	H39641	H39648	ļ
				□-INI.	H33017	H39030	H33041	H33041	H33040	
		A military diseases		IMO N	000 10 00 010/17	000 40 00 040/47	000 40 00 040/47	000 40 00 040/47	000 40 00 000/47	
32	1	Anlüftzylinder		WS-Nr.					000-16-30-038/17	
		Lifting Device		H-Nr.	H39483	H39483	H39483	H39483	H39497	
	1	Dicht Satz	FPM (Viton™)	WS-Nr.	000-58-34-851/00	000-58-34-852/00	000-58-34-853/00	000-58-34-853/00	000-58-34-854/00	
	'	Seal Kit	rrivi (Vitori)	H-Nr.	H206881	H206882	H206883	H206883	H206884	
	1	Dicht Satz	EPDM	WS-Nr.	000-58-34-851/01	000-58-34-852/01	000-58-34-853/01	000-58-34-853/01	000-58-34-854/01	
		Seal Kit	ELDIN	H-Nr.	H206886	H206887	H206888	H206888	H206889	
										-
		Dicht Satz		WS-Nr	000-58-34-851/02	000-58-34-852/02	000-58-34-853/02	000-58-34-853/02	000-58-34-854/02	
	1	Seal Kit		H-Nr.	H206891	H206892	H206893	H206893	H206894	
		ocai i iii		1	TIEGGGG I	TILOUGUL	11200000	11200000	11200001	
		Dicht Satz		WS-Nr.	000-58-34-851/06	000-58-34-853/06	000-58-34-853/06	000-58-34-853/06	000-58-34-854/06	
	1	Seal Kit	HNBR	H-Nr.	H206896	H206897	H206898	H206898	H206899	
	i)	oedi Nil		□-INſ.		TZU009/	⊓∠∪0090	<b>⊓∠∪0090</b>	⊓∠∪ооээ	

Note: The seal kits above include items 3, 5, 7, 21, 23, 24, 27, 28, 29.





# Service Parts APV Mixproof Valves Delta DFplusX24 Actuator




				DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24			
Pos.	Qtv	Beschreibung	Source	FH-A12 X							
Item	Qly	Description		12S-1,5"	12S-1,5"	12S-1,5"	12S-2,5"	12S-3,0"			
				34S-2,0"	34S-2,5"	34S-3,0"	34S-3,0"	34S-4,0"			
		Steuerkopf kpl.	WS-Nr.	000-16-31-031/17	000-16-31-056/17	000-16-31-081/17	000-16-31-081/17	000-16-31-106/17			
		Actuator (complete)	H-Nr.	H39617	H39636	H39641	H39641	H39648			
1	4	Steuerkopf Zylinder	WS-Nr.	000-16-31-027/17	000-16-31-052/17	000-16-31-077/17	000-16-31-077/17	000-16-31-102/17			
'	'	Actuator Cylinder	H-Nr.	H39614	H39633	H39638	H39638	H39645			
2		O-ring	WS-Nr.	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83			
_		O-ring	H-Nr.	H76943	H76943	H76943	H76943	H76943			
3	1	Entl. Stopfen	WS-Nr.	000-08-60-005/93	000-08-60-005/93	000-08-60-005/93	000-08-60-005/93	000-08-60-005/93			
Ů		Venting Plug	H-Nr.	H16218	H16218	H16218	H16218	H16218			
4	1	W-Verschraubung	_	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93			
		Air Fitting	H-Nr.	H312732	H312732	H312732	H312732	H312732			
5	4	6kt. Schraube	-		000-65-01-079/15	000-65-01-079/15	000-65-01-079/15	000-65-01-079/15			
	7	Hex Screw	H-Nr.	H78768	H78768	H78768	H78768	H78768			
6	1	Deckel	_	000-16-00-043/93	000-16-00-043/93	000-16-00-043/93		000-16-00-043/93			
1	l '	Cover	H-Nr.	H34999	H34999	H34999	H34999	H34999			





# Service Parts APV Mixproof Valves Delta DF+2 Seat Lifting Device



					DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	DFPLUSX24	
Pos.	۵.	Beschreibung Description			FH-A12 X	FH-A12 X	FH-A12 X	FH-A12 X	FH-A12 X	
Item	Qty			Source	12S-1,5"	12S-1,5"	12S-1,5"	12S-2,5"	12S-3,0"	
					34S-2,0"	34S-2,5"	34S-3,0"	34S-3,0"	34S-4,0"	
					, , , , , , , , , , , , , , , , , , ,	V . U =,U	0.00,0	0.00,0	,.	
		Anlüftzylinder kpl.		WS-Nr.	000-16-30-013/17	000-16-30-013/17	000-16-30-013/17	000-16-30-013/17	000-16-30-038/17	
		Lifting Device cpl.		H-Nr.	H39483	H39483	H39483	H39483	H39497	
		<u> g                               </u>			1.00.00	1.00.00	1.00.00	1.00.00	1100107	
		Zylinder	WS-Nr.	000-16-30-011/17	000-16-30-011/17	000-16-30-011/17	000-16-30-011/17	000-16-30-036/17		
1	1	Seat Lifting Cylinder		H-Nr.	H39482	H39482	H39482	H39482	H39496	
		6ktSchraube	110 11	WS-Nr.	000-65-01-079/15	000-65-01-079/15	000-65-01-079/15	000-65-01-079/15	000-65-01-079/15	
2	8	Hex Screw	M8 x 14	H-Nr.	H78768	H78768	H78768	H78768	H78768	
_		6ktSchraube	M0 - 40	WS-Nr.	000-65-01-081/15	000-65-01-081/15	000-65-01-081/15	000-65-01-081/15	000-65-01-081/15	
3	1	Hex Screw	M8 x 16	H-Nr.	H78772	H78772	H78772	H78772	H78772	
		•			•	•	•	•	•	•
4	,	Distanzrohr		WS-Nr.	000-09-89-622/13	000-09-89-622/13	000-09-89-622/13	000-09-89-622/13	000-09-89-622/13	
4	,	Distance Tube		H-Nr.	H20528	H20528	H20528	H20528	H20528	
_	1	Stellschraube		WS-Nr.	000-16-28-044/13	000-16-28-044/13	000-16-28-044/13	000-16-28-044/13	000-16-28-044/13	
5		Setting Screw		H-Nr.	H39327	H39327	H39327	H39327	H39327	
_	_	W-Verschraubung		WS-Nr.	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93	000-80-60-811/93	
6	2	Air Fitting		H-Nr.	H312732	H312732	H312732	H312732	H312732	
					•	•	•	•	•	
7	4	Deckel		WS-Nr.	000-16-00-043/93	000-16-00-043/93	000-16-00-043/93	000-16-00-043/93	000-16-00-043/93	
/	'	Cover		H-Nr.	H34999	H34999	H34999	H34999	H34999	
		•			•	•	•	•	•	
8	2	O-ring		WS-Nr.	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83	000-58-06-078/83	
0	_	O-ring		H-Nr.	H76943	H76943	H76943	H76943	H76943	
					•	•	•	•	•	•
9	4	6ktMutter	Miovi	WS-Nr.	000-65-50-701/17	000-65-50-701/17	000-65-50-701/17	000-65-50-701/17	000-65-50-701/17	
9	'	Hex Nut	M12 x 1	H-Nr.	H79394	H79394	H79394	H79394	H79394	
		•		•	•	•	•	•	•	
10	-	Spreng Ring		WS-Nr.	000-08-39-083/13	000-08-39-083/13	000-08-39-083/13	000-08-39-083/13	000-08-39-083/13	
10	'	Retaining Ring		H-Nr.	H14883	H14883	H14883	H14883	H14883	
					•	•	•	•	•	
11	1	O-Ring	7.3-2.4	WS-Nr.	000-58-06-015/73	000-58-06-015/73	000-58-06-015/73	000-58-06-015/73	000-58-06-015/73	_
''	l '	O-ring	1.3-2.4	H-Nr.	H76907	H76907	H76907	H76907	H76907	
					•	•	•	•		