github.com/prod01

Gmail   Google   YouTube   Maps   Globoplay | Assista...   Clube Midia – Link S...   Overview | Oracle A...   Course: Fundament...   All Bookmarks

prod01

Type / to search

Overview   Repositories 42   Projects   Packages   Stars 1

Popular repositories

Customize your pins

Movimentacao_de_Ativos — Public
Movimentação de Ativos
● HTML   ☆ 1

Portal-de-Chamados-TI- — Public
Portal de Chamados para TI - Fluig
● JavaScript

Solicitacao-de-Contratos — Public
Solicitação de contratos
● JavaScript

Movimenta-o-de-Ativos — Public
Movimentação de Ativos - Fluig
● HTML

Analise-Juridica- — Public
Analise Juridica - Fluig
● JavaScript

Processo-de-integra-o- — Public
Integração Fluig/RM
● JavaScript

O Pedro Rodrigues
prod01 · he/him

Não é a linguagem de programação que define o programador, mas sim sua lógica.

Edit profile

5 followers · 6 following

p_rodrigues01

Organizations

66 contributions in the last year

Contribution settings

2025
2024
2023
2022

Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb Mar
Mon
Wed
Fri

Learn how we count contributions   Less ▢▢▢▢ More

Contribution activity

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.

Required fields are marked with an asterisk (*).

Owner * / **Repository name ***

prod01 / aula-git-github

✓ aula-git-github is available.

Great repository names are short and memorable. Need inspiration? How about fictional-invention ?

Description (optional)

aula-git-github

⦿ Public
Anyone on the internet can see this repository. You choose who can commit.

○ Private
You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file
This is where you can write a long description for your project. Learn more about READMEs.

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. Learn more about ignoring files.

Choose a license

License: None

A license tells others what they can and can't do with your code. Learn more about licenses.

ⓘ You are creating a public repository in your personal account.

aula-git-github `Public`

⭐ Pin   👁 Unwatch 1 ▾   🍴 Fork 0 ▾   ⭐ Star 0 ▾

Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.

[Get started with GitHub Copilot]

Add collaborators to this repository
Search for people using their GitHub username or email address.

[Invite collaborators]

Quick setup — if you've done this kind of thing before

[⊞ Set up in Desktop] or [HTTPS] [SSH] `https://github.com/prod01/aula-git-github.git` 📋

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# aula-git-github" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/prod01/aula-git-github.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/prod01/aula-git-github.git
git branch -M main
git push -u origin main
```

💡 **ProTip!** Use the URL for this page when adding GitHub as a remote.

MINGW64:/c/Users/Pedro Rodrigues/Desktop/teste aula/aula-git-github

```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula (main)
$ git clone https://github.com/prod01/aula-git-github.git
Cloning into 'aula-git-github'...
warning: You appear to have cloned an empty repository.

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula (main)
$ cd aula-git-github

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main

No commits yet

nothing to commit (create/copy files and use "git add" to track)

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        Teste/

nothing added to commit but untracked files present (use "git add" to track)
```

Eclipse IDE Launcher

Select a directory as workspace

Eclipse IDE uses the workspace directory to store its preferences and development artifacts.

Workspace: `C:\Users\Pedro Rodrigues\Desktop\teste aula\aula-git-github`   Browse...

☐ Use this as the default and do not ask again

▸ **Recent Workspaces**

Launch   Cancel

MINGW64:/c/Users/Pedro Rodrigues/Desktop/teste aula/aula-git-github

```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (ma
in)
$ git add .|
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Teste/.gitignore', LF will be replaced by CRLF the next time Git touches it

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   Teste/.classpath
        new file:   Teste/.gitignore
        new file:   Teste/.project
        new file:   Teste/.settings/org.eclipse.core.resources.prefs
        new file:   Teste/.settings/org.eclipse.jdt.core.prefs
        new file:   Teste/src/module-info.java


Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
[main (root-commit) 39aa796] Primeiro commit do projeto: classe Java Teste vazia.
 7 files changed, 54 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 Teste/.classpath
 create mode 100644 Teste/.gitignore
 create mode 100644 Teste/.project
 create mode 100644 Teste/.settings/org.eclipse.core.resources.prefs
 create mode 100644 Teste/.settings/org.eclipse.jdt.core.prefs
 create mode 100644 Teste/src/module-info.java
```


```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git remote set-url origin https://prod01@github.com/prod01/aula-git-github.git|

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git push
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (12/12), 1.41 KiB | 722.00 KiB/s, done.
Total 12 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/prod01/aula-git-github.git
 * [new branch]      main -> main

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$
```

prod01 / aula-git-github

<> Code ⊙ Issues ⁑ Pull requests ⊙ Actions ⊞ Projects ☒ Wiki ⊘ Security ⌖ Insights ⚙ Settings

⌐ main aula-git-github / Teste / src / module-info.java

prod01 Update module-info.java   50b9f95 · now ⟲ History

Code Blame   7 lines (7 loc) · 131 Bytes   ⊠ Code 55% faster with GitHub Copilot   Raw

```
1   package teste;
2   public class Teste {
3   public static void main(String[] args) {
4   int num1 = 3, num2 = 5, soma;
5   soma = num1 + num2;
6   }
7   }
```

```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (5/5), 1.13 KiB | 39.00 KiB/s, done.
From https://github.com/prod01/aula-git-github
   39aa796..50b9f95  main       -> origin/main

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$
```

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer
- Teste [aula-git-github main ↓1]
  - JRE System Library [JavaSE-17]
  - src
    - module-info.java
      - Teste

```
1   /**
2    *
3    */
4   /**
5    * @author Pedro Rodrigues
6    *
7    */
8   module Teste {
9   }
```

```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git pull
Updating 39aa796..50b9f95
Fast-forward
 Teste/src/module-info.java | 16 +++++++---------
 1 file changed, 7 insertions(+), 9 deletions(-)

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$
```

Description   Resource   Path   Location   Type

aula-git-github - Teste/src/module-info.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer
- Teste [aula-git-github main]
  - JRE System Library [JavaSE-17]
  - src
    - module-info.java
      - Teste

```
1   package teste;
2   public class Teste {
3   public static void main(String[] args) {
4   int num1 = 3, num2 = 5, soma;
5   soma = num1 + num2;
6   }
7   }
```

```
Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
$
```

```
    nothing to commit, working tree clean

    Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
    $ git pull
    Already up to date.

    Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
    $ git status
    On branch main
    Your branch is up to date with 'origin/main'.

    Changes not staged for commit:
      (use "git add <file>..." to update what will be committed)
      (use "git restore <file>..." to discard changes in working directory)
            modified:   Teste/src/module-info.java

    no changes added to commit (use "git add" and/or "git commit -a")

    Pedro Rodrigues@DESKTOP-S71T5GV MINGW64 ~/Desktop/teste aula/aula-git-github (main)
    $
```