

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Anti-molding agents (continued)	Propiconazole	Citrus fruits (except for UNSHU orange)	as maximum residue limit 0.008g/kg	
		Apricot (eliminate seeds)	0.004g/kg	
		Nectarin (eliminate seeds)		
		Peach (eliminate seeds)		
		Cherry (eliminate peduncle and seeds)		
		Japanese plum (eliminate seeds)	0.0006g/kg	
	Pyrimethanil		as maximum residue limit	
		Apricot	0.010 g/kg	
		Cherry		
		Citrus fruits (except UNSHU orange)		
		Japanese plum (including prune)		
		Peach		
		Apple	0.014 g/kg	
		Pear		
		Quince		
Antioxidants	Thiabendazole		as maximum residue limit	
		Banana (whole)	0.0030 g/kg	
		Banana (pulp)	0.0004 g/kg	
		Citrus fruits	0.010 g/kg	
	L-Ascorbic Acid	All foods		
	L-Ascorbyl Palmitate			
	L-Ascorbyl Stearate			
	Butylated Hydroxyanisole (BHA)		as BHA	When BHA is used in combination with BHT, the total amount of both shall not exceed the corresponding limit.
		Butter	0.2 g/kg	
		Fats & oils	0.2 g/kg	
		Fish & shellfish (dried)	0.2 g/kg	
		Fish & shellfish (salted)	0.2 g/kg	
		Fish & shellfish (frozen)	1 g/kg of dip	
		(except frozen products cosumed raw)		
		Mashed potato (dried)	0.2 g/kg	
		Whale meat (frozen)	1 g/kg of dip	
		(except frozen products cosumed raw)		
	Butylated Hydroxytoluene (BHT)		as BHA	When BHA is used in combination with BHT, the total amount of both shall not exceed the corresponding limit.
		Butter	0.2 g/kg	
		Chewing gum	0.75 g/kg	
		Fats & oils	0.2 g/kg	
		Fish & shellfish (dried)	0.2 g/kg	
		Fish & shellfish (salted)	0.2 g/kg	
		Fish & shellfish (frozen)	1 g/kg of dip	
		(except frozen products cosumed raw)		
		Mashed potato (dried)	0.2 g/kg	
		Whale meat (frozen)	1 g/kg of dip	
		(except frozen products cosumed raw)		
	Calcium L-Ascorbate	All foods		
	Calcium Disodium Ethylenediaminetetraacetate		as EDTA-CaNa ₂	
		Canned and bottle non-alcoholic beverages	0.035 g/kg	
		Other canned and bottle foods	0.25 g/kg	
	L-Cysteine Monohydrochloride	Bread		All foods as CHOMIRYO (seasoning)
		Fruit juice		
	Disodium Ethylene-diaminetetraacetate		as EDTA-CaNa ₂	Shall be chelated with calcium ion before the preparation of the finished food.
		Canned and bottle non-alcoholic beverages	0.035 g/kg	
		Other canned and bottled foods	0.25 g/kg	

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use
Antioxidants (continued)	Erythroic Acid	Fish paste products (excluding SURIMI) Bread Other food		Not permitted for nutritive purposes in fish paste products (excluding SURIMI) or bread. Only for antioxidizing purposes in other foods.
	Isopropyl Citrate	Butter Fats and oils	as monoisopropyl citrate 0.10 g/kg 0.10 g/kg	
	Propyl Gallate	Butter Fats and oils	0.10 g/kg 0.20 g/kg	
	Sodium L-Ascorbate	All foods		
	Sodium Erythorbate	Fish paste products (excluding SURIMI) Bread Other food		Not permitted for nutritive purposes in fish paste products (excluding SURIMI) or bread. Only for antioxidizing purposes in other foods.
	<i>d</i> - α -Tocopherol	All foods		Only for antioxidizing, except when included in preparation of β -Carotene, Vitamin A, Vitamin A Esters of Fatty Acids, or Liquid Paraffin.
Antisticking	D-Mannitol	Candies Chewing gum FURIKAKE (sprinkleover only products containing granules) RAKUGAN (dried rice-flour cakes) TSUKUDANI (food boiled down in soy sauce, only products made of KONBU (kelp)) All foods as CHOMIRYO (seasoning)*	40% 20% 50 % of granules 30% 25 % (as maximum residue limit)	* When used in formula with Potassium Chloride and Glutamate for seasoning foods or enhancing their original flavor, no limits are specified. (only cases where D-Mannitol does not exceed 80 % of the sum of Potassium Chloride, Glutamates and D-Mannitol)
Bleaching agents Sterilizer	Hydrogen Peroxide	Whitebait simply scalded, Dried whitebait	less than 0.005g/kg(as maximum residue limit)	
		All foods		Shall be removed or decomposed before the preparation of the finished food.
Bleaching agents	Sodium Chlorite	Cherry Citrus fruits (limited to those for confectionary) FUKI Grape Peach		Shall be removed or decomposed before the preparation of the finished food.
		Eggs (limited to the part of egg shell) Processed KAZUNOKO (Herring roe products) (except for dried KAZUNOKO and freeze-d KAZUNOKO) Vegetables for direct consumption	0.50 g/kg dipping solution (as sodium chlorite)	
Sterilizer		Meat Meat products	0.50g~1.20g/kg dipping solution or spray liquid (as sodium chlorite)	dipping solution or spray liquid of pH 2.3 ~ 2.9 shall be used within 30 seconds, and shall be removed or decomposed before the preparation of the finished food.

Major Use Category	Additives	Target Foods	Maximum Limits	Limitation for Use	
Bleaching agents		AMANATTO:dried candied beans	Residue limit of SO2 less than: 0.10 g/kg	Not permitted in legumes/pulses, sesame seeds, or vegetables.	
	Potassium Pyrosulfite	Candied cherry	0.30 g/kg		
		Dijon mustard	0.50 g/kg		When other foods (excluding KONNYAKU) manufactured or processed, using foods like Dried fruits (excluding raisins) listed in this section, in which an additive listed in the left column is used, according to the standards for use, contain a residue of not less than 0.030 g/kg as SO ₂ , the amount of residue shall be the maximum residue limit.
		Dried fruits (excluding raisins)	2.0 g/kg		
	Sodium Hydrosulfite	Raisins	1.5 g/kg		
	Sodium Pyrosulfite	Dried potato	0.50 g/kg		
	Sodium Sulfite	Food molasses	0.30 g/kg		
	Sulfur Dioxide	Frozen raw crab	0.10 g/kg		
		Gelatin	0.50 g/kg		
		KANPYO: dried gourd strips	5.0 g/kg		
		KONNYAKU-KO:powdered konjac	0.90 g/kg		
		Miscellaneous alcoholic beverages	0.35 g/kg		
		MIZUAME (starch syrup)	0.20 g/kg		
		Natural fruit juice	0.15 g/kg		
		(confined to foods to be consumed in 5-fold or more dilution)			
		Prawn	0.10 g/kg		
		Simmered beans	0.10 g/kg		
		Tapioca starch for saccharification	0.25 g/kg		
		Wine (any kind of fruit wine, excluding squeezed fruit juice containing alcohol of not less than 1% by volume which is used for manufacturing wine and a concentrate of the same.)	0.35 g/kg		
		Other foods (excluding cherry used for candied cherry, hop used for brewing beer, fruit juice used for manufacturing wine, and squeezed fruit juice containing alcohol of not less than 1 % by volume, and and a concentrate of the same.)	0.030 g/kg		
Chewing gum bases		Ester Gum	Chewing gum		Only as chewing gum base.
	Polybutene	* Polyvinyl Acetate may also be used as film-forming.			
	Polyisobutylene	See the section, "Film-forming agents."			
	Polyvinyl Acetate*				
Color fixatives	Ferrous Sulfate	All foods			
	Potassium Nitrate	Meat products	less than: 0.070 g/kg	May be used as fermentation regulator. See the section, "Miscellaneous."	
		Whale meat bacon	0.070 g/kg (as residue limit of NO2)		
	Sodium Nitrate	Same as for Potassium Nitrate			
	Sodium Nitrite			as maximum residue limit of nitrite	
		Fish ham	0.050 g/kg		
		Fish sausage	0.050 g/kg		
		IKURA (salted/processed salmon roes)	0.0050 g/kg		
		Meat products	0.070 g/kg		
SUJIKO (salted salmon roes)		0.0050 g/kg			
TARAKO		0.0050 g/kg			
Whale meat bacon		0.070 g/kg			